
## HYDER AGR-PUD SOUTH PLAT THREE

BEING A REPLAT OF ALL OF TRACTS 57 THROUGH 59, INCLUSIVE, A PORTION OF TRACTS 37 THROUGH 43, INCLUSIVE, TRACTS 55, 56, 60 AND A PORTION OF THE ABUTTING ROAD, DYKE AND DITCH RESERVATIONS, 30.00 FEET IN WIDTH, BLOCK 70, PALM BEACH FARMS CO. PLAT NO. 3, AS RECORDED IN PLAT BOOK 2, PAGES 45 THROUGH 54, PUBLIC RECORDS, PALM BEACH COUNTY, FLORIDA, LYING IN SECTION 31, TOWNSHIP 46 SOUTH, RANGE 42 EAST.

SHEET 8 OF 8



THIS INSTRUMENT WAS PREPARED BY PERRY C. WHITE, P.S.M. 4213, STATE OF FLORIDA SAND & HILLS SURVEYING, INC. 8461 LAKE WORTH ROAD, SUITE 410 LAKE WORTH, FLORIDA 33467 LB-7741

STATE PLANE COORDINATE VALUE

PRM6 758318.6631 919210.2741

PRM7 | 758300.9732 | 919137.4097 |


NORTHING EASTING

758349.1161 919075.6140

COORDINATES SHOWN ARE GRID COORDINATES DATUM = NAD 83 (1990 ADJUSTMENT) ZONE = FLORIDA EAST ZONE LINEAR UNIT = U.S. SURVEY FEET COORDINATE SYSTEM = 1983 STATE PLANE TRANSVERSE MERCATOR PROJECTION

ALL DISTANCES ARE GROUND SCALE FACTOR = 1.00002237

PLAT BEARING = GRID BEARING GROUND DISTANCE X SCALE FACTOR = GRID DISTANCE



4"X4" CONCRETE MONUMENT WITH 1.5" DISK STAMPED L.B. #7741 - SET PERMANENT REFERENCE MONUMENT

4"X4" CONCRETE MONUMENT WITH

- FOUND PERMANENT CONTROL POINT

NAIL WITH 1.25" DISK STAMPED L.B. #7741

NAIL WITH 1.25" DISK STAMPED L.B. #7741

1.5" DISK STAMPED L.B. #7741

- SET PERMANENT CONTROL POINT

 AGRICULTURAL DELTA ANGLE

 CHORD DISTANCE CENTERLINE - DEED BOOK