

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 37 **SECTION:** 01

DIRECTION: NE **DOC NO:** 59016

Y72: **X72:** **POINT NO:** 17001

N90: 948796.8200 **E90:** 792867.3310 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 12/17/1996 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOKS 1261CC, PAGE 42, 1261HH, PAGE 60, 1277P, PAGE 24.

HISTORY:

MEMO

FOUND A 4X4 CONCRETE MONUMENT IN ACCORDANCE WITH THE G.L.O. SURVEY OF T41S, R37E OF 1919 BY R.W. LIVINGSTON, THE SURVEY PLAT OF T41S, R37E BY A.R. LIVINGSTON FOR THE "MODEL LAND CO.", RECORDED IN PLAT BOOK 3, PAGE 30, "TRACTS F, G, H, I & J, OSCEOLA GROVES INC.", RECORDED IN PLAT BOOK 20, PAGE 30, A SURVEY OF TOWNSHIPS 40 AND 41, RANGE 38 BY CARL JOHNSON, SURVEYED FROM JANUARY 1945 TO SEPTEMBER 1946, RECORDED ON FEBRUARY 6, 1953 IN DEED BOOK 1010, PAGES 390 THROUGH 394 AND "TRACTS R & S, OSCEOLA GROVES INC.", RECORDED IN PLAT BOOK 22, PAGE 32.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 37 **SECTION:** 02

DIRECTION: NE **DOC NO:** 68828

Y72: **X72:** **POINT NO:** 17003

N90: 948757.7240 **E90:** 787587.4550 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 08/21/2000 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: REFERENCE PALM BEACH COUNTY SURVEY FIELD BOOKS 1261CC, PAGES 52-61, 66, 67 AND 1261JJ, PAGES 42, 47, 48, 52, 54 AND 1261KK, PAGE 12.

HISTORY:

MEMO FOUND A 1 1/2 INCH IRON PIPE IN ACCORDANCE WITH THE PLAT OF "TRACTS F, G, H, I, & J, OSCEOLA GROVES INC.", RECORDED IN PLAT BOOK 20, PAGE 30.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 37 **SECTION:** 02

DIRECTION: MC **DOC NO:** 68827

Y72: **X72:** **POINT NO:** 17170

N90: 948724.5680 **E90:** 783354.1610 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 08/21/2000 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: REFERENCE PALM BEACH COUNTY SURVEY FIELD BOOKS 1261CC, PAGES 66-69, AND 1261JJ, PAGES 47, 48, AND 1261KK, PAGES 5, AND 13.

HISTORY:

MEMO SET THE MEANDER CORNER ON THE NORTH LINE OF SECTION 2, TOWNSHIP 41 SOUTH, RANGE 37 EAST, IN ACCORDANCE WITH THE POSITION OF THE CORNER SHOWN ON THE CENTRAL AND SOUTHERN FLORIDA FLOOD CONTROL DISTRICT "SURVEY OF LEVEE D-9 FROM LEVEE 10 (WEST PALM BEACH CANAL) TO ST. LUCIE CANAL", DRAWING NUMBER LD-9-3, SHEET 5 OF 7 SHEETS.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 37 **SECTION:** 33

DIRECTION: MC **DOC NO:** 59017

Y72: **X72:** **POINT NO:** 17171

N90: 916411.3700 **E90:** 773990.7400 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 01/27/1997 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOKS 1261DD, PAGES 31 THROUGH 33, 1261II, PAGE 9 AND 1277P, PAGE 35.

HISTORY:

MEMO FOUND A 1 INCH IRON PIPE WHICH PERPETUATES THE POSITION OF THE GENERAL LAND OFFICE CORNER THAT WAS SET BY R.W. LIVINGSTON IN 1919 WHICH WAS SHOWN ON THE "CONNERS HIGHWAY RIGHT OF WAY MAP" BY CARR AND MCFADDEN, INC. OF 1934, RECORDED IN PLAT BOOK 16, PAGE 55.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 37 **SECTION:** 33

DIRECTION: SE **DOC NO:** 59018

Y72: **X72:** **POINT NO:** 17127

N90: 916521.9800 **E90:** 777008.2450 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 01/06/1997 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOKS 1261DD, PAGES 31-33, 1261HH, PAGE 66 AND 1277P, PAGE 27.

HISTORY:

MEMO FOUND A RAILROAD RAIL THAT WAS FOUND IN ACCORDANCE WITH A SURVEY OF A "TRACT DEEDED TO CANAL POINT SCHOOL" BY CARL JOHNSON IN 1943 FROM THE UNITED STATES SUGAR CORPORATION. REFERENCE ALSO THE UNITED STATES SUGAR CORPORATION SURVEY FIELD BOOK R-30, PAGE 36.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 37 **SECTION:** 36

DIRECTION: SE **DOC NO:** 59019

Y72: **X72:** **POINT NO:** 17121

N90: 917100.7410 **E90:** 792840.0330 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 12/27/1996 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOKS 1261CC, PAGE 48, 1261HH, PAGE 65, 1277P, PAGE 27.

HISTORY:

MEMO FOUND A RAILROAD RAIL IN ACCORDANCE WITH THE G.L.O. SURVEY OF TOWNSHIP 41 SOUTH, RANGE 37 EAST BY R.W. LIVINGSTON AND THE SURVEY OF TOWNSHIPS 40 AND 41 SOUTH, RANGE 38 EAST BY CARL JOHNSON, SURVEYED FROM JANUARY 1945 TO SEPTEMBER 1946, RECORDED ON FEBRUARY 6, 1953 IN DEED BOOK 1010, PAGES 390 THROUGH 394.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 38 **SECTION:** 17

DIRECTION: NE **DOC NO:** 59031

Y72: **X72:** **POINT NO:** 18049

N90: 938264.9160 **E90:** 803288.7930 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 12/19/1996 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOK 1261GG, PAGE 51, 1261HH, PAGE 63, 1277P, PAGE 26, 1282, PAGE 31.

HISTORY:

MEMO FOUND A 2 INCH IRON PIPE WITH BRASS DISK IN ACCORDANCE WITH A SURVEY OF TOWNSHIPS 40 AND 41 SOUTH, RANGE 38 EAST BY CARL JOHNSON, SURVEYED FROM JANUARY 1945 TO SEPTEMBER 1946, RECORDED ON FEBRUARY 6, 1953 IN DEED BOOK 1010, PAGES 390 THROUGH 394.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 38 **SECTION:** 21

DIRECTION: NE **DOC NO:** 59032

Y72: **X72:** **POINT NO:** 18067

N90: 933002.6610 **E90:** 808578.5550 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 12/26/1996 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOKS 1282, PAGE 31, 1261HH, PAGE 64, 1277P, PAGE 26.

HISTORY:

MEMO FOUND A 3 INCH IRON PIPE WITH BRASS CAP IN ACCORDANCE WITH A SURVEY OF TOWNSHIPS 40 AND 41 SOUTH, RANGE 38 EAST BY CARL JOHNSON, SURVEYED FROM JANUARY 1945 TO SEPTEMBER 1946, RECORDED ON FEBRUARY 6, 1953, IN DEED BOOK 1010, PAGES 390 THROUGH 394.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 39 **SECTION:** 13

DIRECTION: NE **DOC NO:** 59800

Y72: **X72:** **POINT NO:** 19041

N90: 938494.4030 **E90:** 856462.4020 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 05/13/1997 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOKS 1261II, PAGE 55 AND 1277P, PAGE 55 AND 57.

HISTORY:

MEMO FOUND A 1 3/8 INCH IRON PIPE IN ACCORDANCE WITH THE CORNER SHOWN IN THE FLORIDA POWER AND LIGHT COMPANY SURVEY FIELD BOOKS 387, PAGE 85 OF DECEMBER 1956 AND 388, PAGES 76 THROUGH 86 OF APRIL AND MAY, 1957, CERTIFIED TO BY E.J. ROOS ON DECEMBER 31, 1958 IN FIELD BOOK 388 AND A SURVEY FOR THE "UNITED AIRCRAFT CORP." (PRATT-WHITNEY) BY K.C. MOCK IN 1956, DRAWING NUMBER 4140-4.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 39 **SECTION:** 14

DIRECTION: NE **DOC NO:** 59801

Y72: **X72:** **POINT NO:** 19043

N90: 938405.5180 **E90:** 851063.8550 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 05/13/1997 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOK 1232V, PAGES 9 AND 10.

HISTORY:

MEMO FOUND A ROUND CONCRETE MONUMENT WITH AN ALUMINUM DISK, FOUND IN ACCORDANCE WITH A SURVEY FOR THE "UNITED AIRCRAFT CORP. (PRATT-WHITNEY AIRCRAFT DIV.)" OF NOVEMBER 1956 BY K.C. MOCK, DRAWING NUMBER 4140-4.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 39 **SECTION:** 23

DIRECTION: NE **DOC NO:** 59943

Y72: **X72:** **POINT NO:** 19063

N90: 933125.2770 **E90:** 851122.2770 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 06/03/1997 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOKS 1261II, PAGES 62, 63 AND 1277P, PAGE 60.

HISTORY:

MEMO FOUND AN ALUMINUN DISK IN A ROUND CONCRETE MONUMENT IN ACCORDANCE WITH A SURVEY FOR THE "UNITED AIRCRAFT (PRATT WHITNEY) CORPORATION" BY K.C. MOCK OF NOVEMBER, 1956, DRAWING NUMBER 4140-4.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 39 **SECTION:** 24

DIRECTION: NE **DOC NO:** 68829

Y72: **X72:** **POINT NO:** 19061

N90: 933191.9670 **E90:** 856440.9260 **CATEGORY:** 2 **RANK:** 5

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 08/21/2000 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOKS 1261JJ, PAGES 16 AND 17.

HISTORY:

MEMO

FOUND A 4 INCH ROUND CONCRETE MONUMENT WITH AN ALUMINUM DISK STAMPED
13|18
24|19 FOUND IN ACCORDANCE WITH THE F.P.L. RIGHT OF WAY MAPS FOR THE F.P.L.
RIGHT OF WAY E49217-2 (PRATT WHITNEY-ST. LUCIE 240K LINES) AND E-26314-2 (RANCH-
PRATT WHITNEY #1 AND #2.) REFERENCE ALSO F.P.L. SURVEY FIELD BOOKS F.P.L. 387
PAGE 84 AND 388, PAGE 76.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 39 **SECTION:** 30

DIRECTION: SW **DOC NO:** 59046

Y72: **X72:** **POINT NO:** 19113

N90: **E90:** **CATEGORY:** 1 **RANK:** 6

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 01/09/1997 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOKS 1261CC, PAGE 72, 1261DD, PAGES 4-6, 14, 19 AND 20, 1261HH, PAGE 61, AND 1277P, PAGES 23 AND 30.

HISTORY:

MEMO

SET THE CORNER IN ACCORDANCE THE POSITION OF THE CORNER SHOWN ON A SURVEY OF TOWNSHIPS 40 AND 41 SOUTH, RANGE 38 EAST, SURVEYED BY CARL JOHNSON FROM JANUARY 1945 THROUGH SEPTEMBER 1946, RECORDED ON FEBRUARY 6, 1953 IN DEED BOOK 1010, PAGES 390 THROUGH 394. THIS POSITION OF THE CORNER WAS COMPARED TO AND FOUND TO BE IN AGREEMENT WITH POSITION OF THIS CORNER THAT IS SHOWN IN THE UNITED STATES SUGAR CORPORATION FIELD BOOK U-98, PAGES 20, 21.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 39 **SECTION:** 30

DIRECTION: W **DOC NO:** 59045

Y72: **X72:** **POINT NO:** 19094

N90: **E90:** **CATEGORY:** 1 **RANK:** 6

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 01/08/1997 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOKS 1261CC, PAGE 72, 1261DD, PAGES 4-6, 14, 19 AND 20, 1261HH, PAGES 68 AND 1277P, PAGES 22 AND 28.

HISTORY:

MEMO SET THE CORNER 0.33 FOOT EAST OF THE POSITION OF A RAILROAD RAIL THAT IS SHOWN TO BE AT GRID N 88 56'11" E, A DISTANCE OF 50.97 FEET FROM A 1 INCH IRON PIPE WITH AN ALUMINUM CAP STAMPED W.B.F. - P.I. #28, AS SHOWN IN THE SOUTH FLORIDA WATER MANAGMENT DISTRICT SURVEY FIELD BOOK "WHITE BELT F.B. #2", PAGE 5.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 39 **SECTION:** 30

DIRECTION: NW **DOC NO:** 59044

Y72: **X72:** **POINT NO:** 19093

N90: **E90:** **CATEGORY:** 1 **RANK:** 6

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 01/08/1997 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOKS 1261CC, PAGE 72, 1261DD, PAGES 4-6, 14, 19 AND 20, 1261HH, PAGE 60 AND 1277P, PAGES 23 AND 29.

HISTORY:

MEMO

SET THE CORNER AT GRID S 88 12'14" W, A DISTANCE OF 660.38 FEET FROM A 1 INCH IRON PIPE THAT WAS FOUND ON THE NORTH LINE OF SECTION 30. THIS POSITION OF THE CORNER WAS DETERMINED TO BE 0.18 FOOT SOUTH AND 0.33 FOOT EAST OF THE POSITION OF A RAILROAD RAIL THAT IS SHOWN TO BE AT GRID N 86 51'08" E, A DISTANCE OF 62.00 FEET FROM A 1 INCH IRON PIPE WITH AN ALUMINUM CAP STAMPED W.B.F. P.I. #27, AS SHOWN IN THE SOUTH FLORIDA WATER MANAGEMENT DISTRICT SURVEY FIELD BOOK "WHITE BELT F.B.#2", PAGE 5.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 39 **SECTION:** 30

DIRECTION: S **DOC NO:** 59047

Y72: **X72:** **POINT NO:** 19112

N90: **E90:** **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 01/08/1997 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOKS 1261CC, PAGE 72, 1261DD, PAGES 5, 14-16, 1277P, PAGE 29 AND 22.

HISTORY:

MEMO FOUND THE RUSTED OFF 1 3/4 INCH IRON PIPE WITH A CONCRETE CORE, THAT WAS SET BY THE GENERAL LAND OFFICE FOR THE PLAT OF SECTION 30, TOWNSHIP 41 SOUTH, RANGE 39 EAST BY ARTHUR W. BROWN ON JANUARY 16-22, 1925.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 01

DIRECTION: N **DOC NO:**

Y72: 948851.2737 **X72:** 729347.1050 **POINT NO:** 10002

N90: 949016.0970 **E90:** 885585.5035 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 01

DIRECTION: E **DOC NO:**

Y72: 946209.5592 **X72:** 732024.6110 **POINT NO:** 10020

N90: 946374.4095 **E90:** 888263.0305 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 01

DIRECTION: NE **DOC NO:** 52827 16096

Y72: 948851.9799 **X72:** 731999.9029 **POINT NO:** 10001

N90: 949016.8220 **E90:** 888238.3360 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'21.983" **SCALE FACTOR 90:** 1.000002923

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230E, PAGES 7, 24, BK 1261I, PG 2, 30 AND BK 1277A, PG 45, 1261T, PAGE 30, AND 957, PAGES 3 AND 6.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 02

DIRECTION: NE **DOC NO:** 52828 22011

Y72: 948850.5674 **X72:** 726694.3071 **POINT NO:** 10003

N90: 949015.3720 **E90:** 882932.6710 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:18'55.420" **SCALE FACTOR 90:** 1.000000132

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1290D, PG 19, BK 12771, PG 52,12611, PAGES 1-3,30.

HISTORY: SET BRASS DISK MONUMENT

MEMO

PALM BEACH COUNTY FIELD BOOKS 1290D, PAGE 19, BOOK 12771, PAGE 52.
WILLIAM G. WALLACE'S SURVEY OF SECTION 35 (DRAWING NO. 75-117).
GEE AND JENSON'S CANAL LAYOUT - PHASE V FOR PAL-MAR.
TOM MCCARTHY AND ASSOCIATES SURVEY FOR M.F. BAUGHER (DRAWING NO. 69/123).
THE RIGHT OF WAY MAP FOR SR-706 (STATE ROAD DEPARTMENT NUMBER
9319-103).
DAILY AND ASSOCIATES SURVEY OF SECTIONS 26, 27, 34, 35, T40S, R40E (DRAWING NO.
80-27000-1).

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 02

DIRECTION: E **DOC NO:**

Y72: 946208.9595 **X72:** 726733.0789 **POINT NO:** 10019

N90: 946373.7785 **E90:** 882971.4055 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 02

DIRECTION: N **DOC NO:**

Y72: 948849.8917 **X72:** 724045.9197 **POINT NO:** 10004

N90: 949014.6785 **E90:** 880284.2510 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 03

DIRECTION: NE **DOC NO:** 52829 22012

Y72: 948849.2159 **X72:** 721397.5323 **POINT NO:** 10005

N90: 949013.9850 **E90:** 877635.8310 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:18'28.901" **SCALE FACTOR 90:** 0.99999741

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1290D, PG 19, BK 12771, PG 53, 1261I, PAGES 1-3, 30.

HISTORY: SET BRASS DISK MONUMENT

MEMO

PALM BEACH COUNTY FIELD BOOKS 1290D, PAGE 19, BOOK 12771, PAGE 53.
WILLIAM G. WALLACES SURVEY OF SECTION 34, T40S, R40E (DRAWING NO. 74-319).
GEE AND JENSON'S CANAL LAYOUT PHASE V OF PAL-MAR.
TOM MCCARTHY ASSOCIATES SURVEY FOR M.F. BAUGHER (DRAWING NO. 69-123).
STATE ROAD DEPARTMENT RIGHT OF WAY MAP FOR SR-706 PROJECT NO 9319-103.
DAILY AND ASSOCIATES SURVEY OF SECTIONS 26, 27, 34 AND 35, T40S, R40E, (DRAWING NO. 80-27000-1).

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 03

DIRECTION: E **DOC NO:**

Y72: 946208.4638 **X72:** 721441.2563 **POINT NO:** 10018

N90: 946373.2585 **E90:** 877679.5415 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 03

DIRECTION: N **DOC NO:**

Y72: 948848.2056 **X72:** 718749.1907 **POINT NO:** 10006

N90: 949012.9555 **E90:** 874987.4535 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 04

DIRECTION: N **DOC NO:**

Y72: 948856.1545 **X72:** 713460.4458 **POINT NO:** 10008

N90: 949020.8945 **E90:** 869698.6515 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 04

DIRECTION: NE **DOC NO:** 52830 22013

Y72: 948847.1953 **X72:** 716100.8491 **POINT NO:** 10007

N90: 949011.9260 **E90:** 872339.0760 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** Y **ORIGINATOR:**

CONVERGENCE 90: 0:18'02.382" **SCALE FACTOR 90:** 0.999994752

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 10

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1290D, PG 20 AND BK 1277I, PG 53, 1261I, PAGES 1-3, 30.

HISTORY: SET BRASS DISK MONUMENT

MEMO

PALM BEACH COUNTY FIELD BOOK 1290D, PAGE 20, AND BOOK 1277I, PAGE 53.
WILLIAM G. WALLACE'S SURVEY OF SECTION 33, 34, T40S, R40E, (DRAWING NO. 74-156 AND DRAWING NO. 74-319).
GEE AND JENSONS "CANAL LAYOUT" PHASE V OF PAL-MAR.
DAILY AND ASSOCIATES SURVEY OF SECTIONS 26, 27, 34, 35, T40S, R40E, (DRAWING NO. 80-270001).
TOM MCCARTHY & ASSOCIATES SURVEY FOR M.F. BAUGHER (DRAWING NO. 69-123).
STATE ROAD DEPARTMENT RIGHT OF WAY MAP FOR SR-706, PROJECT NO. 9319-103.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 05

DIRECTION: NE **DOC NO:** 52831 22791

Y72: 948865.1138 **X72:** 710820.0425 **POINT NO:** 10009

N90: 949029.8630 **E90:** 867058.2270 **CATEGORY:** 2 **RANK:** 5

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:17'35.945" **SCALE FACTOR 90:** 0.999992166

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1290D, PG 23, BK 12771, PG 73. WILLIAM G. WALLACES SURVEYS OF SECTIONS 32, 33, T40, R40E (DWG NO 74-61 AND DWG NO 74-156). SKETCH OF SURVEY OF SECTION 32, T40S, R40E BY WOOD AND ASSOCIATES INC. (DWG NO 9004, SHEET 7).

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 10

DIRECTION: NE **DOC NO:** 52832 22801

Y72: 943567.7118 **X72:** 721484.9804 **POINT NO:** 10025

N90: 943732.5320 **E90:** 877723.2520 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:18'28.643" **SCALE FACTOR 90:** 0.999997454

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1290E, PG 5, AND BK 1277I, PG 76. SURVEY BY BROCKWAY, WEBER AND BROCKWAY FOR WESTERVELT TRUST (DWG TMA-2256). BROCKWAY, WEBER AND BROCKWAY'S "PROPOSED SYSTEM OF ROAD RIGHT OF WAYS" FOR SEC 10,11,14, T41S, R40E.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 11

DIRECTION: N **DOC NO:** 52833 22804

Y72: 943567.5317 **X72:** 724128.4156 **POINT NO:** 10024

N90: 943732.3580 **E90:** 880366.6960 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:18'41.869" **SCALE FACTOR 90:** 0.999998805

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1290E, PG 5-7, BK 1277I, PG 75.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 11

DIRECTION: NE **DOC NO:** 52834 22803

Y72: 943567.3516 **X72:** 726771.8507 **POINT NO:** 10023

N90: 943732.1850 **E90:** 883010.1400 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:18'55.096" **SCALE FACTOR 90:** 1.000000172

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1290E, PG 5, BK 1277I, PG 75, 1261KK, PAGE 73. BROCKWAY, WEBER & BROCKWAY'S SURVEY FOR WESTERVELT TRUST (DWG TMA-2256) AND THE PROPOSED SYSTEM OF ROAD RIGHT OF WAYS FOR SEC 10, 11, 14, T41S, R40E.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 11

DIRECTION: E **DOC NO:** 52835 22802

Y72: 940924.7525 **X72:** 726779.0381 **POINT NO:** 10039

N90: 941089.5930 **E90:** 883017.3360 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:18'54.775" **SCALE FACTOR 90:** 1.000000176

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1290E, PG 5-7, BK 1277I, PG 74. BROCKWAY, WEBER & BROCKWAY'S "PROPOSED SYSTEM OF ROAD RIGHT OF WAYS FOR SEC 10,11,14, T41, R40E.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 12

DIRECTION: N **DOC NO:**

Y72: 943567.2450 **X72:** 729410.5849 **POINT NO:** 10022

N90: 943732.0910 **E90:** 885648.9330 **CATEGORY:** **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 12

DIRECTION: NE **DOC NO:** 52836 16097

Y72: 943567.1385 **X72:** 732049.3192 **POINT NO:** 10021

N90: 943731.9970 **E90:** 888287.7250 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'21.501" **SCALE FACTOR 90:** 1.000002949

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BCH CO FIELD BOOKS 1230E,PG 24,75,BK 1230F,PG 2,1261I,PG 30,1270Y,PG20-23,1261U,PG 54-60, AND 957, PAGES 3 AND 6. WILLIAM G. WALLACES BOUNDARY SURVEY FOR MRS. MARGARET NEWMAN STEARN(DWG 73-209).TOM MCCARTHY & ASSOC SURVEY FOR M.F.BAUGHER DWG 69-123.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 12

DIRECTION: E **DOC NO:**

Y72: 940928.1900 **X72:** 732067.9219 **POINT NO:** 10040

N90: 941093.0560 **E90:** 888306.3140 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 13

DIRECTION: E **DOC NO:**

Y72: 935641.3857 **X72:** 732107.5622 **POINT NO:** 10060

N90: 935806.3205 **E90:** 888345.8545 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 13

DIRECTION: NE **DOC NO:** 52837 16098

Y72: 938289.2415 **X72:** 732086.5245 **POINT NO:** 10041

N90: 938454.1150 **E90:** 888324.9030 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'20.959" **SCALE FACTOR 90:** 1.000002969

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PBCO FIELD BOOKS 1230E,PG 24,75,BK 1230F,PG 2,& BK1277A,PG 47,1261I,PG30,1270J,PG39-45,1290O,P44 AND 957, PG 3 & 6, 13-21. TOM MCCARTHY'S SURVEY FOR "M.F. BAUGHER",DWG 69/123.BROCKWAY'S SURVEY FOR "WESTERVELT TRUST",DWG TMA-2286.BROCKWAY'S FB W-77 PG1-6.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 13

DIRECTION: N **DOC NO:**

Y72: 938285.6974 **X72:** 729436.3749 **POINT NO:** 10042

N90: 938450.5580 **E90:** 885674.7170 **CATEGORY:** **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 14

DIRECTION: NE **DOC NO:** 52838 22790

Y72: 938282.1533 **X72:** 726786.2254 **POINT NO:** 10043

N90: 938447.0000 **E90:** 883024.5310 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:18'54.455" **SCALE FACTOR 90:** 1.00000018

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1290E, PG 4, BK 1277I, PG 74, 1261H, PG 40-42. BROCKWAY'S SURVEY FOR "WESTERVELT TRUST", DWG NO TMA-2256 AND THE "PROPOSED SYSTEM OF ROAD RIGHT OF WAYS" FOR SECTIONS 10, 11, 14, T41S, R40E.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 40 **SECTION:** 24

DIRECTION: NE **DOC NO:** 52839 37971

Y72: 932993.5300 **X72:** 732128.6000 **POINT NO:** 10061

N90: 933158.5260 **E90:** 888366.8060 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** Y **ORIGINATOR:**

CONVERGENCE 90: 0:19'20.438" **SCALE FACTOR 90:** 1.000002992

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 10

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1261I, PAGE 40, 1290O, PAGES 44-45 AND 957, PAGES 6, AND 13-21.

HISTORY: SET BRASS DISK MONUMENT

MEMO ON JUNE 14, 1976, FOUND A 1" IRON PIPE IN ACCORDANCE WITH BROCKWAY'S SURVEY FOR "WESTERVELT TRUST", DWG NO TMA-2286, BROCKWAY'S FIELD NOTES FROM FIELD BOOK W-77, PAGES 1-6, AND A "PLAT OF SURVEY FOR UNITED AIRCRAFT CORP. (PRATT AND WHITNEY AIRCRAFT DIV.)" BY K.C. MOCK (DRAWING 4140-4-R) OF NOVEMBER 1956 AND THE SEMINOLE PRATT WHITNEY ROAD RIGHT OF WAY MAP, RECORDED IN ROAD BOOK 4, PAGE 127.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 01

DIRECTION: NE **DOC NO:** 52923 30183 16079

Y72: 948802.4776 **X72:** 763507.0632 **POINT NO:** 11001

N90: 948967.5670 **E90:** 919745.5090 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'59.712" **SCALE FACTOR 90:** 1.000020827

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1261B, PAGE 61, BK 1270C, PAGE 40, AND BK 1277A, PAGE 65, BK 1277J, PAGE 19, 1265G, PAGES 26-29, 1232J, PAGES 10-15.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 01

DIRECTION: N **DOC NO:** 52922 16080

Y72: 948803.8190 **X72:** 760853.8508 **POINT NO:** 11002

N90: 948968.8900 **E90:** 917092.2830 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'46.430" **SCALE FACTOR 90:** 1.000019232

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PAGES 65-67, 75, BK 1277A, PG 64, AND BK 1230G, PAGE 35, 1265G, PAGES 25-29, 1290E, PAGE 39.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 01

DIRECTION: E **DOC NO:** 52924 30182

Y72: 946124.9683 **X72:** 763413.8340 **POINT NO:** 11020

N90: 946290.0810 **E90:** 919652.3330 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'58.827" **SCALE FACTOR 90:** 1.000020771

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1261I, PAGE 40, 1290O, PAGES 44-45 AND 957, PAGES 6, AND 13-21.

HISTORY: SET BRASS DISK MONUMENT

MEMO ON JUNE 14, 1976, FOUND A 1" IRON PIPE IN ACCORDANCE WITH BROCKWAY'S SURVEY FOR "WESTERVELT TRUST", DWG NO TMA-2286, BROCKWAY'S FIELD NOTES FROM FIELD BOOK W-77, PAGES 1-6 AND A "PLAT OF SURVEY FOR UNITED AIRCRAFT CORP. (PRATT AND WHITNEY AIRCRAFT DIV.)" BY K.C. MOCK (DRAWING 4140-4-R) OF NOVEMBER 1956 AND THE SEMINOLE PRATT WHITNEY ROAD RIGHT OF WAY MAP, RECORDED IN ROAD BOOK 4, PAGE 127.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 02

DIRECTION: E **DOC NO:** 52927 37972

Y72: 946128.7655 **X72:** 758107.4466 **POINT NO:** 11019

N90: 946293.7810 **E90:** 914345.8790 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'32.270" **SCALE FACTOR 90:** 1.000017597

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230F, PAGE 60, 1290P, PAGES 54,55,65, 1277O,
PAGE 30, 1270T, PAGE 10.

HISTORY: SET BRASS DISK MONUMENT

MEMO ON SEPTEMBER 22, 1977, FOUND AND COORDINATED A 3/4 INCH IRON PIPE. ON
DECEMBER 10, 1990, SET THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY
COORDINATED POSITION WHICH WAS DIRECTLY OVER THE REMAINING 1 FOOT LONG
BASE OF AN OLD CONCRETE MONUMENT.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 02

DIRECTION: NE **DOC NO:** 52926 16081

Y72: 948805.1780 **X72:** 758200.6068 **POINT NO:** 11003

N90: 948970.2310 **E90:** 914439.0240 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'33.147" **SCALE FACTOR 90:** 1.000017652

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230F, PG 6, BK 1277A, PG 63, 1270J, PAGES 65,66,
1270T, PAGE 37, 1290Y, PAGE 10.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 02

DIRECTION: N **DOC NO:** 52925 16082

Y72: 948806.6969 **X72:** 755542.9437 **POINT NO:** 11004

N90: 948971.7310 **E90:** 911781.3470 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'19.842" **SCALE FACTOR 90:** 1.000016086

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PAGES 65,66,73, BK 1277A, PG 59, 1290T,
PAGE 37, 1290Y, PAGE 10.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 03

DIRECTION: E **DOC NO:** 52930 42177 17931

Y72: 946135.4095 **X72:** 752831.6984 **POINT NO:** 11018

N90: 946300.3720 **E90:** 909070.1030 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'05.867" **SCALE FACTOR 90:** 1.000014506

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 61,62,78, BK 1277F, PAGE 28, 1230E,
PAGE 75, 1270T, PAGES 18,20,21,39,44, 1277L, PAGE 56.

HISTORY: SET BRASS DISK MONUMENT, SET A PALM BEACH COUNTY STAINLESS STEEL G.P.S. DISK
IN A ROUND CONCRETE MONUMENT.

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 03

DIRECTION: N **DOC NO:** 52928 51490 16083

Y72: 948810.9297 **X72:** 750400.6295 **POINT NO:** 11006

N90: 948975.9180 **E90:** 906639.0040 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'54.099" **SCALE FACTOR 90:** 1.000013103

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 62,73, BK 1277A, PG 55, 1261I, PG 3, 1261AA, PAGES 36,41, 1277P, PG 14.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 03

DIRECTION: NE **DOC NO:** 52929 42176 16084

Y72: 948808.2257 **X72:** 752884.9394 **POINT NO:** 11005

N90: 948973.2420 **E90:** 909123.3270 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'06.536" **SCALE FACTOR 90:** 1.000014537

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230F, PG 3, BK 1277A, PG 60, 1270J, PAGES 62,65,66, 1230E, PAGE 75, 1270T, PAGES 18,20,21,39,44, 1277L, PAGE 56.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 04

DIRECTION: S **DOC NO:** 52934 36104

Y72: 943478.3013 **X72:** 745212.1064 **POINT NO:** 11028

N90: 943643.1110 **E90:** 901450.5430 **CATEGORY:** 2 **RANK:** 4

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'27.346" **SCALE FACTOR 90:** 1.000010154

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270Y, PG 22, 23, 45, BK 1261U, PG 54-65 ON FEBRUARY 5, 1982, FOUND AND ACCEPTED A 2X2 CONCRETE MONUMENT, WHICH IS A WITNESS CORNER 100 FT EAST OF THE CORNER.

HISTORY:

MEMO THIS CORNER LOCATION IS IN ACORDANCE WITH THE "PLAT OF JUPITER FARMS AND GROVES REPLAT", AS RECORDED IN PLAT BOOK 24, PAGE 7. THIS WITNESS CORNER WAS SET 100 FEET EAST OF A LIGHTWOOD POST THAT WAS FOUND BY JAMES OBRIEN AND JACK SUITER IN THEIR SURVEY OF THE "REPLAT OF JUPITER FARMS AND GROVES" OF OCTOBER 1966, AS SHOWN IN FIELD BOOK _____, PAGES 65-69. THIS CORNER WAS SUBSEQUENTLY USED BY JAMES OBRIEN AND DAN DAILEY AND OTHERS TO SUBDIVIDE SECTION 4.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 04

DIRECTION: NE **DOC NO:** 52932 41397 16085

Y72: 948813.6337 **X72:** 747916.3196 **POINT NO:** 11007

N90: 948978.5300 **E90:** 904154.7050 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** Y **ORIGINATOR:**

CONVERGENCE 90: 0:20'41.662" **SCALE FACTOR 90:** 1.000011683

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 10

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230F, PG 1, BK 1277A, PG 54, 1290O, PAGES 76,77, 1290P, PAGE 6, 1277K, PAGE 78.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 04

DIRECTION: N **DOC NO:** 52931 42173

Y72: 948817.4703 **X72:** 745264.3795 **POINT NO:** 11008

N90: 948982.3510 **E90:** 901502.7740 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'28.386" **SCALE FACTOR 90:** 1.000010183

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1290T, PAGES 25,40, 1277L, PAGE 54.

HISTORY: SET A PALM BEACH COUNTY BRASS DISK IN A ROUND CONCRETE MONUMENT.

MEMO SET THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION OF THE CORNER, WHICH WAS ESTABLISHED IN 1977 FROM THE SECTION DATA SHEET RECEIVED FROM DAN DAILEY ON JULY 21, 1977, SAID CORNER POSITION BEING IN ACCORDANCE WITH THE "REPLAT OF JUPITER FARMS AND GROVES", AS RECORDED IN PLAT BOOK 24, PAGE 2.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 04

DIRECTION: E **DOC NO:** 52933 37973 17932

Y72: 946143.6709 **X72:** 747856.9621 **POINT NO:** 11017

N90: 946308.5050 **E90:** 904095.4320 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** Y **ORIGINATOR:**

CONVERGENCE 90: 0:20'40.972" **SCALE FACTOR 90:** 1.000011649

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 10

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 46,47,64,76, BK 1277F, PG 31, 1290O,
PAGES 76,77, 1290P, PAGE 6, 1277K, PAGE 78.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 05

DIRECTION: N **DOC NO:**

Y72: 948812.1465 **X72:** 739976.4225 **POINT NO:** 11010

N90: 948976.9995 **E90:** 896214.8315 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 05

DIRECTION: E **DOC NO:**

Y72: 946148.1755 **X72:** 742588.4870 **POINT NO:** 11016

N90: 946313.0190 **E90:** 898826.9030 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 05

DIRECTION: NE **DOC NO:** 52935 16086

Y72: 948821.3268 **X72:** 742598.6438 **POINT NO:** 11009

N90: 948986.1950 **E90:** 898837.0450 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'15.041" **SCALE FACTOR 90:** 1.000008691

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230F, PG 5, BK 1277A, PG 51, 1261I, PAGES 1-3,
1230E, PAGE 75, 1290Y, PAGE 12.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 06

DIRECTION: E **DOC NO:**

Y72: 946176.5886 **X72:** 737277.0443 **POINT NO:** 11015

N90: 946341.4270 **E90:** 893515.4620 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 06

DIRECTION: NE **DOC NO:** 52937 16088

Y72: 948802.9662 **X72:** 737354.2012 **POINT NO:** 11011

N90: 948967.8040 **E90:** 893592.6180 **CATEGORY:** 1 **RANK:** 2

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'48.782" **SCALE FACTOR 90:** 1.000005805

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1261I, PAGES 1-3, BK 1277A, PG 61, 1290Y, PAGE 14.

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 06

DIRECTION: N **DOC NO:** 52936 16087

Y72: 948827.4730 **X72:** 734677.0520 **POINT NO:** 11012

N90: 948992.2940 **E90:** 890915.4790 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'35.383" **SCALE FACTOR 90:** 1.000004356

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270J, PG 75, BK 1277A, PG 62, 1290Y, PAGE 14.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 07

DIRECTION: N **DOC NO:** 52938 36105

Y72: 943558.6748 **X72:** 734624.6033 **POINT NO:** 11032

N90: 943723.5240 **E90:** 890863.0150 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'34.385" **SCALE FACTOR 90:** 1.000004328

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270Y, PG 20-23, BK 1261U, PG 54-65, AND BK 1277K, PG 68.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 07

DIRECTION: NE **DOC NO:** 52939 36106

Y72: 943550.2111 **X72:** 737199.8875 **POINT NO:** 11031

N90: 943715.0500 **E90:** 893438.3060 **CATEGORY:** 2 **RANK:** 5

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'47.269" **SCALE FACTOR 90:** 1.000005721

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270Y, PG 20-22, BK 1261U, PG 54-65, AND BK 1277K, PG 71. SET THE CORNER IN ACCORDANCE WITH THE POSITION OF THE CORNER SHOWN ON VILLIAM G. WALLACES SURVEY FOR MRS. MARGARET NEWMAN STEARN OF MAY 23, 1973 (WALLACE DWG NO 73-209)

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 07

DIRECTION: E **DOC NO:**

Y72: 940882.7070 **X72:** 737107.9078 **POINT NO:** 11035

N90: 941047.5450 **E90:** 893346.3045 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 08

DIRECTION: N **DOC NO:** 52940 36088

Y72: 943512.6176 **X72:** 739889.1088 **POINT NO:** 11030

N90: 943677.4470 **E90:** 896127.5310 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'00.719" **SCALE FACTOR 90:** 1.000007192

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270Y, PG 20-22, BK 1261U, PG 54-65, AND BK 1277K, PG 71.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 08

DIRECTION: NE **DOC NO:** 52941 36087

Y72: 943475.0242 **X72:** 742578.3302 **POINT NO:** 11029

N90: 943639.8430 **E90:** 898816.7610 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'14.168" **SCALE FACTOR 90:** 1.00000868

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270Y, PAGES 20-22, BK 1261U, PG 54-65, AND BK 1277K, PG 72.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 08

DIRECTION: E **DOC NO:**

Y72: 940795.3210 **X72:** 742482.5676 **POINT NO:** 11036

N90: 940960.1230 **E90:** 898720.9740 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 09

DIRECTION: E **DOC NO:** 52943 37975

Y72: 940743.0705 **X72:** 747766.1667 **POINT NO:** 11037

N90: 940907.8380 **E90:** 904004.5820 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'39.721" **SCALE FACTOR 90:** 1.000011598

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: RESET THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION. FOUND A P.K. NAIL 12' NORTH AND .29' EAST (RLS#3613).

HISTORY: SET BRASS DISK MONUMENT

MEMO PALM BEACH COUNTY FIELD BOOKS 1270J, PAGES 46, 47, 77, 1290O, PAGES 45, 54, 56, 76, 1290P, PAGE 7, 1277K, PAGE 79.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 09

DIRECTION: NE **DOC NO:** 52942 37974 17933

Y72: 943473.7081 **X72:** 747797.6046 **POINT NO:** 11027

N90: 943638.5080 **E90:** 904036.0480 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'40.281" **SCALE FACTOR 90:** 1.000011616

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230E, PAGE 75, 1270J, PG 46,47, BK 1277F, PG 31, 1290O, PG 45,54,56,76, 1290P, PG 7, 1277K, PG 79.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 10

DIRECTION: NE **DOC NO:** 52945 42178 17934

Y72: 943462.1986 **X72:** 752778.5753 **POINT NO:** 11025

N90: 943627.1060 **E90:** 909016.9970 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'05.200" **SCALE FACTOR 90:** 1.000014475

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230F, PG 7, BK 1277F, PG 29, 1230E, PG 78, 1270J, PG 61,62,64, 1270T, PG 18,20,21,37,39,45, 1277L, PAGE 57.

HISTORY: SET BRASS DISK MONUMENT; SET A PALM BEACH COUNTY STAINLESS STEEL G.P.S. DISK IN A ROUND CONCRETE MONUMENT.

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 10

DIRECTION: N **DOC NO:** 52944 42174 17935

Y72: 943467.9533 **X72:** 750288.0899 **POINT NO:** 11026

N90: 943632.8070 **E90:** 906526.5230 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'52.740" **SCALE FACTOR 90:** 1.000013038

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270H, PG 60, BK 1277F, PG 32, 1290T, PG 20-22,47, 1277L, PAGE 58.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 10

DIRECTION: E **DOC NO:** 52946 42179 17936

Y72: 940803.8080 **X72:** 752763.1540 **POINT NO:** 11038

N90: 940968.6760 **E90:** 909001.5660 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'04.723" **SCALE FACTOR 90:** 1.000014466

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 61,62,64,77, BK 1277F, PG 32, 1290T,PG 18,20,21,37,39,45, 1277L,PG 57.

HISTORY: SET BRASS DISK MONUMENT; SET A PALM BEACH COUNTY STAINLESS STEEL G.P.S. DISK IN A ROUND CONCRETE MONUMENT.

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 11

DIRECTION: N **DOC NO:** 52947 17939

Y72: 943456.9895 **X72:** 755396.0779 **POINT NO:** 11024

N90: 943621.9320 **E90:** 911634.5130 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'18.295" **SCALE FACTOR 90:** 1.000016001

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270H, PG 59, BK 1277F, PG 28, 1290T, PAGE 14.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 11

DIRECTION: E **DOC NO:** 52949 42182 17938

Y72: 940796.7429 **X72:** 757997.9939 **POINT NO:** 11039

N90: 940961.6840 **E90:** 914236.4360 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'30.904" **SCALE FACTOR 90:** 1.000017533

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 60,65,68,69,74, BK 1277F, PG 27, 1230E,
PG 75, 1290T, PG 10,12,14,16,48, 1277L, PG 59.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 11

DIRECTION: NE **DOC NO:** 52948 42181 17937

Y72: 943451.7805 **X72:** 758013.5805 **POINT NO:** 11023

N90: 943616.7570 **E90:** 914252.0280 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'31.390" **SCALE FACTOR 90:** 1.000017542

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 60,65,68,69,72, BK 1277F, PG 27,
1290T,PG 10,12,14,16,48, 1277L, PG 59.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 12

DIRECTION: E **DOC NO:** 52952 42184 16092

Y72: 940791.3159 **X72:** 763304.5431 **POINT NO:** 11040

N90: 940956.4090 **E90:** 919543.0500 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'57.445" **SCALE FACTOR 90:** 1.000020705

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270C, PG 40, 44, BK 1277E, PG 2, BK 1265G, PG 26-30, 33, 1270T, PG 10,12,51, 1277L, PG 61.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 12

DIRECTION: NE **DOC NO:** 52951 30181 16093

Y72: 943447.7743 **X72:** 763320.4614 **POINT NO:** 11021

N90: 943612.8770 **E90:** 919558.9640 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'57.940" **SCALE FACTOR 90:** 1.000020715

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1261B, PG 41, 51, 62, BK 1270C, PG 40, BK 1277E, PG 2, BK 1265G, PG 26-30, 33 AND BK 1277J, PG 20.

HISTORY: SET BRASS DISK MONUMENT; LATER REPLACED WITH A P.K. NAIL AND BRASS WASHER IN TOP OF BROKEN OFF CONCRETE MONUMENT.

MEMO SET BRASS DISK MONUMENT; LATER REPLACED WITH A P.K. NAIL AND BRASS WASHER IN TOP OF A BROKEN OFF CONCRETE MONUMENT. THEN ON JUNE 20, 1988 SET A P.K. & SQUARE BRASS WASHER IN THE ASPHALT ROAD.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 12

DIRECTION: N **DOC NO:** 52950 17940

Y72: 943449.7438 **X72:** 760667.1619 **POINT NO:** 11022

N90: 943614.7840 **E90:** 916905.6370 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'44.666" **SCALE FACTOR 90:** 1.00001912

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 60,65,68,69, 1230F, PG 46, BK 1277F, PG 26, AND BK 1265G, PG 26, 29, 1290T, PG 10,12,14.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 13

DIRECTION: NE **DOC NO:** 52954 30180

Y72: 938135.0971 **X72:** 763288.7458 **POINT NO:** 11041

N90: 938300.1790 **E90:** 919527.2570 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'56.950" **SCALE FACTOR 90:** 1.000020696

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PG 50, BK 1230B, PG 1, BK 1270C, PG 40, 45, BK 1265G, PG 26-30,44, BK 1277J, PG 21, 1290T, PAGE 12.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 13

DIRECTION: E **DOC NO:** 52955 16089

Y72: 935433.7350 **X72:** 763145.0682 **POINT NO:** 11060

N90: 935598.8070 **E90:** 919383.5830 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'55.809" **SCALE FACTOR 90:** 1.000020609

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230B, PG 1, BK 1270C, PG 40-45, AND BK 1277E,
PG 4, 1290T, PG 12.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 13

DIRECTION: N **DOC NO:** 52953 17941

Y72: 938138.4345 **X72:** 760635.4276 **POINT NO:** 11042

N90: 938303.1890 **E90:** 916873.8990 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'43.684" **SCALE FACTOR 90:** 1.000019101

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 44, 45, BK 1230F, PG 58 AND BK 1277F,
PG 30, 1290T, PG 14-16.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 14

DIRECTION: NE **DOC NO:** 52957 17943 42183

Y72: 938141.7719 **X72:** 757982.1095 **POINT NO:** 11043

N90: 938306.6780 **E90:** 914220.5470 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'30.418" **SCALE FACTOR 90:** 1.000017523

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230F, PG 4, BK 1277F, PG 29, 1270J, PG 39-41,44,45,57,68,69, 1290T, PG 10,12,14,16, 1277L, PAGE 60.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 14

DIRECTION: E **DOC NO:** 52958 17944

Y72: 935437.4018 **X72:** 757831.5379 **POINT NO:** 11059

N90: 935602.2260 **E90:** 914069.9560 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'29.251" **SCALE FACTOR 90:** 1.000017434

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 60,65,68,69,78, BK 1277F, PG 35, 1290T,
PG 10,12,14,16.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 14

DIRECTION: N **DOC NO:** 52956 17942

Y72: 938143.6130 **X72:** 755364.9524 **POINT NO:** 11044

N90: 938308.4800 **E90:** 911603.3710 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'17.332" **SCALE FACTOR 90:** 1.000015982

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 74, BK 1277F, PG 30, 1290Y, PG 13.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 15

DIRECTION: E **DOC NO:** 52961 17946

Y72: 935369.6211 **X72:** 752570.0639 **POINT NO:** 11058

N90: 935534.3870 **E90:** 908808.4470 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'02.941" **SCALE FACTOR 90:** 1.000014355

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230F, PG 50, 1270J, PG 59, 1290Y, PG 13 BK
1277F, PG 34, 1290Y, PAGE 13.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 15

DIRECTION: N **DOC NO:** 52959 42175

Y72: 938079.0002 **X72:** 750241.2992 **POINT NO:** 11046

N90: 938243.7810 **E90:** 906479.6940 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'51.705" **SCALE FACTOR 90:** 1.000013012

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1290T, PAGES 18,23,50.

HISTORY: SET A PALM BEACH COUNTY BRASS DISK IN A ROUND CONCRETE MONUMENT 25 FEET NORTH OF THE CORNER.

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 15

DIRECTION: NE **DOC NO:** 52960 42180 17945

Y72: 938145.4175 **X72:** 752747.7327 **POINT NO:** 11045

N90: 938310.2460 **E90:** 908986.1340 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'04.247" **SCALE FACTOR 90:** 1.000014457

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 39-41,45,57,59,68,69, 1277F, PG 33,
1290T, PAGES 10,12,14,16,18,20,21,22,23,46, 1277L, PAGE 58.

HISTORY: SET BRASS DISK MONUMENT; SET A PALM BEACH COUNTY STAINLESS STEEL G.P.S.
STATION DISK IN A ROUND CONCRETE MONUMENT.

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 16

DIRECTION: E **DOC NO:** 52964 37976

Y72: 935289.3716 **X72:** 747683.3057 **POINT NO:** 11057

N90: 935454.0720 **E90:** 903921.6660 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'38.504" **SCALE FACTOR 90:** 1.000011551

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 12900, PAGES 54-57, 76,77, 1290P, PAGE 8, 1277K,PAGE 80.

HISTORY: SET BRASS DISK MONUMENT

MEMO RESET THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION, WHICH WAS SINGLE PRORATED BETWEEN THE NORTHEAST AND SOUTHEAST CORNER OF SECTION 16. FOUND AND RESET IN THE CONCRETE A 5/8 INCH ROAD AND CAP #3335 .20' SOUTH AND .06' EAST.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 16

DIRECTION: NE **DOC NO:** 52963 17947

Y72: 938012.5828 **X72:** 747734.8657 **POINT NO:** 11047

N90: 938177.3160 **E90:** 903973.2540 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'39.163" **SCALE FACTOR 90:** 1.00001158

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230F, PG 9, BK 1277F, PG 33, 1270J, PAGES 39,40,41,44,45,46,50,51,53,54,55,57,59,61,62, 1290O,PAGES 44,45,54-57,76,77.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 16

DIRECTION: N **DOC NO:** 52962 37989

Y72: 938063.6327 **X72:** 745069.0566 **POINT NO:** 11048

N90: 938228.3920 **E90:** 901307.4420 **CATEGORY:** 1 **RANK:** 7

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'25.841" **SCALE FACTOR 90:** 1.000010074

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270J, PAGES 37,39,40,41,44, 1230E, PAGE 75, 1230F, PAGES 9,50, 1290O, PAGES 44,45,56,57, 1290P, PAGE 15, 1277O, PAGE 22.

HISTORY: SET BRASS DISK MONUMENT

MEMO ON SEPTEMBER 8, 1977, THE CORNER WAS RESET AND COORDINATED IN ACCORDANCE WITH A SURVEY BY WILLIAM G. WALLACE FOR "PALM BEACH COUNTRY ESTATE, SEC. R", DRAWING NO. 67-474 OF OCTOBER, 1967. THIS CORNER IS ALSO THE CORNER SHOWN ON THE PLAT OF "JUPITER FARMS AND GROVES REPLAT", AS RECORDED IN PLAT BOOK 24, PAGE 7. ON SEPTEMBER 5, 1990, RESET THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 17

DIRECTION: E **DOC NO:**

Y72: 935394.5627 **X72:** 742335.5954 **POINT NO:** 11056

N90: 935559.3465 **E90:** 898573.9850 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 17

DIRECTION: NE **DOC NO:** 52966 37985 17948

Y72: 938115.6178 **X72:** 742386.8051 **POINT NO:** 11049

N90: 938280.4030 **E90:** 898625.1870 **CATEGORY:** 2 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'12.437" **SCALE FACTOR 90:** 1.000008574

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270J, PG 37,39,40,41,44,45, 1230E, PAGE 78, 1277F, PAGE 40, 1290O, PAGES 44,45,56,57, 1290P, PAGE 16, 1277O, PAGE 22.

HISTORY: SET BRASS DISK MONUMENT

MEMO

ON SEPTEMBER 10, 1990, FOUND THE PALM BEACH COUNTY BRASS DISK IN CONCRETE WHICH WAS SET ON JULY 21, 1977, IN PLACE OF A 4X4 CONCRETE MONUMENT THAT WAS SET BY BROCKWAY IN APRIL, 1962, IN PLACE OF THE ORIGINAL LIGHTWOOD POST, AS SHOWN ON BROCKWAY'S SURVEY FOR "WESTERVELT TRUST" - TMA-2286 AND BROCKWAY'S FIELD BOOK W-77, PAGES 1-6. THIS CORNER WAS LATER USED BY TOM MCCARTHY IN 1967 IN HIS SURVEY FOR "M.F. BAUGHER" - 69/123.

NOTE: FOUND A 4X4 P.R.M. RLS #3613, AT A GRID AZIMUTH OF 55°15'14", 17.31 FEET FROM THE SECTION CORNER, IN THE POSITION OF A 2" IRON PIPE SET BY A.A. WEYBRECHT, ACCORDING TO BROCKWAY'S FIELD BOOK W-77, PAGE 2. THIS CORNER WAS ALSO USED BY WILLIAM G. WALLACE FOR "PALM BEACH COUNTRY ESTATES, SEC. R", DRAWING NO. 67-474.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 17

DIRECTION: N **DOC NO:** 52965 37983 16091

Y72: 938165.4103 **X72:** 739701.3666 **POINT NO:** 11050

N90: 938330.2210 **E90:** 895939.7460 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'59.017" **SCALE FACTOR 90:** 1.000007089

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230F, PAGE 49, 1270J, PAGES 39-41, 44-45, 1230F, PAGE 49, 1277A, PAGE 50, 1290O, PAGE 44,45, 56,57, 1277K, PAGE 73.

HISTORY: SET BRASS DISK MONUMENT

MEMO PALM BEACH COUNTY FIELD BOOK 1230F, PG 49, 1277A, PG 50, 1290-O, PAGE 44, AND 1277K, PAGE 73.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 18

DIRECTION: NE **DOC NO:** 52968 37979 16090

Y72: 938215.2029 **X72:** 737015.9282 **POINT NO:** 11051

N90: 938380.0400 **E90:** 893254.3030 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'45.597" **SCALE FACTOR 90:** 1.000005621

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BCH CO FB 1270J, PG 39,40-41,44,45,71, BK 1277A, PG 49,1290O, PG 44-45,56-57,61,1277K PG75. BROCKWAY'S SURVEY FOR "WESTERVELT TRUST", DRAWING NO. TMA2286 AND BROCKWAY'S FIELD BOOK W-77, PG 1-6. TOM MCCARTHY'S SURVEY FOR "M.F. BAUGHER", DWG #69/123.

HISTORY: SET BRASS DISK MONUMENT (RESET THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION).

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 18

DIRECTION: N **DOC NO:** 52967 37977 16094

Y72: 938252.3383 **X72:** 734543.4974 **POINT NO:** 11052

N90: 938417.1930 **E90:** 890781.8740 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'33.239" **SCALE FACTOR 90:** 1.000004284

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1290-O, PG 44,45,54-58, AND BK 1277K, PG 73.

HISTORY: SET BRASS DISK MONUMENT

MEMO RESET THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 18

DIRECTION: E **DOC NO:** 52969 37980

Y72: 935506.5728 **X72:** 736963.1718 **POINT NO:** 11055

N90: 935671.4030 **E90:** 893201.5380 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'44.951" **SCALE FACTOR 90:** 1.000005593

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 12900, PAGE 44, 1290P, PAGE 10, 12770, PAGE 19.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 19

DIRECTION: E **DOC NO:**

Y72: 930156.0872 **X72:** 737040.2001 **POINT NO:** 11075

N90: 930320.9156 **E90:** 893278.6387 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 19

DIRECTION: N **DOC NO:** 52970 37978

Y72: 932896.2896 **X72:** 734505.9828 **POINT NO:** 11072

N90: 933061.1320 **E90:** 890744.3220 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'32.305" **SCALE FACTOR 90:** 1.000004264

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PAGES 39,40,41,44,45,54, 1230G, PAGE 28, 1290O, PAGES 44,45,54,56,57, 1290P, PAGE 14, 1277O, PAGE 21.

HISTORY: SET BRASS DISK MONUMENT

MEMO ON NOVEMBER 18, 1977, SET A PALM BEACH COUNTY BRASS DISK IN CONCRETE. ON SEPTEMBER 5, 1990, FOUND THE PALM BEACH COUNTY BRASS DISK SET IN CONCRETE. IN NOVEMBER 1977, THE CORNER WAS SET BY PRORATION BETWEEN THE NORTHWEST AND NORTHEAST CORNER OF SECTION 19, AS SHOWN IN PALM BEACH COUNTY FIELD BOOK 1230G, PAGE 28.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 19

DIRECTION: W **DOC NO:**

Y72: 930345.0899 **X72:** 732149.3113 **POINT NO:** 11074

N90: 930510.0000 **E90:** 888387.6815 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 19

DIRECTION: NE **DOC NO:** 52971 37981

Y72: 932797.9428 **X72:** 736910.4155 **POINT NO:** 11071

N90: 932962.7670 **E90:** 893148.7730 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'44.306" **SCALE FACTOR 90:** 1.000005564

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270J, PAGES 39,40,41,44,45,54, 1230G, PAGE 28, 1290Q, PAGES 44,45,54,56,57, 1290P, PAGE 12, 12770, PAGE 20.

HISTORY: SET BRASS DISK MONUMENT

MEMO ON NOVEMBER 18, 1977, FOUND A 4X4 CONCRETE MONUMENT IN ACCORDANCE WITH BROCKWAY'S SURVEY FOR "WESTERVELT TRUST" (BROCKWAY DWG. NO. TMA 2286) AND BROCKWAY FILED BOOK W-77, PAGES 1-6, COORDINATING AND REPLACING THE MONUMENT WITH A PALM BEACH COUNTY BRASS DISK IN A ROUND CONCRETE MONUMENT AS SHOWN IN PALM BEACH COUNTY FIELD BOOK 1230G, PAGE 28. ON JULY 30, 1990, RESET THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 20

DIRECTION: E **DOC NO:**

Y72: 929895.8259 **X72:** 742259.3355 **POINT NO:** 11076

N90: 930060.6310 **E90:** 898497.7840 **CATEGORY:** **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 20

DIRECTION: N **DOC NO:** 52972 37984

Y72: 932735.7252 **X72:** 739597.4006 **POINT NO:** 11070

N90: 932900.5260 **E90:** 895835.7790 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'57.724" **SCALE FACTOR 90:** 1.000007032

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: FOUND THE PALM BEACH COUNTY BRASS DISK IN A ROUND CONCRETE MONUMENT THAT WAS SET BY SINGLE PRORATION BETWEEN THE NORTHWEST AND NORTHEAST CORNER OF SECTION 20 ON NOVEMBER 18, 1977.

HISTORY: SET BRASS DISK MONUMENT

MEMO PALM BEACH COUNTY FIELD BOOKS 1270J, PAGES 39,40,41,44,45,54, 1230G, PAGE 28, 1290O, PAGES 44,45,54-57, 1290P, PAGE 11, 1277O, PAGE 20.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 20

DIRECTION: NE **DOC NO:** 52973 37986

Y72: 932673.5077 **X72:** 742284.3857 **POINT NO:** 11069

N90: 932838.2900 **E90:** 898522.7830 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'11.142" **SCALE FACTOR 90:** 1.000008517

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270J, PAGES 39,40,41,44,54,71, 1290O, PAGES 44,45, 54-57, 1290P, PAGE 9, 1277O, PAGE 19.

HISTORY: SET BRASS DISK MONUMENT

MEMO ON AUGUST 10, 1977, COORDINATED AND SET A PALM BEACH COUNTY BRASS DISK IN A ROUND CONCRETE MONUMENT IN PLACE OF A 2 1/2 INCH IRON PIPE WHICH WAS FOUND TO BE IN ACCORDANCE WITH BROCKWAY'S SURVEY FOR "WESTERVELT TRUST" (BROCKWAY'S DWG. NO. TMA 2286) AND ALSO BROCKWAY FIELD BOOK W-77, PAGES 1-6 AND A SURVEY OF SECTION 16 BY WILLIAM G. WALLACE FOR "PALM BEACH COUNTRY ESTATES, SECTION R", AS SHOWN IN PALM BEACH COUNTY FIELD BOOK 1270J, PAGES 54 & 71. ON JULY 26, 1990, RESET A PALM BEACH COUNTY BRASS DISK IN A ROUND CONCRETE MONUMENT IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION. THIS CORNER IS ALSO IN ACCORDANCE WITH THE BOUNDARY SURVEY FOR "CALOOSA" BY CONRAD SCHAEFER.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 21

DIRECTION: N **DOC NO:** 52974 37990

Y72: 932619.8341 **X72:** 744958.0657 **POINT NO:** 11068

N90: 932784.4160 **E90:** 901196.3720 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'24.493" **SCALE FACTOR 90:** 1.000010011

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230F, PG 47, 1230G, PG 75, 1270J, PG 39,40,41,44,45,54,55, 1290O, PG 44,45,54-57, 1277O, PAGE 28.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 21

DIRECTION: NE **DOC NO:** 52975 37991 17949

Y72: 932566.1605 **X72:** 747631.7457 **POINT NO:** 11067

N90: 932730.8260 **E90:** 903870.0790 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** Y **ORIGINATOR:**

CONVERGENCE 90: 0:20'37.845" **SCALE FACTOR 90:** 1.000011522

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 10

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 39,40,41,44,45,53-57, BK 1277F, PG 39, BK 1290-O, PG 44, 45, 54, AND BK 1277K, PG 72. BROCKWAYS FIELD BOOK W-77, PG 1-6.

HISTORY: SET BRASS DISK MONUMENT; PALM BEACH COUNTY BRASS DISK IN A ROUND CONCRETE MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 21

DIRECTION: E **DOC NO:** 18508

Y72: 929905.6398 **X72:** 747583.7171 **POINT NO:** 11077

N90: 930070.3742 **E90:** 903822.1189 **CATEGORY:** 2 **RANK:** 5

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 03/24/1984 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: JAY SWEET

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 39,40,41,44,45,50-53, BK 1230F, PG 53,
AND BK 1277F, PG 71.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 22

DIRECTION: E **DOC NO:** 18510

Y72: 929923.3861 **X72:** 752431.9393 **POINT NO:** 11078

N90: 930088.1613 **E90:** 908670.3769 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 03/27/1984 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: JAY SWEET

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270H, PG 63, BK 1277F, PG 71.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 22

DIRECTION: NE **DOC NO:** 52977 17951

Y72: 932593.8806 **X72:** 752392.2466 **POINT NO:** 11065

N90: 932758.5840 **E90:** 908630.6120 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'01.636" **SCALE FACTOR 90:** 1.000014252

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230F, PG 47, BK 1277F, PG 38, 1270J, PG 39,40,41,44,45,54,55, 1290T, PAGE 18.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 22

DIRECTION: N **DOC NO:** 52976 17950

Y72: 932580.0206 **X72:** 750011.9961 **POINT NO:** 11066

N90: 932744.7060 **E90:** 906250.3450 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'49.741" **SCALE FACTOR 90:** 1.00001288

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230G, PG 19, BK 1277F, PG 39, 1270J, PG 39,40,41,44,45,54,55, 1261AA, PAGE 30.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 23

DIRECTION: E **DOC NO:**

Y72: 930040.3833 **X72:** 757654.0225 **POINT NO:** 11079

N90: 930205.1815 **E90:** 913892.4845 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 23

DIRECTION: NE **DOC NO:** 52978 17953

Y72: 932734.0075 **X72:** 757682.4848 **POINT NO:** 11063

N90: 932898.7490 **E90:** 913920.8830 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'28.091" **SCALE FACTOR 90:** 1.000017346

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270J, PG 39,40,41,44,45,54,55,70, BK 1277F, PG 3, 1261AA, PAGE 29.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 23

DIRECTION: N **DOC NO:** 17952

Y72: 932663.9441 **X72:** 755037.3657 **POINT NO:** 11064

N90: 932828.6660 **E90:** 911275.7480 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'14.864" **SCALE FACTOR 90:** 1.000015791

DATE LAST CERTIFIED: 12/08/1983 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: JAY SWEET

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230G, PG 18, 1277F, PG 38, 1270J, PG 39,40,41,44,45,54,55.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 24

DIRECTION: NE **DOC NO:** 52980 37992 17955

Y72: 932732.3735 **X72:** 763001.3906 **POINT NO:** 11061

N90: 932897.2920 **E90:** 919239.8470 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'54.669" **SCALE FACTOR 90:** 1.000020522

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PG 50, 1230B, PG 1, 1270C, PG 40, 1270E, PG 69, 1270H, PG 47, 52, 1277F, PG 36, 1290P, PAGE 53, 1277O, PAGE 29.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 24

DIRECTION: N **DOC NO:** 52979 17954

Y72: 932733.1905 **X72:** 760341.9377 **POINT NO:** 11062

N90: 932897.9510 **E90:** 916580.3520 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'41.380" **SCALE FACTOR 90:** 1.000018926

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230F, PG 48, BK 1277F, PG 37, 1270J, PAGES 39,40,41,44,45,54,55, 1261AA, PAGE 29.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 24

DIRECTION: E **DOC NO:** 52981 18509

Y72: 930092.8261 **X72:** 762945.3209 **POINT NO:** 11080

N90: 930257.7480 **E90:** 919183.8350 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'53.976" **SCALE FACTOR 90:** 1.000020489

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270E, PG 67,69, BK 1277F, PG 73, AND 955.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 25

DIRECTION: N **DOC NO:** 52982 18511

Y72: 927389.0400 **X72:** 760266.9100 **POINT NO:** 11082

N90: 927553.9310 **E90:** 916505.4640 **CATEGORY:** 1 **RANK:** 2

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'40.179" **SCALE FACTOR 90:** 1.000018882

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230A, PG 49, BOOK 1230F, PG 10 AND BK 1277F,
PG 74, 1261AA, PAGES 24,25.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 25

DIRECTION: NE **DOC NO:** 52983 30179 18512

Y72: 927432.1590 **X72:** 762908.3406 **POINT NO:** 11081

N90: 927597.0850 **E90:** 919146.9230 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'53.376" **SCALE FACTOR 90:** 1.000020467

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PG 49, BK 955, PG 19, 20, 32, BK 1270E, PG 69, BK 1277F, PG 73, BK 1277J, PG 26, 1261AA, PAGES 24,25.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 25

DIRECTION: E **DOC NO:** 52984 45412

Y72: 924648.9794 **X72:** 762738.4406 **POINT NO:** 11100

N90: 924813.9090 **E90:** 918977.0910 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'52.094" **SCALE FACTOR 90:** 1.000020364

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 32, 1253, PG 28, 955, PG 15, 34, 1230E,
PAGE 78, 1290Y, PAGE 16.

HISTORY:

MEMO IN JULY, 1977, REPLACED THE ORIGINAL LIGHTWOOD POST WITH A PALM BEACH COUNTY BRASS DISK IN A ROUND CONCRETE MONUMENT, AS SHOWN IN PALM BEACH COUNTY FIELD BOOK 1270J, PAGE 32 WHICH REFERENCES ALSO FIELD BOOKS 1253, PAGE 28 AND 955 PAGES 15 AND 34.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 26

DIRECTION: NE **DOC NO:** 52986 18513

Y72: 927346.7591 **X72:** 757625.5602 **POINT NO:** 11083

N90: 927511.6140 **E90:** 913864.0860 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'26.983" **SCALE FACTOR 90:** 1.000017313

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230A, PG 49, BK 1230F, PG 10, AND BK 1277F, PG 74, 1261AA, PAGES 24,25.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 26

DIRECTION: E **DOC NO:**

Y72: 924702.8420 **X72:** 757444.8335 **POINT NO:** 11099

N90: 924867.7095 **E90:** 913683.4120 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 26

DIRECTION: N **DOC NO:** 52985 17956

Y72: 927303.2600 **X72:** 754983.7900 **POINT NO:** 11084

N90: 927468.1110 **E90:** 911222.3080 **CATEGORY:** 1 **RANK:** 2

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'13.785" **SCALE FACTOR 90:** 1.00001576

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230F, PG 11, BK 1277F, PG 36, 1261AA, PAGES 24,25.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 27

DIRECTION: N **DOC NO:** 52987 21288

Y72: 927255.6363 **X72:** 749930.9115 **POINT NO:** 11086

N90: 927420.4610 **E90:** 906169.4020 **CATEGORY:** 2 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'48.546" **SCALE FACTOR 90:** 1.000012834

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230F, PG 45, 59, 1270J, PAGES 50-51, 1270E, PAGES 71, 72, 1290Y, PAGE 15, 18, BK 1277I, PG 35. BROCKWAYS SURVEY FOR "GENE DYER" DRAWING NO. TF741 (APRIL, 1951). K.C. MOCK, SURVEY FOR "PROSPECT CORPORATION

HISTORY: SET BRASS DISK MONUMENT

MEMO CENTRAL AND SOUTH FLORIDA FLOOD CONTROL DISTRICT RIGHT-OF-WAY MAP FOR THE C-18 CANAL, SHEET 6 (JULY 1954).
4X4 P.R.M. #4 (RLS2424) FOR THE PLAT OF "CALOOSA" AS RECORDED IN PLAT BOOK 33, PAGE 92 WHICH IS A WITNESS CORNER 334.07 FEET SOUTH OF THE ORIGINAL CORNER.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 27

DIRECTION: NE **DOC NO:** 52988 17957

Y72: 927260.7301 **X72:** 752342.2153 **POINT NO:** 11085

N90: 927425.5770 **E90:** 908580.7250 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'00.587" **SCALE FACTOR 90:** 1.000014223

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PG 49, BK 1230F, PG 11, AND BK 1277F,
PG 35, 1270E, PAGES 71, 72.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 27

DIRECTION: E **DOC NO:**

Y72: 924591.1460 **X72:** 752151.6535 **POINT NO:** 11098

N90: 924756.0070 **E90:** 908390.2105 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 28

DIRECTION: NE **DOC NO:** 52989 18515

Y72: 927249.7597 **X72:** 747536.4908 **POINT NO:** 11087

N90: 927414.5630 **E90:** 903774.9610 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'36.588" **SCALE FACTOR 90:** 1.000011468

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270J, PG 50, 51, 1230E, PAGE 78.

HISTORY: SET BRASS DISK MONUMENT

MEMO ON JULY 25, 1977, FOUND A 4X4 CONCRETE MONUMENT IN ACCORDANCE WITH A SURVEY FOR "JUPITER INVESTMENTS" BY JAMES OBRIEN AND A BOUNDARY SURVEY FOR "CALOOSA" BY CONRAD SCHAEFER, AS SHOWN IN PALM BEACH COUNTY FIELD BOOK 1270J, PAGES 50, 51.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 28

DIRECTION: N **DOC NO:** 18514

Y72: 927183.9519 **X72:** 744885.3880 **POINT NO:** 11088

N90: 927348.7670 **E90:** 901123.8730 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'23.340" **SCALE FACTOR 90:** 1.000009971

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230F, PG 46, BK 1277F, PG 72.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 28

DIRECTION: E **DOC NO:**

Y72: 924522.2911 **X72:** 747291.4880 **POINT NO:** 11097

N90: 924687.1250 **E90:** 903529.9970 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 29

DIRECTION: E **DOC NO:**

Y72: 924533.8705 **X72:** 742069.4942 **POINT NO:** 11096

N90: 924698.7040 **E90:** 898308.0160 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 29

DIRECTION: NE **DOC NO:** 52991 37987

Y72: 927118.1441 **X72:** 742234.2853 **POINT NO:** 11089

N90: 927282.9710 **E90:** 898472.7840 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'10.092" **SCALE FACTOR 90:** 1.00000849

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE:

HISTORY: SET BRASS DISK MONUMENT

MEMO ON JULY 25, 1977, FOUND A 4X4 CONCRETE MONUMENT IN ACCORDANCE WITH THE BOUNDARY SURVEY FOR "CALOOSA" BY CONRAD SCHAEFER AS SHOWN IN PALM BEACH COUNTY FIELD BOOK 1270J, PAGE 50, 51.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 29

DIRECTION: N **DOC NO:** 52990 17958

Y72: 927315.8171 **X72:** 739702.1059 **POINT NO:** 11090

N90: 927480.6530 **E90:** 895940.6190 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'57.476" **SCALE FACTOR 90:** 1.00000709

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230F, PG 20-29, BK 1277F, PG 43, 1261C, PAGE 2, 1270E, PAGES 71,72, 1270R, PAGE 31, 1261AA, PAGE 26.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 30

DIRECTION: NW **DOC NO:** 52992 18516

Y72: 927696.6498 **X72:** 732170.0226 **POINT NO:** 11093

N90: 927861.4740 **E90:** 888408.5570 **CATEGORY:** 1 **RANK:** 2

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'19.916" **SCALE FACTOR 90:** 1.000003014

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230F, PG 20-29, BK 1230G, PG 6, BK 1290A, PG 25, AND BK 1277F, PG 42, 1261C, PAGE 2, 1270R, PAGES 28,29,31, 1270E, PAGES 71,72 AND 957, PAGES 13, 14, 1100, PAGES 11 AND 12.

HISTORY: SET BRASS DISK MONUMENT

MEMO FOUND THE CORNER IN ACCORDANCE WITH A SURVEY BY GEORGE S. BROCKWAY FOR "ROYAL PALM BEACH COLONY, INC." JOB NUMBER 68-182, FILE NUMBER TF-2862, AND THE SEMINOLE PRATT WHITNEY ROAD RIGHT OF WAY MAP, AS RECORDED IN ROAD BOOK 4, PAGES 126 AND 127.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 30

DIRECTION: N **DOC NO:** 52993 17959

Y72: 927606.7640 **X72:** 734638.3587 **POINT NO:** 11092

N90: 927771.5920 **E90:** 890876.8860 **CATEGORY:** 2 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'32.230" **SCALE FACTOR 90:** 1.000004335

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230G, PG 6, BK 1277F, PG 43, 1230F, PAGES 20-29, 1261C, PAGE 2, 1270R, PAGES 28,29,31, 1270E, PAGES 71, 72, 1290Y, PAGE 27, 1261AA, PAGES 26, 28.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 30

DIRECTION: E **DOC NO:**

Y72: 924871.3627 **X72:** 737096.9225 **POINT NO:** 11095

N90: 925036.1905 **E90:** 893335.4515 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 30

DIRECTION: W **DOC NO:** 52995 17960

Y72: 925063.7410 **X72:** 732196.6867 **POINT NO:** 11094

N90: 925228.5610 **E90:** 888435.2290 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'19.686" **SCALE FACTOR 90:** 1.000003028

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230G, PG 7, BK 1277F, PG 42, 1230F, PAGES 20-29, 1261C, PAGE 2, 1270R, PAGES 28, 29, 31, 1270E, PAGES 71, 72, 1261AA, PAGE 2.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 30

DIRECTION: NE **DOC NO:** 52994 37982

Y72: 927514.3815 **X72:** 737169.9823 **POINT NO:** 11091

N90: 927679.2140 **E90:** 893408.5020 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'44.860" **SCALE FACTOR 90:** 1.000005705

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: FOUND PALM BEACH COUNTY BRASS DISK IN A ROUND CONCRETE MONUMENT THAT REPLACED A FOUND 2X2 HUB ON AUGUST 24, 1977, AS SHOWN IN PALM BEACH COUNTY FIELD BOOK 1230F, PG 20-29, 1261C, PG 2, 1270R, PG 28, 29, 31, 1290Y, PG 27, 1261AA, PG 26, 28.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 31

DIRECTION: E **DOC NO:**

Y72: 919582.3358 **X72:** 736546.0065 **POINT NO:** 11115

N90: 919747.1571 **E90:** 892784.5471 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 31

DIRECTION: SW **DOC NO:** 53000 30178 17961

Y72: 916744.5034 **X72:** 732286.1571 **POINT NO:** 11133

N90: 916909.3100 **E90:** 888524.6990 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'18.985" **SCALE FACTOR 90:** 1.000003076

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230F, PG 20-29, BK 1270S, PG 38, AND BK 1277F, PG 40, AND BK 1277J, PG 26, 1261C, PAGE 2, 1270R, PAGES 28-29, 1290Y, PAGE 28.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 31

DIRECTION: NW **DOC NO:** 52996 18517

Y72: 922430.8366 **X72:** 732223.3070 **POINT NO:** 11113

N90: 922595.6530 **E90:** 888461.8560 **CATEGORY:** 1 **RANK:** 2

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'19.456" **SCALE FACTOR 90:** 1.000003043

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230F, PG 20-29, BK 1230G, PG 5, BK 1277F, PG 41, 1290A, PG 26, 1261C, PG 2, 1270R, PAGES 28, 29, 1100, PAGES 10 AND 11.

HISTORY: SET BRASS DISK MONUMENT

MEMO FOUND THE CORNER IN ACCORDANCE WITH A SURVEY BY GEORGE S. BROCKWAY FOR "ROYAL PALM BEACH COLONY INC." JOB NUMBER 68-182, FILE NUMBER TF-2862 AND THE SEMINOLE PRATT WHITNEY ROAD RIGHT OF WAY MAP RECORDED IN ROAD BOOK 4, PAGES 125 AND 126.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 31

DIRECTION: NE **DOC NO:** 52998 17964

Y72: 922228.3439 **X72:** 737023.8628 **POINT NO:** 11111

N90: 922393.1670 **E90:** 893262.4010 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'43.386" **SCALE FACTOR 90:** 1.000005626

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230F, PG 20-29,34 AND BK 1277F, PG 44, 1261C, PG 2, 1270R, PAGES 28, 29, 1290Y, PAGE 28.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 31

DIRECTION: W **DOC NO:** 52999 17962

Y72: 919768.4928 **X72:** 732252.7616 **POINT NO:** 11114

N90: 919933.3050 **E90:** 888491.3180 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'19.236" **SCALE FACTOR 90:** 1.000003058

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230G, PG 7, AND BK 1277F, PG 41, 1230F, PAGES 20-29, 1261C, PAGE 2, 1270R, PAGES 28, 29, 1261AA, PAGE 27.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 31

DIRECTION: S **DOC NO:** 53001 16095

Y72: 916746.1253 **X72:** 734130.3586 **POINT NO:** 11132

N90: 916910.9380 **E90:** 890368.9010 **CATEGORY:** 2 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'28.183" **SCALE FACTOR 90:** 1.000004063

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270S, PG 38, BK 1277E, PG 19, 1230G, PAGE 9, 1230F, PAGES 20-29, 1261C, PAGE 2, 1270R, PAGES 28, 29, 1261AA, PAGE 31.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 31

DIRECTION: N **DOC NO:** 52997 17963

Y72: 922331.2978 **X72:** 734582.7927 **POINT NO:** 11112

N90: 922496.1180 **E90:** 890821.3370 **CATEGORY:** 2 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'31.218" **SCALE FACTOR 90:** 1.000004306

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230G, PG 2, AND BK 1277F, PG 44, 1230F,
PAGES 20-29, 1261C, PAGE 2, 1270R, PAGES 28, 29, 1261AA, PAGE 21.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 32

DIRECTION: N **DOC NO:** 53002 17965

Y72: 922088.9238 **X72:** 739464.3916 **POINT NO:** 11110

N90: 922253.7530 **E90:** 895702.9230 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:19'55.546" **SCALE FACTOR 90:** 1.00000696

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270H, PG 64, BK 1277F, PG 45, 1230F, PAGES 20-29, 1261C, PAGE 2, 1270R, PAGES 28,29.

HISTORY: SET BRASS DISK MONUMENT

MEMO ON NOVEMBER 9, 1977, REPLACED A 1 INCH IRON PIPE SET IN CONCRETE WITH A PALM BEACH COUNTY BRASS DISK IN CONCRETE, FOUND TO BE IN ACCORDANCE WITH A SURVEY FOR THE WEST HALF OF SECTION 32, T41S, R41E BY BROCKWAY, AS SHOWN IN BROCKWAY'S DRAWING TF-2362.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 32

DIRECTION: E **DOC NO:**

Y72: 919425.6784 **X72:** 741623.2780 **POINT NO:** 11116

N90: 919590.4663 **E90:** 897861.7620 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230F, PAGES 20-29, 1261C, PAGE 2, 1270R,
PAGES 28,29,31, 1270E, PAGES 71,72.

HISTORY:

MEMO SET THE CORNER BY PROPORTIONATE MEASUREMENT, AS SHOWN IN PALM BEACH
COUNTY FIELD BOOK 1270H, PAGE 67.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 32

DIRECTION: NE **DOC NO:** 53003 37988

Y72: 921949.5969 **X72:** 741904.7032 **POINT NO:** 11109

N90: 922114.4370 **E90:** 898143.2480 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'07.704" **SCALE FACTOR 90:** 1.000008307

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: ON SEPTEMBER 19, 1977, FOUND A 4X4 CONCRETE MONUMENT.

HISTORY: SET BRASS DISK MONUMENT

MEMO ON SEPTEMBER 19, 1977, FOUND A 4X4 CONCRETE MONUMENT IN ACCORDANCE WITH THE SURVEY FOR "DANIELLI" BY FLORIDA SURVEYING AND MAPPING, AS SHOWN IN PALM BEACH COUNTY FIELD BOOK 1230F, PAGE 20-29,56, 1261C, PAGE 2, 1270R, PAGES 28,29,31, 1270E, PAGES 71,72, GPS FILE NE 3211.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 33

DIRECTION: NE **DOC NO:** 53004 21289

Y72: 921794.8226 **X72:** 747046.4852 **POINT NO:** 11107

N90: 921959.6870 **E90:** 903285.0330 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'33.341" **SCALE FACTOR 90:** 1.00001119

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230F, PG 55, BK 1277I, PG 34, 1261C, PAGE 2, 1261Z, PAGE 37, 1123N, PAGES 21,49,52.

HISTORY: PLAT OF "CALOOSA" AS RECORDED IN PLAT BOOK 33, PAGE 92.

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 33

DIRECTION: E **DOC NO:**

Y72: 919326.8347 **X72:** 746974.0543 **POINT NO:** 11117

N90: 919491.6178 **E90:** 903212.6501 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 33

DIRECTION: SE **DOC NO:**

Y72: 916805.3682 **X72:** 746900.0540 **POINT NO:** 11127

N90: 916970.0700 **E90:** 903138.6980 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOK 1230F, PAGE 64 AND THE "BOUNDARY SURVEY FOR DANIELLI 5000 ACRE PROJECT" BY FLORIDA SURVEYING AND MAPPING, INC., DRAWING NUMBER 17500-3, SHEET 2.

HISTORY:

MEMO ESTABLISHED THE CORNER POSITION AT THE "POINT OF LEGAL TERMINUS", SAID POINT BEING ESTABLISHED AT THE INTERSECTION OF THE NORTH LINE OF SECTION 3, TOWNSHIP 42 SOUTH, RANGE 41 EAST, AND THE EAST LINE OF SECTION 33, TOWNSHIP 41 SOUTH, RANGE 41 EAST, SAID EAST LINE BEING FORMED BY CONNECTING A LINE FROM THE NORTHEAST CORNER OF SAID SECTION 33 TO THE CLOSING CORNER FOUND AT THE SOUTHEAST CORNER OF SECTION 33 WHICH WAS FOUND TO BE MONUMENTED BY A 2 INCH CAPPED IRON PIPE BESIDE THE LIGHTWOOD POST. THE CLOSING CORNER WAS THEN TREATED AS BEING THE "AMENDED MONUMENTED" POSITION BEING FOUND TO BE 23.66 FEET SOUTH OF THE "POINT OF LEGAL TERMINUS".

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 33

DIRECTION: N **DOC NO:**

Y72: 921872.6897 **X72:** 744453.7166 **POINT NO:** 11108

N90: 922037.5472 **E90:** 900692.2601 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 34

DIRECTION: NE **DOC NO:** 53006 21292

Y72: 921921.5618 **X72:** 751961.0913 **POINT NO:** 11105

N90: 922086.4373 **E90:** 908199.6959 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'57.886" **SCALE FACTOR 90:** 1.000014003

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230G, PG 34, AND 1277I, PG 32,1261H, PG 20-21,1261I,PG 27-28. BROCKWAYS SURVEY FOR GENE DYER (BROCKWAY DWG TF-741) GPS FILE SECTIONS\NE 343511.

HISTORY: DRAWING NO TF-741."

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 34

DIRECTION: E **DOC NO:** 53007 30177 21291

Y72: 919518.5875 **X72:** 752000.6202 **POINT NO:** 11118

N90: 919683.4680 **E90:** 908239.2510 **CATEGORY:** 1 **RANK:** 6

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'57.724" **SCALE FACTOR 90:** 1.000014026

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230G, PG 42, 43, BK 1277I, PG 33 AND BK 1277J,
PG 27,1261H, PG 20-21,1261I,PG 27-28, 1123N, PG 15, 1261AA, PG 22.

HISTORY: SET BRASS DISK MONUMENT

MEMO HELD THE POSITION OF THE ORIGINAL QUARTER CORNER BY PRORATING AGAINST
GEORGE S. BROCKWAYS SURVEY FOR GENE DYER (BROCKWAY DRAWING TF-741) BY
PRORATING BETWEEN THE NORTHWEST AND SOUTHWEST CORNERS OF SECTION 35.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 34

DIRECTION: N **DOC NO:** 53005 21290

Y72: 921914.8546 **X72:** 749388.8949 **POINT NO:** 11106

N90: 922079.7270 **E90:** 905627.4870 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:20'45.049" **SCALE FACTOR 90:** 1.000012524

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230F, PG 59, BK 1277I, PG 34, 1261H, PAGES 20-21, 1261I, PG 27-28, 1261AA, PAGE 23. BROCKWAYS SURVEY.

HISTORY: DRAWING NO TF-741."

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 35

DIRECTION: E **DOC NO:**

Y72: 919463.9198 **X72:** 757230.2554 **POINT NO:** 11119

N90: 919628.8083 **E90:** 913468.9298 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 35

DIRECTION: N **DOC NO:**

Y72: 921990.0295 **X72:** 754604.3407 **POINT NO:** 11104

N90: 922154.9071 **E90:** 910842.9586 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 35

DIRECTION: NE **DOC NO:** 53008 21293

Y72: 922058.9250 **X72:** 757264.1070 **POINT NO:** 11103

N90: 922223.8047 **E90:** 913502.7381 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'24.371" **SCALE FACTOR 90:** 1.0000171

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230G, PG 34, BK 1277I, PG 31, 1261H, PAGES 20-21, 1261I, PAGES 27-28, GPS FILE "SECTIONS\NE 343511".

HISTORY: DRAWING NO 41-41-25-3.(MOCK,ROOS).

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 36

DIRECTION: E **DOC NO:**

Y72: 919504.2262 **X72:** 762650.5246 **POINT NO:** 11120

N90: 919669.1630 **E90:** 918889.3115 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 36

DIRECTION: NE **DOC NO:** 53009 21294

Y72: 922115.2844 **X72:** 762819.6360 **POINT NO:** 11101

N90: 922280.2170 **E90:** 919058.3550 **CATEGORY:** 1 **RANK:** 2

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:21'52.104" **SCALE FACTOR 90:** 1.000020413

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270J, PG 32, BK 1277I, PG 31, 1261H, PAGES 20-21, 1290Y, PG 16, 1261I, PG 26-28. BROCKWAYS SURVEY FOR SECTIONS 19, 20, 21, 28, 29, 30-33, DRAWING NO. REO TL-2382.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 41 **SECTION:** 36

DIRECTION: N **DOC NO:**

Y72: 922087.1045 **X72:** 760041.8715 **POINT NO:** 11102

N90: 922252.0110 **E90:** 916280.5465 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 01

DIRECTION: N **DOC NO:** 53186 37993 15869

Y72: 948778.5620 **X72:** 792649.6830 **POINT NO:** 12002

N90: 948944.0010 **E90:** 948888.1970 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'25.600" **SCALE FACTOR 90:** 1.000039414

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 685, PAGES 3-10, 1081, PAGE 70, 1081A, PAGE 70, 1277B, PAGE 18, 1270B, PAGES 7-12, 1232H, PAGES 50-64, 1277L, PAGE 33, 1270C, PAGE 4.

HISTORY: SET BRASS DISK MONUMENT

MEMO RESET THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 01

DIRECTION: E **DOC NO:** 53188 43207 15867 37995

Y72: 946135.2710 **X72:** 795248.7040 **POINT NO:** 12020

N90: 946300.6630 **E90:** 951487.2720 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'38.147" **SCALE FACTOR 90:** 1.000041167

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1081B, PAGES 5-7, 1277B, PAGE 20, 1270B, PAGES 7-12, 1270C, PAGE 4, 1232H, PAGES 50-64, 1232J, PAGE 48, 1277L, PAGE 35, 1261Y, PAGES 60,71, 1277M, PAGE 69, 662, PAGES 3, 4, 665, PAGES 24, 28.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 01

DIRECTION: NE **DOC NO:** 53187 37994 15868

Y72: 948785.8150 **X72:** 795301.1440 **POINT NO:** 12001

N90: 948951.2310 **E90:** 951539.6700 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'38.875" **SCALE FACTOR 90:** 1.000041202

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 685, PAGES 3-10, 662, PAGE 3, 1081, PAGE 70, 1081A, PAGE 72, 1277B, PAGE 19, 1270B, PAGES 7-12, 1270C, PAGE 4, 1232H, PAGES 50-64, 1232J, PAGE 47, 1277L, PAGE 34.

HISTORY: RESET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 02

DIRECTION: NE **DOC NO:** 53190 15870

Y72: 948771.6830 **X72:** 789997.5990 **POINT NO:** 12003

N90: 948937.0670 **E90:** 946236.1120 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'12.323" **SCALE FACTOR 90:** 1.000037642

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 685, PAGES 3-10, 988, PAGE 17, 1081, PAGE 70, 1081A, PAGES 63,69, PAGE 1277B, PAGE 7, 1270B, PAGES 7-12, 1232H, PAGES 50-64, 1270C, PAGES 1,4.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 02

DIRECTION: E **DOC NO:** 53191 43202 30190

Y72: 945999.6910 **X72:** 789930.6020 **POINT NO:** 12019

N90: 946165.0400 **E90:** 946169.1490 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'11.510" **SCALE FACTOR 90:** 1.000037598

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1081, PAGE 70, 1277K, PAGE 1, 1270B, PAGES 7-19, 1261Y, PAGES 60,67, 1277M, PAGE 72, 1270C, PAGE 4.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 02

DIRECTION: N **DOC NO:** 53189 15871

Y72: 948773.7920 **X72:** 787356.3590 **POINT NO:** 12004

N90: 948939.1210 **E90:** 943594.8720 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'59.101" **SCALE FACTOR 90:** 1.000035893

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 685, PAGES 3-10, 988, PAGE 14, 1277B, PAGE 8, 1270B, PAGES 7-12, 1270C, PAGES 63-71, 1232H, PAGES 54-64.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 03

DIRECTION: NE **DOC NO:** 53193 45413 15873

Y72: 948775.9210 **X72:** 784715.3000 **POINT NO:** 12005

N90: 948941.2410 **E90:** 940953.7950 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'45.880" **SCALE FACTOR 90:** 1.000034161

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 988, PAGES 13,26,36, 1277B, PAGE 9, 1270B, PAGES 7-12, 1270C, PAGES 1,4, 63-71, 1261Y, PAGE 60, 1261Z, PAGES 25,26, 1277N, PAGE 35.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 03

DIRECTION: E **DOC NO:** 53194 43201 15874

Y72: 946070.0420 **X72:** 784622.7120 **POINT NO:** 12018

N90: 946235.3470 **E90:** 940861.2390 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'44.959" **SCALE FACTOR 90:** 1.0000341

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 988, PAGES 26,28,31,39,40,42,43,44, 1277B, PAGE 5, 1270B, PAGES 7-12, 1270C, PAGES 1,4, 1261Y, PAGES 60,62,65,66,72, 1277M, PAGE 70.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 03

DIRECTION: N **DOC NO:** 53192 35295 15872

Y72: 948755.7800 **X72:** 782094.2900 **POINT NO:** 12006

N90: 948920.9430 **E90:** 938332.8010 **CATEGORY:** 1 **RANK:** 7

GPS NO: **CONSTRAINED:** Y **ORIGINATOR:**

CONVERGENCE 90: 0:23'32.756" **SCALE FACTOR 90:** 1.000032457

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 10

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 975, PG 13-15, BK 1230B, PG 12, 13, BK 1277B, PG 3, BK 975C, PG 52, 55, 56, BK 1277L, PG 8. INDIANTOWN ROAD RIGHT-OF-WAY MAP, ROAD BOOK 1, PG 163.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 04

DIRECTION: E **DOC NO:** 53197 35296 15877

Y72: 946123.5890 **X72:** 779388.8100 **POINT NO:** 12017

N90: 946288.8510 **E90:** 935627.3160 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'18.774" **SCALE FACTOR 90:** 1.000030715

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 975, PAGE 74, 975C, PAGE 57, 1277B, PAGE 4, 1277L, PAGE 7, 1261B, PAGES 73,77.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 04

DIRECTION: S **DOC NO:** 53198 30189

Y72: 943409.0240 **X72:** 776716.1260 **POINT NO:** 12028

N90: 943574.2420 **E90:** 932954.6680 **CATEGORY:** 2 **RANK:** 7

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'04.953" **SCALE FACTOR 90:** 1.000029011

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270C, PAGES 16,51, 1261Y, PAGE 62, 1261Z,
PAGES 2,3, 1230B, 17,18, 1277J, PG 28.

HISTORY: SET BRASS DISK MONUMENT

MEMO ON JUNE 15, 1976, SET THE CORNER IN ACCORDANCE WITH THE SR-706 RIGHT OF WAY
MAP AS RECORDED IN ROADBOOK 1, PAGE 163 AND THE SUNSHINE STATE PARKWAY
RIGHT OF WAY MAP AND THE C-18 CANAL RIGHT OF WAY.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 04

DIRECTION: NE **DOC NO:** 53196 15876

Y72: 948790.1640 **X72:** 779417.2400 **POINT NO:** 12007

N90: 948955.3510 **E90:** 935655.7300 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** Y **ORIGINATOR:**

CONVERGENCE 90: 0:23'19.360" **SCALE FACTOR 90:** 1.000030733

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 10

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 654, PAGE 50, 975, PAGES 13,15,74, 1277B, PAGE 2, 975C, PAGES 52,55,56, 1261B, PAGES 73,77.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 04

DIRECTION: N **DOC NO:** 53195 15875

Y72: 948812.6800 **X72:** 776763.0200 **POINT NO:** 12008

N90: 948977.8680 **E90:** 933001.4980 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'06.076" **SCALE FACTOR 90:** 1.00002904

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1261K, PAGE 14, 1277A, PAGE 77, 1290Y, PAGES 4-6. TOM MCCARTHYS SURVEY FOR SECTION 33, T40S, R42E. TROWELL PARK AS RECORDED IN PLAT BOOK 15, PAGE 41.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 05

DIRECTION: N **DOC NO:** 53199 44787 15880

Y72: 948803.9910 **X72:** 771497.5770 **POINT NO:** 12010

N90: 948969.2040 **E90:** 927736.1100 **CATEGORY:** 1 **RANK:** 2

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'39.715" **SCALE FACTOR 90:** 1.00002573

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BCH CO FB 1261K, PG 1-3, 1261I, PG 42,48, 1261J, PG 9-13, 1261Y, PG 62, 1261Z, PG 4, 1277N, PG 20, 1277A, PG 71. INDIANTOWN RD RIGHT-OF-WAY MAP, RB 1, PG 162. TOM MCCARTHY'S SURVEY OF THE 3RD ANNUAL RELEASE OF THE NATHAN SLEWETT LANDS.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 05

DIRECTION: E **DOC NO:** 53201 44019 15878

Y72: 946082.3000 **X72:** 774046.2000 **POINT NO:** 12016

N90: 946247.5100 **E90:** 930284.6750 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'52.030" **SCALE FACTOR 90:** 1.000027324

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1261B, PG 53,73, BK 1277A, PG 72, 1261Y, PAGE 62, 1277M, PAGE 73.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 05

DIRECTION: NE **DOC NO:** 53200 44788 15879

Y72: 948804.3830 **X72:** 774178.5200 **POINT NO:** 12009

N90: 948969.6170 **E90:** 930417.0960 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'53.137" **SCALE FACTOR 90:** 1.000027407

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1261B, PG 60, BK 1277A, PG 73, 1261I, PAGES 42,48, 1261J, PAGES 9-13, 1261Y, PAGE 62, 1261Z, PAGE 4, 1277N, PAGE 21.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 06

DIRECTION: N **DOC NO:** 53202 15882

Y72: 948801.4300 **X72:** 766159.3600 **POINT NO:** 12012

N90: 948966.5790 **E90:** 922397.7910 **CATEGORY:** 1 **RANK:** 7

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'12.990" **SCALE FACTOR 90:** 1.000022438

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1261B, PG 45, BK 1277A, PG 68. INDIANTOWN
ROAD RIGHT-OF-WAY MAP, ROAD BOOK 1, PG 162.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 06

DIRECTION: NE **DOC NO:** 53203 15883

Y72: 948791.2500 **X72:** 768810.9900 **POINT NO:** 12011

N90: 948956.4040 **E90:** 925049.4290 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'26.263" **SCALE FACTOR 90:** 1.000024065

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1261B, PG 51, AND BK 1277A, PG 69, GPS FILE E-SE 3102, 1261AA, PAGE 18.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 06

DIRECTION: E **DOC NO:** 53204 15881

Y72: 946108.5000 **X72:** 768741.8000 **POINT NO:** 12015

N90: 946273.6590 **E90:** 924980.2450 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'25.488" **SCALE FACTOR 90:** 1.000024022

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230B, PG 14, BK 1277A, PG 70, 1230C, PAGES 7,26, 1290Y, PAGE 17.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 07

DIRECTION: NE **DOC NO:** 53206 21008

Y72: 943425.7140 **X72:** 768672.4148 **POINT NO:** 12031

N90: 943590.8530 **E90:** 924910.9100 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'24.713" **SCALE FACTOR 90:** 1.00002398

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270C, PG 30, BK 1277I, PG 11, GPS FILE
SECTION CORNERS\N-NE 7812.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 07

DIRECTION: E **DOC NO:**

Y72: 940703.3740 **X72:** 768593.0541 **POINT NO:** 12035

N90: 940868.4910 **E90:** 924831.5705 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 07

DIRECTION: N **DOC NO:** 53205 15884

Y72: 943436.6370 **X72:** 765994.3920 **POINT NO:** 12032

N90: 943601.7580 **E90:** 922232.8910 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'11.316" **SCALE FACTOR 90:** 1.000022338

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270C, PG 24, 30, 36, BK 1277E, PG 4, GPS FILE SECTION CORNERS\N-NE 7812.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 08

DIRECTION: NE **DOC NO:** 53208 44020

Y72: 943359.8800 **X72:** 773913.4000 **POINT NO:** 12029

N90: 943525.0710 **E90:** 930151.9260 **CATEGORY:** 1 **RANK:** 7

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'50.923" **SCALE FACTOR 90:** 1.000027241

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1261B, PAGES 73,77, 1261Y, PAGE 62, 1261Z, PAGES 2,3, 1277N, PAGE 18.

HISTORY: SEE MEMO

MEMO ON SEPTEMBER 2, 1992, FOUND THE PALM BEACH COUNTY BRASS DISK IN CONCRETE WHICH WAS SET ON MAY 25, 1976, IN ACCORDANCE WITH THE SR-706 RIGHT OF WAY MAP, AS RECORDED IN ROAD BOOK 1, PAGE 162 AND THE SUNSHINE STATE PARKWAY RIGHT OF WAY MAP IN SECTIONS 3667+61.82 TO 3788+55.75, AS SHOWN IN PALM BEACH COUNTY FIELD BOOK 1230B, PAGE 16.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 08

DIRECTION: E **DOC NO:**

Y72: 940611.5565 **X72:** 773894.1000 **POINT NO:** 12036

N90: 940776.7275 **E90:** 930132.6625 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 08

DIRECTION: N **DOC NO:** 53207 17966

Y72: 943392.8000 **X72:** 771292.6000 **POINT NO:** 12030

N90: 943557.9650 **E90:** 927531.1110 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'37.816" **SCALE FACTOR 90:** 1.000025602

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1261B, PG 59,73,77, BK 1277F, PG 60, GPS FILE
SECTION CORNERS\N-NE 7812.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 09

DIRECTION: N **DOC NO:**

Y72: 943409.0240 **X72:** 776716.1260 **POINT NO:** 12028

N90: **E90:** **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 09

DIRECTION: E **DOC NO:** 53210 44792 15886

Y72: 940564.3520 **X72:** 779285.0790 **POINT NO:** 12037

N90: 940729.5780 **E90:** 935523.6880 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'17.333" **SCALE FACTOR 90:** 1.000030649

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665B, PG 24, BK 1277B, PG 61, 1270C, PAGE 51, 665C, PAGE 74, 1261Y, PAGES 60,62,72, 1261Z, PAGES 10,11,18, 1277N, PAGE 28.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 09

DIRECTION: NE **DOC NO:** 53209 44021 15885

Y72: 943455.4600 **X72:** 779360.3580 **POINT NO:** 12027

N90: 943620.7040 **E90:** 935598.9150 **CATEGORY:** 1 **RANK:** 2

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'18.189" **SCALE FACTOR 90:** 1.000030697

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 665B, PG 24, 51, 57, 665C, PAGE 74, 1270C, PAGE 51, 1261Y, PAGES 60,62,72, 1261Z, PAGES 10,11,18, 1277N, PAGE 17, BK 1277B, PG 60. CENTRAL AND SOUTH FLORIDA FLOOD CONTROL DISTRICT FIELD BOOK 23, PAGES 1, 30.

HISTORY: SET BRASS DISK MONUMENT

MEMO SET A WITNESS CORNER 20 FEET EAST OF PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION OF THE CORNER. ROAD BOOK 1, PAGE 163 (SR RIGHT OF WAY MAP FOR SR-706).

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 10

DIRECTION: N **DOC NO:** 53211 44022 15887

Y72: 943406.5960 **X72:** 781916.3300 **POINT NO:** 12026

N90: 943571.8600 **E90:** 938154.8960 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'30.968" **SCALE FACTOR 90:** 1.000032342

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665B, PG 24, 26, 48, BK 1277E, PG 1, 665C, PAGES 74,76, 1261L, PAGE 1, 1261Y, PAGES 60,72,73, 1277M, PAGE 78.

HISTORY: SET BRASS DISK MONUMENT

MEMO RESET THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 10

DIRECTION: NE **DOC NO:** 53212 15888

Y72: 943355.9900 **X72:** 784539.9640 **POINT NO:** 12025

N90: 943521.3860 **E90:** 940778.4010 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'44.085" **SCALE FACTOR 90:** 1.000034047

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 665B, PG 5, 24, 32, BK 1277B, PG 59, 665C, PAGES 74,76, 1261L, PAGE 1, 1261Y, PAGES 60,66, 1261Z, PAGE 17.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 10

DIRECTION: E **DOC NO:** 53213 15889

Y72: 940656.7030 **X72:** 784460.8500 **POINT NO:** 12038

N90: 940822.0080 **E90:** 940699.3630 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'43.233" **SCALE FACTOR 90:** 1.000033995

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665B, PG 5, 49, BK 1277B, PG 69, 1261Y, PAGES 60,66,73, 1261Z, PAGES 17-20.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 11

DIRECTION: E **DOC NO:** 53216 17967

Y72: 940499.5540 **X72:** 789791.1370 **POINT NO:** 12039

N90: 940664.8540 **E90:** 946029.7700 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'09.865" **SCALE FACTOR 90:** 1.000037505

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665A, PG 48, 50, 665C, PAGES 65-69, BK 1277F,
PG 60, 1270B, PAGES 11-19, 32, 1261Y, PAGES 60,67-70.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 11

DIRECTION: N **DOC NO:** 53214 15890

Y72: 943279.2870 **X72:** 787201.8050 **POINT NO:** 12024

N90: 943444.8060 **E90:** 943440.4510 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'57.390" **SCALE FACTOR 90:** 1.000035792

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665B, PG 5, 23, BK 1277B, PG 58, 665D, PAGE 1, 1261Y, PAGES 60,66.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 11

DIRECTION: NE **DOC NO:** 53215 43203

Y72: 943202.7780 **X72:** 789863.2950 **POINT NO:** 12023

N90: 943368.0990 **E90:** 946101.8830 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'10.691" **SCALE FACTOR 90:** 1.000037553

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665A, PAGES 43,45,48, 665B, PAGE 5, 1270B,
PAGES 11-19,32, 1261K, PAGES 67,70, 1261Y, PAGES 60,67-69, 1277M, PAGE 66.

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 12

DIRECTION: N **DOC NO:** 53217 43204 15892

Y72: 943323.3790 **X72:** 792529.6640 **POINT NO:** 12022

N90: 943488.7260 **E90:** 948768.2630 **CATEGORY:** 2 **RANK:** 5

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'24.051" **SCALE FACTOR 90:** 1.000039334

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: SEE MEMO

HISTORY: SET BRASS DISK MONUMENT

MEMO

PALM BEACH COUNTY FIELD BOOKS 879, PAGES 1-6, BOOK 1020, PAGE 28, BOOK 1036, PAGE 66, BOOK 1120, PAGES 4-6, 10, 19, 665, PAGE 58, BOOK 665A, PAGES 26, 48, BOOK 1270B, PAGES 6, 12, 19-21, 27 AND BOOK 1277B, PAGE 24, 1270V, PAGES 73-76, 1261Y, PAGES 60, 71, 1277M, PAGE 71.

PLAT OF "PINE GARDENS" RECORDED IN PLAT BOOK 12, PAGE 21.

PERRY AVENUE R/W MAP 3-64-03.

PERRY AVENUE R/W MAP 3-72-190 (AS RECORDED IN RB5, P30)

MCKAY RADIO ROAD R/W MAP 3-64-151.

MCKAY RADIO ROAD R/W MAP 3-65-093.

SCHOOL SITE NO 2 FOR THE BOARD OF PUBLIC INSTRUCTION 3-61-086.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 12

DIRECTION: E **DOC NO:** 53219 21296 15891

Y72: 940786.8060 **X72:** 795131.8450 **POINT NO:** 12040

N90: 940952.1510 **E90:** 951370.4960 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'36.624" **SCALE FACTOR 90:** 1.000041088

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 665A, PAGE 48, 49, BOOK 1277B, PAGE 32, BOOK 1277I, PAGE 42, BOOK 1270B, PAGES 1-7, 1290D, PAGE 10, 1267K, PAGE 45.

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 12

DIRECTION: NE **DOC NO:** 53218 21295 15893

Y72: 943444.2280 **X72:** 795196.1840 **POINT NO:** 12021

N90: 943609.5970 **E90:** 951434.7940 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'37.412" **SCALE FACTOR 90:** 1.000041131

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665, PAGE 58, 665A, PG 48,49,61, 665C, PAGE 70, BK 1277B, PG 30, BK 1277I, PG 42 AND BK 1270B, PAGES 1-7, 1290D, PAGE 10, 1267K, PAGE 45, 1261Y, PAGES 60,71.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 13

DIRECTION: N **DOC NO:** 53220 43205 15894

Y72: 937955.8970 **X72:** 792401.0290 **POINT NO:** 12042

N90: 938121.1950 **E90:** 948639.7140 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'22.475" **SCALE FACTOR 90:** 1.000039248

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665, PAGE 58, 665A, PAGES 48, 49, BOOK 1277B, PAGE 21, 1270B, PAGES 12,13,19,21,27,29,32, 1270V, PAGES 73-77, 1261Y, PAGES 60,67-71, 1277M, PAGE 67, 1261Y, PAGE 69.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 13

DIRECTION: NE **DOC NO:** 53221 26555 15895

Y72: 938128.5930 **X72:** 795069.0610 **POINT NO:** 12041

N90: 938293.9150 **E90:** 951307.7540 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'35.844" **SCALE FACTOR 90:** 1.000041046

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665, PAGE 58, 665A, PAGES 48, 49, 1230A, PAGE 22, BOOK 1270B, PAGES 1-7, BOOK 1277B, PAGE 34, AND BOOK 1277H, PAGE 77, 1290G, PAGES 21-23,28.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 13

DIRECTION: E **DOC NO:** 53222 26556 15896

Y72: 935459.9410 **X72:** 795001.7760 **POINT NO:** 12060

N90: 935625.2390 **E90:** 951240.5110 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'35.040" **SCALE FACTOR 90:** 1.000041

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 938, PAGE 33, BOOK 1277B, PAGE 33, 1230A, PAGE 22, 1270B, PAGES 1-7, 1290G, PAGES 21-23,27 AND BOOK 1277H, PAGE 76.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 14

DIRECTION: E **DOC NO:** 53225 44026

Y72: 935346.8560 **X72:** 789637.6110 **POINT NO:** 12059

N90: 935512.0990 **E90:** 945876.3300 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'08.210" **SCALE FACTOR 90:** 1.000037404

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665B, PAGES 36,37,44, 1270B, PAGES 11-16,19, 1261Y, PAGES 60,67,69, 1261Z, PAGE 1, 1277M, PAGE 79.

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 14

DIRECTION: N **DOC NO:** 53223 44798 18518

Y72: 937870.4140 **X72:** 787057.7280 **POINT NO:** 12044

N90: 938035.6720 **E90:** 943296.4020 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665B, PAGES 5, 36, 43, BK 1277G, PG 11, 1261Y, PAGE 73, 1261Z, PAGES 11,15,17,18,19, 1277N, PAGE 26.

HISTORY: SET BRASS DISK MONUMENT DOCUMENT #0044798

MEMO RESET THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION.
DOCUMENT #0044798

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 14

DIRECTION: NE **DOC NO:** 53224 17968

Y72: 937784.0360 **X72:** 789730.4930 **POINT NO:** 12043

N90: 937949.3110 **E90:** 945969.1700 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'09.094" **SCALE FACTOR 90:** 1.000037465

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665A, PG 48, 50, BK 665B, PG 42 AND BK 1277F,
PG 61, 1270B, PAGES 11-16,19,29, 1261Y, PAGE 69.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 15

DIRECTION: NE **DOC NO:** 53227 44794 15899

Y72: 937956.9230 **X72:** 784381.6230 **POINT NO:** 12045

N90: 938122.1640 **E90:** 940620.2930 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'42.381" **SCALE FACTOR 90:** 1.000033944

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665B, PAGES 5, 24, 30, 36, 56, 665C, PAGE 76, 665D, PAGE 5, 1277B, PAGE 64, 1261Y, PAGES 73,76, 1261Z, PAGES 11,15,17-19, 1277N, PAGE 27.

HISTORY: SET A PALM BEACH COUNTY BRASS DISK IN A ROUND CONCRETE MONUMENT.
DOCUMENT #0044794

MEMO DOCUMENT #0044794

RESET THE CORNER IN THE POSITION OF A L.B.F.H. IRON ROD AND CAP THAT WAS FOUND ON AUGUST 27, 1992, SHOWN ON DOCUMENT #0044024. IT WAS LATER DETERMINED THAT THIS ROD AND CAP BETTER FIT PALM BEACH COUNTY'S POSITION OF THE CORNER THAT WAS ORIGINALLY COORDINATED.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 15

DIRECTION: N **DOC NO:** 53226 44793 15897

Y72: 937815.6000 **X72:** 781797.3000 **POINT NO:** 12046

N90: 937980.8240 **E90:** 938035.9660 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'29.437" **SCALE FACTOR 90:** 1.000032266

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665B, PAGES 24, 55, 665C, PAGE 76, 665D, PAGE 5, 1261Y, PAGE 73, 1261Z, PAGES 11,15,17-19, 1277B, PAGE 63, 1277N, PAGE 26.

HISTORY: SET BRASS DISK MONUMENT DOCUMENT #0044793

MEMO RESET THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION.
DOCUMENT #0044793

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 15

DIRECTION: E **DOC NO:** 53228 44795 15898

Y72: 935309.8000 **X72:** 784279.5000 **POINT NO:** 12058

N90: 935475.0160 **E90:** 940518.2160 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'41.424" **SCALE FACTOR 90:** 1.000033877

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665B, PAGES 36, 40, AND BOOK 1277B, PAGE 71, 1261Z, PAGE 15, 1277N, PAGE 31.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 16

DIRECTION: E **DOC NO:**

Y72: 934989.6770 **X72:** 779128.2090 **POINT NO:** 12057

N90: 935154.8660 **E90:** 935366.9215 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 16

DIRECTION: N **DOC NO:** 53229 44791 15901

Y72: 937768.9630 **X72:** 776543.5310 **POINT NO:** 12048

N90: 937934.1420 **E90:** 932782.1610 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'03.162" **SCALE FACTOR 90:** 1.000028902

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PAGE 45, BOOK 1277C, PAGE 11, 1270C, PAGE 51, 1261Z, PAGES 10,11,12,13, 1277N, PAGE 24, 1230C, PAGE 15.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 16

DIRECTION: NE **DOC NO:** 53230 15900

Y72: 937674.2530 **X72:** 779212.3730 **POINT NO:** 12047

N90: 937839.4600 **E90:** 935451.0340 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'16.490" **SCALE FACTOR 90:** 1.000030603

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665B, PAGE 24, 28, AND 54, 665C, PAGE 73, 1230A, PAGE 45, BOOK 1277B, PAGE 62, 1261Z, PAGE 19.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 17

DIRECTION: E **DOC NO:**

Y72: 935155.4255 **X72:** 773777.4930 **POINT NO:** 12056

N90: 935320.5445 **E90:** 930016.1230 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 17

DIRECTION: N **DOC NO:**

Y72: 937924.2326 **X72:** 771193.0427 **POINT NO:** 12050

N90: 938089.3556 **E90:** 927431.6107 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 17

DIRECTION: NE **DOC NO:** 53231 44789 15902

Y72: 937863.2330 **X72:** 773874.8000 **POINT NO:** 12049

N90: 938028.3840 **E90:** 930113.3990 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'49.835" **SCALE FACTOR 90:** 1.000027217

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PG 45, AND BK 1277C, PG 10, 1270C,
PAGES 51,52, 1261Z, PAGES 10-13, 1277N, PAGE 25.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 18

DIRECTION: NE **DOC NO:** 53233 15904

Y72: 937981.0341 **X72:** 768513.6935 **POINT NO:** 12051

N90: 938146.1290 **E90:** 924752.2310 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'23.050" **SCALE FACTOR 90:** 1.000023882

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1261B, PAGE 73, 1261K, PAGE 11, 1277E, PAGE 3, 1261Z, PAGES 10,11.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 18

DIRECTION: E **DOC NO:** 53234 15905

Y72: 935212.9493 **X72:** 768496.9235 **POINT NO:** 12055

N90: 935378.0240 **E90:** 924735.4830 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'22.524" **SCALE FACTOR 90:** 1.000023872

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1261C, PAGE 2, 1270H, PAGES 48, 52, 56, 57,
1277C, PAGE 12, 1270E, PAGE 67, 1230E, PAGE 73, 1270R, PAGES 74-76, 1261Z, PAGES
10,11, 1232U, PAGE 79.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 18

DIRECTION: N **DOC NO:** 53232 15903

Y72: 938058.0650 **X72:** 765901.2196 **POINT NO:** 12052

N90: 938223.1550 **E90:** 922139.7440 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'10.000" **SCALE FACTOR 90:** 1.000022281

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270H, PAGES 47-53, AND BK 1277E, PG 3, 1230E, PAGE 67, 1261AA, PAGE 32.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 19

DIRECTION: NE **DOC NO:** 53235 15907

Y72: 932444.8601 **X72:** 768480.1534 **POINT NO:** 12071

N90: 932609.8620 **E90:** 924718.7120 **CATEGORY:** 1 **RANK:** 7

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'21.999" **SCALE FACTOR 90:** 1.000023862

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270H, PAGES 49-51, 56, 1277C, PAGE 13, 1270R, PAGES 71-77, 1270E, PAGE 67. CENTRAL AND SOUTH FLORIDA FLOOD CONTROL DISTRICTS RIGHT OF WAY MAP OF THE C-18 CANAL.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 19

DIRECTION: E **DOC NO:** 53236 15906

Y72: 929888.0495 **X72:** 768387.6510 **POINT NO:** 12075

N90: 930053.0530 **E90:** 924626.2480 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'21.129" **SCALE FACTOR 90:** 1.000023805

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270H, PAGES 56, 57, 1277C, PAGE 14, 1270E, PAGE 67, 1270R, PAGES 71-77.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 19

DIRECTION: N **DOC NO:**

Y72: 932588.6168 **X72:** 765740.7720 **POINT NO:** 12072

N90: 932753.5770 **E90:** 921979.2790 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 20

DIRECTION: NE **DOC NO:** 53237 44790 18519

Y72: 932447.6180 **X72:** 773680.1860 **POINT NO:** 12069

N90: 932612.7050 **E90:** 929918.8470 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'47.982" **SCALE FACTOR 90:** 1.000027095

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 892, PAGE 14, BK 955, PG 73, BK 1230A, PG 43, 45, AND BK 1277G, PG 12, 1261Z, PAGES 8,9, 1277N, PAGE 23, 1230C, PAGES 11,15.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 20

DIRECTION: E **DOC NO:**

Y72: 929938.9805 **X72:** 773650.1084 **POINT NO:** 12076

N90: 930104.0670 **E90:** 929888.7865 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 20

DIRECTION: N **DOC NO:**

Y72: 932446.2391 **X72:** 771080.1697 **POINT NO:** 12070

N90: 932611.2835 **E90:** 927318.7795 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 21

DIRECTION: N **DOC NO:**

Y72: 932375.9010 **X72:** 776362.1800 **POINT NO:** 12068

N90: 932541.0300 **E90:** 932600.8930 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PAGE 43, 1230C, PAGE 15.

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 21

DIRECTION: E **DOC NO:** 53239 37996

Y72: 929642.5150 **X72:** 778978.0215 **POINT NO:** 12077

N90: 929807.6490 **E90:** 935216.8110 **CATEGORY:** **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'13.988" **SCALE FACTOR 90:** 1.000030453

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1290P, PAGE 17, 12770, PAGE 23. SET THE CORNER AT PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION WHICH WAS SINGLE PRORATED BETWEEN THE NORTHEAST AND SOUTHEAST CORNER OF SECTION 21.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 21

DIRECTION: NE **DOC NO:** 53238 15908

Y72: 932305.1010 **X72:** 779044.0450 **POINT NO:** 12067

N90: 932470.2720 **E90:** 935282.8090 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** Y **ORIGINATOR:**

CONVERGENCE 90: 0:23'14.759" **SCALE FACTOR 90:** 1.000030495

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 10

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 892, PAGE 14, BK 955, PG 73, 1230A, PAGE 40, 43, 1277C, PAGE 9, 1270C, PAGE 51, 1261Z, PAGES 8, 19, 1230C, PAGES 11, 15.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 22

DIRECTION: N **DOC NO:**

Y72: 932483.7505 **X72:** 781610.9225 **POINT NO:** 12066

N90: 932648.9315 **E90:** 937849.6855 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 22

DIRECTION: E **DOC NO:** 53241 44797 15909

Y72: 930073.4290 **X72:** 784150.9520 **POINT NO:** 12078

N90: 930238.6060 **E90:** 940389.6890 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'39.897" **SCALE FACTOR 90:** 1.000033794

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665B, PAGE 61, BK 1277B, PG 65, 1230B, PAGE 25, 1261Z, PAGE 15, 1277N, PAGE 29.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 22

DIRECTION: NE **DOC NO:** 53240 44796 15910

Y72: 932662.4000 **X72:** 784177.8000 **POINT NO:** 12065

N90: 932827.5910 **E90:** 940416.5620 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'40.469" **SCALE FACTOR 90:** 1.000033811

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665B, PAGES 36, 40, 61, 1277B, PG 71, 1261Z,
PAGES 15,16,20, 1277N, PAGE 30.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 23

DIRECTION: N **DOC NO:** 18520

Y72: 932695.4160 **X72:** 786886.8220 **POINT NO:** 12064

N90: 932860.5204 **E90:** 943125.7435 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: 03/27/1984 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: JAY SWEET

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1277G, PAGE 11, 665B, PAGES 36,61.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 23

DIRECTION: NE **DOC NO:** 53242 44027 17969

Y72: 932728.2790 **X72:** 789585.7210 **POINT NO:** 12063

N90: 932893.4900 **E90:** 945824.4810 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'07.500" **SCALE FACTOR 90:** 1.000037369

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665B, PAGES 36, 61, 45, AND 1277F, PAGE 62,
1270B, PAGES 14-17, 1261Z, PAGES 1,15,16,20, 1277M, PAGE 80.

HISTORY: SET BRASS DISK MONUMENT

MEMO RESET THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 23

DIRECTION: E **DOC NO:** 53243 17970

Y72: 930109.8220 **X72:** 789518.5960 **POINT NO:** 12079

N90: 930275.0260 **E90:** 945757.3540 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'06.715" **SCALE FACTOR 90:** 1.000037325

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665B, PAGES 61, 70, BK 1277F, PG 62, 1261Z,
PAGE 1, 1270B, PAGE 16.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 24

DIRECTION: N **DOC NO:** 53244 43206 17971

Y72: 932756.5820 **X72:** 792259.8840 **POINT NO:** 12062

N90: 932921.8030 **E90:** 948498.6430 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'20.867" **SCALE FACTOR 90:** 1.000039154

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PAGE 35,37, BK 1277F, PAGE 61, 1270B, PAGES 1-7,14-16,20,21,26,27,34,37,38, 1270V, PAGES 71-76, 1270W, PAGE 8, 1261Y, PAGE 70, 1277M, PAGE 68.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 24

DIRECTION: NE **DOC NO:** 53245 26557 15912

Y72: 932786.2750 **X72:** 794934.4920 **POINT NO:** 12061

N90: 932951.5060 **E90:** 951173.2500 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'34.236" **SCALE FACTOR 90:** 1.000040955

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PG 22, BK 1270B, PG 1-7, BOOK 1277B, PG 46, BK 1290G, PG 21-23, 27, AND BK 1277H, PG 77.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 24

DIRECTION: E **DOC NO:** 53246 26558 15911

Y72: 930131.3600 **X72:** 794870.2690 **POINT NO:** 12080

N90: 930296.5910 **E90:** 951109.0480 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'33.450" **SCALE FACTOR 90:** 1.000040912

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PG 22, BK 1277B, PG 47, BK 1270B, PAGES 1-7, BK 1290G, PAGES 21-23, 25, AND BK 1277H, PG 78.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 25

DIRECTION: E **DOC NO:** 53249 22016

Y72: 924858.7890 **X72:** 794741.3450 **POINT NO:** 12100

N90: 925024.0190 **E90:** 950980.1670 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'31.883" **SCALE FACTOR 90:** 1.000040825

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PAGE 22, 1287, PAGES 25-57, 1290D,
PAGE 17, 26, 1230B, PAGE 51.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 25

DIRECTION: NE **DOC NO:** 53248 26559 21297

Y72: 927476.4100 **X72:** 794806.0840 **POINT NO:** 12081

N90: 927641.6400 **E90:** 951044.8850 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'32.664" **SCALE FACTOR 90:** 1.000040868

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230A, PAGE 22, 1287, PAGES 25-57,59, 1277I,
PAGE 43, 1290G, PAGES 21,23,26, 1270B, PAGES 1-7, 1290I, PAGE 9, 1277H, PAGE 76.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 25

DIRECTION: N **DOC NO:** 53247 30188 15913

Y72: 927483.2560 **X72:** 792130.3590 **POINT NO:** 12082

N90: 927648.4690 **E90:** 948369.1370 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'19.304" **SCALE FACTOR 90:** 1.000039067

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 892, PAGE 3, 1230A, PAGE 28, 1270B, PAGES 20,21,26,27, 1287, PAGES 25-31,52-57, 1277C, PAGE 6, 1277H, PAGE 78, 1290G, PAGES 21-23, 1290I, PAGE 9, 1094C, PAGE 38, 1270V, PAGES 73-76, 1270W, PAGES 1,6.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 26

DIRECTION: N **DOC NO:** 53250 30187 15914

Y72: 927487.6960 **X72:** 786784.5850 **POINT NO:** 12084

N90: 927652.8750 **E90:** 943023.3180 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'52.612" **SCALE FACTOR 90:** 1.000035518

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1287, PAGE 53, 1277B, PAGE 67, 1290H, PAGES 17-19,24,42, 1277J, PAGE 16.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 26

DIRECTION: NE **DOC NO:** 53251 30186 15915

Y72: 927490.9620 **X72:** 789455.1840 **POINT NO:** 12083

N90: 927656.1580 **E90:** 945693.9400 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'05.948" **SCALE FACTOR 90:** 1.000037283

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 892, PAGE 3, 892A, PAGES 2, 26, 1230A, PAGE 28, 1287, PAGES 25-57, 1277B, PAGE 68, 1290H, PAGES 17-19,24,41, 1277J, PG 16.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 26

DIRECTION: E **DOC NO:** 53252 17972

Y72: 924872.0260 **X72:** 789393.7560 **POINT NO:** 12099

N90: 925037.2290 **E90:** 945632.5300 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'05.191" **SCALE FACTOR 90:** 1.000037242

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 892, PAGE 3, 665B, PAGE 62, 1277F, PAGE 63,
1270B, PAGES 16-18,30,40,41, 1261C, PAGE 3, 1261Z, PAGES 22,24.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 27

DIRECTION: NE **DOC NO:** 53254 30185 15917

Y72: 927484.4280 **X72:** 784124.1020 **POINT NO:** 12085

N90: 927649.5900 **E90:** 940362.8130 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'39.326" **SCALE FACTOR 90:** 1.000033776

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 892A, PAGE 2,18, 1230A, PAGES 28,31, 1287,
PAGES 24-57, 1277B, PAGE 66, 1290H, PAGES 17-19,24, 43, 1277J, PAGE 17.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 27

DIRECTION: N **DOC NO:** 53253 30184 15916

Y72: 927232.2000 **X72:** 781518.1000 **POINT NO:** 12086

N90: 927397.3660 **E90:** 937756.8260 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'26.271" **SCALE FACTOR 90:** 1.000032086

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230A, PAGES 28,31, 1277B, PAGE 72, 1277J, PAGE 17, 1290H, PAGES 17-19,24,44.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 27

DIRECTION: E **DOC NO:**

Y72: 924895.5140 **X72:** 784096.5010 **POINT NO:** 12098

N90: 925060.6920 **E90:** 940335.2420 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 28

DIRECTION: E **DOC NO:** 53257 15918

Y72: 924676.3600 **X72:** 778861.8900 **POINT NO:** 12097

N90: 924841.5280 **E90:** 935100.6520 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'12.585" **SCALE FACTOR 90:** 1.000030379

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 892, PAGE 13, 1230A, PAGE 41, 1261C, PAGE 3, 1277C, PAGE 7, 1261AA, PAGE 33.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 28

DIRECTION: N **DOC NO:** 53255 21007

Y72: 927205.1744 **X72:** 776265.5630 **POINT NO:** 12088

N90: 927370.2930 **E90:** 932504.2920 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'00.039" **SCALE FACTOR 90:** 1.000028726

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270G, PG 37 AND BK 1277I, PG 11, GPS FILE
"SECTIONS NE 29,41,42".

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 28

DIRECTION: NE **DOC NO:** 53256 15919

Y72: 926979.9290 **X72:** 778911.9980 **POINT NO:** 12087

N90: 927145.0800 **E90:** 935150.7610 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'13.216" **SCALE FACTOR 90:** 1.000030411

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 892A, PAGES 2,10,78, 1230A, PAGES 28,31,32,40,41, 1270G, PAGE 37, 1277B, PAGE 73, 892, PAGE 13, 1261C, PAGE 3, 1287, PAGE 25, 1261Z, PAGE 8.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 29

DIRECTION: NE **DOC NO:** 53258 21006

Y72: 927430.3430 **X72:** 773620.0307 **POINT NO:** 12089

N90: 927595.4290 **E90:** 929858.7260 **CATEGORY:** 1 **RANK:** 7

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'46.866" **SCALE FACTOR 90:** 1.000027058

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270G, PAGE 37, 1277J, PAGE 10, 955, PAGES 50,51, GPS FILE, SECTIONS NE 29,41,42. WILLIAM G. WALLACE'S SURVEY FOR JOSEPH C. GROSS, DWG NO 67-184. R.E. OWENS SURVEY DWG NO TL 2382.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 29

DIRECTION: E **DOC NO:** 53259 21005

Y72: 924921.6712 **X72:** 773545.7316 **POINT NO:** 12096

N90: 925086.7660 **E90:** 929784.4440 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'46.087" **SCALE FACTOR 90:** 1.000027011

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 955, PAGE 51, 1261C, PAGE 3, 1270G, PAGE 37, 1277I, PAGE 10, 1230A, PAGE 51. GPS FILE SECTIONS NE 29,41,42. WILLAM G. WALLACE'S SURVEY FOR JOSEPH C. GROSS, DWG NO 67-184. R.E. OWENS SURVEY DWG NO TL 2382.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 29

DIRECTION: N **DOC NO:**

Y72: 927380.7910 **X72:** 770957.5897 **POINT NO:** 12090

N90: 927545.8365 **E90:** 927196.2550 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 30

DIRECTION: NE **DOC NO:** 53260 15920

Y72: 927331.2390 **X72:** 768295.1486 **POINT NO:** 12091

N90: 927496.2440 **E90:** 924533.7840 **CATEGORY:** 1 **RANK:** 7

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'20.260" **SCALE FACTOR 90:** 1.000023748

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270H, PAGES 49-51, 56-57, 1270R, PAGES 73-76, 1277C, PAGE 15. CENTRAL & SOUTH FLORIDA FLOOD CONTROL DISTRICT C-18 CANAL RIGHT OF WAY MAP.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 30

DIRECTION: E **DOC NO:**

Y72: 924774.3352 **X72:** 768202.6367 **POINT NO:** 12095

N90: 924939.3455 **E90:** 924441.3120 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 30

DIRECTION: N **DOC NO:**

Y72: 927381.6990 **X72:** 765601.7446 **POINT NO:** 12092

N90: 927546.6645 **E90:** 921840.3535 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 31

DIRECTION: NE **DOC NO:** 53261 15921

Y72: 922217.4313 **X72:** 768110.1248 **POINT NO:** 12111

N90: 922382.4470 **E90:** 924348.8400 **CATEGORY:** 1 **RANK:** 7

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'18.522" **SCALE FACTOR 90:** 1.000023635

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1270H, PAGES 49-51, 56-57, 1270R, PAGES 73-76, 1277C, PAGE 16. CENTRAL AND SOUTH FLORIDA FLOOD CONTROL DISTRICT'S C-18 CANAL RIGHT OF WAY MAP.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 31

DIRECTION: E **DOC NO:**

Y72: 919665.9305 **X72:** 768023.4045 **POINT NO:** 12115

N90: 919830.9525 **E90:** 924262.1595 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 31

DIRECTION: N **DOC NO:**

Y72: 922166.3579 **X72:** 765464.8804 **POINT NO:** 12112

N90: 922331.3320 **E90:** 921703.5980 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 32

DIRECTION: NE **DOC NO:** 21004

Y72: 922411.9905 **X72:** 773469.7291 **POINT NO:** 12109

N90: 922577.0950 **E90:** 929708.4580 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'45.300" **SCALE FACTOR 90:** 1.000026963

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 955, PAGES 50,51,69,70, 1230A, PAGE 51, 1261C, PAGE 3, 1270G, PG 37, 39, 51. WILLAM G. WALLACE'S SURVEY FOR JOSEPH C. GROSS, DWG NO 67-184. R.E.OWENS SURVEY DWG NO TL-2382.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 32

DIRECTION: E **DOC NO:**

Y72: 919873.8409 **X72:** 773430.8422 **POINT NO:** 12116

N90: 920038.9505 **E90:** 929669.5740 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 32

DIRECTION: N **DOC NO:**

Y72: 922314.7109 **X72:** 770789.9270 **POINT NO:** 12110

N90: 922479.7710 **E90:** 927028.6490 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 33

DIRECTION: NE **DOC NO:** 53263 15922

Y72: 922373.9200 **X72:** 778811.9000 **POINT NO:** 12107

N90: 922539.1060 **E90:** 935050.6610 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'11.954" **SCALE FACTOR 90:** 1.000030347

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230A, PG 41,42, 1261C, PAGE 3, 892, PAGES 13,17, 1277C, PAGE 8, 1290P, PAGE 3.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 33

DIRECTION: N **DOC NO:** 53262 21003

Y72: 922393.2605 **X72:** 776140.8306 **POINT NO:** 12108

N90: 922558.4060 **E90:** 932379.5760 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:22'58.627" **SCALE FACTOR 90:** 1.000028647

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 955, PAGE 51, 1230A, PAGE 51, 1261C, PAGE 3, 1270G, PG 37, 51, AND BK 1277I, PG 9.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 33

DIRECTION: E **DOC NO:** 53264 37997

Y72: 919796.0433 **X72:** 778760.7082 **POINT NO:** 12117

N90: 919961.2460 **E90:** 934999.4690 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'11.272" **SCALE FACTOR 90:** 1.000030314

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: SET THE CORNER AT PALM BEACH COUNTY'S PREVIOUSLY COORDINATED, SINGLE PRORATED POSITION. PALM BEACH COUNTY FIELD BOOKS 1290P, PAGES 3,20, 1277O, PAGE 25.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 34

DIRECTION: NE **DOC NO:** 53266 18523

Y72: 922306.6000 **X72:** 784068.9000 **POINT NO:** 12105

N90: 922471.7940 **E90:** 940307.6710 **CATEGORY:** 1 **RANK:** 5

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'38.177" **SCALE FACTOR 90:** 1.000033741

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665C, PAGES 9,12, 1230A, PAGE 44, 1277F, PAGE 68, 1261AA, PAGES 34,35.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 34

DIRECTION: E **DOC NO:** 53267 18522

Y72: 919678.0732 **X72:** 784029.4039 **POINT NO:** 12118

N90: 919843.2780 **E90:** 940268.1860 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'37.537" **SCALE FACTOR 90:** 1.000033715

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 31

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 665C, PAGE 9, 1277F, PAGE 68, 1270Y, PAGES 29,30,32, 1261AA, PAGES 34,35.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 34

DIRECTION: N **DOC NO:** 53265 51489

Y72: 922338.8982 **X72:** 781440.5849 **POINT NO:** 12106

N90: 922504.0880 **E90:** 937679.3510 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:23'25.066" **SCALE FACTOR 90:** 1.000032036

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 665C, PAGES 9,12, 1261C, PAGE 3, 1261AA, PAGES 34,35,38, 1277F, PAGE 77.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 35

DIRECTION: NE **DOC NO:** 53268 44799 17973

Y72: 922252.6810 **X72:** 789334.6560 **POINT NO:** 12103

N90: 922417.8910 **E90:** 945573.4470 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'04.446" **SCALE FACTOR 90:** 1.000037203

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1094, PAGE 49, 1277F, PAGE 63, 1261C, PAGE 3, 1230D, PAGE 19, 1270B, PAGES 16-18,30,40, 1261Z, PAGE 22, 1277N, PAGE 34.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 35

DIRECTION: N **DOC NO:**

Y72: 922279.6405 **X72:** 786701.7780 **POINT NO:** 12104

N90: 922444.8425 **E90:** 942940.5590 **CATEGORY:** **RANK:**

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 35

DIRECTION: E **DOC NO:** 53269 44800

Y72: 919488.1200 **X72:** 789296.0000 **POINT NO:** 12119

N90: 919653.3310 **E90:** 945534.8080 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'03.778" **SCALE FACTOR 90:** 1.000037178

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1261C, PAGE 3, 1261Z, PAGE 22, 1277N, PAGE 33.

HISTORY: RESET THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION.

MEMO ON DECEMBER 13, 1973, FOUND A 4X4 CONCRETE MONUMENT AS SHOWN IN PALM BEACH COUNTY FIELD BOOK 1094, PAGE 49, WHICH REFERENCES FIELD BOOKS 978, PAGE 3, AND 768, PAGE 24. THIS MONUMENT WAS REPLACED WITH A PALM BEACH COUNTY BRASS DISK IN CONCRETE AND STATE PLANE COORDINATED ON NOVEMBER 18, 1976, AS SHOWN IN PALM BEACH COUNTY FIELD BOOK 1230D, PAGE 19.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 36

DIRECTION: N **DOC NO:** 53270 18524

Y72: 922246.9160 **X72:** 792005.2110 **POINT NO:** 12102

N90: 922412.1360 **E90:** 948244.0290 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'17.772" **SCALE FACTOR 90:** 1.000038984

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1094, PG 49, 1261C, PAGE 3, 1270B, PAGES 17,18,30,40,42, 1094C, PAGE 38, 1270V, PAGES 73-76, 1270W, PAGE 7, 1290T, PAGE 27.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 36

DIRECTION: E **DOC NO:** 53272 22017

Y72: 919595.8670 **X72:** 794599.2900 **POINT NO:** 12120

N90: 919761.0740 **E90:** 950838.1360 **CATEGORY:** 1 **RANK:** 8

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'30.253" **SCALE FACTOR 90:** 1.000040729

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PAGES 33, 34, 1230B, PAGE 51, 1290D,
PAGE 17, 24, 1277I, PAGE 44, 1290Q, PAGE 43.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 42 **SECTION:** 36

DIRECTION: NE **DOC NO:** 53271 22015

Y72: 922241.2090 **X72:** 794676.6670 **POINT NO:** 12101

N90: 922406.4380 **E90:** 950915.5110 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'31.102" **SCALE FACTOR 90:** 1.000040781

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1094, PG 49, BK 1230A, PG 22, BK 1290D, PG 17, 25, 31, BK 1277I, PG 44.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 06

DIRECTION: N **DOC NO:** 15923

Y72: 948784.6000 **X72:** 798003.7000 **POINT NO:** 13012

N90: 948950.0400 **E90:** 954242.2610 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'52.403" **SCALE FACTOR 90:** 1.000043041

DATE LAST CERTIFIED: 11/24/1982 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: H.R. HARRIS

REFERENCE: PALM BEACH COUNTY FIELD BOOK 921, PAGE 78, BOOK 1196A, PAGE 18, BOOK 1277B, PAGE 23.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 06

DIRECTION: NE **DOC NO:** 53430 15924

Y72: 948783.3000 **X72:** 800813.8000 **POINT NO:** 13011

N90: 948948.7650 **E90:** 957051.9980 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'06.469" **SCALE FACTOR 90:** 1.00004497

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 21

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1196A, PAGE 2,42,44,45, 1277B, PAGE 22, 650,
PAGES 33, 46.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 06

DIRECTION: E **DOC NO:** 53431 30197

Y72: 946133.5730 **X72:** 800752.9580 **POINT NO:** 13015

N90: 946299.0410 **E90:** 956991.5480 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'05.692" **SCALE FACTOR 90:** 1.000044929

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 21

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1065, PAGE 12, 1196A, PAGE 44,45,60, 1270B, PAGES 7,8, 1270C, PAGE 13, 1261K, PAGE 66, 1277K, PAGE 1. RESET A PALM BCH CO DISK IN CONCRETE IN SEPT 1975 THE REFERENCE TIES SHOWN IN PALM BCH CO FIELDBOOK 1196A, PAGE 60.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 07

DIRECTION: NE **DOC NO:** 53433 30196 15925

Y72: 943474.6730 **X72:** 800695.2680 **POINT NO:** 13031

N90: 943640.1420 **E90:** 956933.9280 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'04.929" **SCALE FACTOR 90:** 1.000044889

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1196A, PAGE 44, 60, BOOK 1065, PAGE 12, 1270,
PAGE 68, 1277B, PAGE 36, 1277J, PAGE 18, 1290H, PAGES 14-16,47.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 07

DIRECTION: MC **DOC NO:** 53434 44802

Y72: 939317.4155 **X72:** 800299.5107 **POINT NO:** 13170

N90: 939482.8580 **E90:** 956538.2030 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'02.207" **SCALE FACTOR 90:** 1.000044617

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: MEANDER CORNER. PALM BEACH COUNTY FIELD BOOK 1290W, PAGES 41,62,63.

HISTORY:

MEMO FOUND THE STANDARD U.S. GENERAL LAND OFFICE BRASS CAP RESET ON A 2 1/4 INCH IRON PIPE 0.26 FEET NORTH OF THE RUSTED OFF G.L.O. PIPE WITH CONCRETE CORE.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 07

DIRECTION: N **DOC NO:** 53432 42185

Y72: 943433.1026 **X72:** 797836.0158 **POINT NO:** 13032

N90: 943598.5220 **E90:** 954074.6510 **CATEGORY:** 2 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'50.617" **SCALE FACTOR 90:** 1.000042927

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: SEE MEMO. PALM BEACH COUNTY FIELD BOOKS 1290S, PAGE 74, 1290T, PAGES 2,4,54-56.

HISTORY:

MEMO

ON JANUARY 27, 1992 REMONUMENTED THE CORNER IN PALM BEACH COUNTY'S PREVIOUSLY COORDINATED POSITION. IN SEPTEMBER OF 1975, UTILIZING THE PLAT FOR THE "INTRACOASTAL WATERWAY..." AS RECORDED IN PLAT BOOK 17, PAGE 3B, FOUND THE STANDARD U.S. G.L.O. PIPE WITH A CONCRETE CORE BROKEN OFF, AS SHOWN IN PALM BEACH COUNTY FIELDBOOK 1230A, PAGE 22. THIS PIPE WAS REPLACED WITH A PALM BEACH COUNTY BRASS DISK IN A ROUND CONCRETE MONUMENT AT THAT TIME. THEN IN APRIL OF 1977 A COORDINATE WAS ESTABLISHED ON THIS CORNER AS SHOWN IN PALM BEACH COUNTY FIELD BOOK 1270J, PAGE 24. AT THE TIME OF REMONUMENTATION, THE PREVIOUSLY COORDINATED POSITION OF THE CORNER WAS RECONFIRMED BY FINDING THIS CORNER POSITION TO BE IN AGREEMENT WITH THE P.R.M.'S FOUND AT THE NORTHWEST CORNER OF PARCEL G.C. 2 IN THE PLAT OF "JONATHAN'S LANDING PLAT TWO", AS RECORDED IN PLAT BOOK 35, PAGE 21. IN ADDITION, THE EAST-WEST POSITION OF THIS ORIGINAL CORNER WAS FOUND TO BE IN AGREEMENT WITH THE P.R.M. FOUND ON THE WEST LINE OF LOT 6 AT THE PLAT OF "BAY HEAD", AS RECORDED IN PLAT BOOK 68, PAGE 33 AND THE P.R.M. SHOWN TO BE IN 1123.75 FEET EAST OF THIS QUARTER CORNER AND THE P.R.M. FOUND AT THE SOUTH END OF THE PLAT OF "WATERWAY COUNTY PARK", AS RECORDED IN PLAT BOOK 31, PAGE 11.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 07

DIRECTION: E **DOC NO:** 44801

Y72: 940673.1224 **X72:** 800290.6649 **POINT NO:** 13035

N90: 940838.5710 **E90:** 956529.3610 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'02.405" **SCALE FACTOR 90:** 1.00004461

DATE LAST CERTIFIED: 01/14/1993 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: SEE MEMO REFERENCE P.B. CO. FIELD BOOKS 1270J P.31,1277L P.53.

HISTORY:

MEMO ON MAY 8, 1977, FOUND THE GLO PIPE FILLED WITH CONCRETE WHICH WAS COORDINATED AND REPLACED WITH A PALM BEACH COUNTY BRASS DISK IN CONCRETE IN A 12" CULVERT PIPE. THE CORNER WAS FOUND TO BE IN ACCORDANCE WITH THE PLAT FOR THE "INTRACOASTAL WATERWAY, FLORIDA EAST COAST CANAL" AS RECORDED IN PLAT BOOK 17, PAGE 4.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 08

DIRECTION: N **DOC NO:** 53435 44804 30195

Y72: 943492.6900 **X72:** 803335.0600 **POINT NO:** 13030

N90: 943658.1590 **E90:** 959573.7200 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'18.138" **SCALE FACTOR 90:** 1.000046718

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1196A, PAGE 44, 60, B00K 1277K, PAGE 2, 1270O, PAGE 51, 1031C, PAGES 42,45,46,48,49,51, 1290W, PAGES 43,61, 1277O, PAGE 74.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 17

DIRECTION: N **DOC NO:** 53437 30194 15926

Y72: 937964.9320 **X72:** 803072.0820 **POINT NO:** 13050

N90: 938130.4340 **E90:** 959310.8970 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'15.827" **SCALE FACTOR 90:** 1.000046535

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PAGES 25,30, 1270, PAGE 68, 1277B, PAGE 37, 1277J, PAGE 18, 1290H, PAGES 14-16, 1261AA, PAGES 1,4,17.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 17

DIRECTION: E **DOC NO:** 53440 44807 15927

Y72: 935187.4903 **X72:** 805629.8533 **POINT NO:** 13056

N90: 935353.0060 **E90:** 961868.6900 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'28.111" **SCALE FACTOR 90:** 1.000048321

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230A, PAGE 22, 1270G, PAGE 18, 1277B, PAGE 41, 1031C, PAGES 42,45,46,48,49,51, 1290W, PAGE 43, 1277O, PAGE 74.

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 17

DIRECTION: MC **DOC NO:** 53436 44803

Y72: 938019.4830 **X72:** 800612.5520 **POINT NO:** 13171

N90: 938184.9260 **E90:** 956851.2500 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'03.540" **SCALE FACTOR 90:** 1.000044832

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: FOUND A RUSTED OFF 2 1/4 INCH IRON PIPE. PALM BEACH COUNTY FIELD BOOKS
1290W, PAGE 41, 1277O, PAGE 75.

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 17

DIRECTION: MC **DOC NO:** 53438 44805

Y72: 937922.1575 **X72:** 805282.0215 **POINT NO:** 13172

N90: 938087.6580 **E90:** 961520.8370 **CATEGORY:** 2 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'26.868" **SCALE FACTOR 90:** 1.000048077

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: FOUND A 2 1/4 INCH RUSTED OFF IRON PIPE. PALM BEACH COUNTY FIELD BOOKS 1031C, PAGES 42,45,46,48,49,51, 1261AA, PAGE 2, 12770, PAGE 75.

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 17

DIRECTION: MC **DOC NO:** 53439 44806

Y72: 936237.0130 **X72:** 805650.8591 **POINT NO:** 13173

N90: 936402.5270 **E90:** 961889.6970 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'28.406" **SCALE FACTOR 90:** 1.000048336

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1031C, PAGES 42,45,46,48,49,51, 1261AA, PAGES 1,4, 1290W, PAGE 64, 1277O, PAGE 76.

HISTORY:

MEMO FOUND THE STANDARD U.S. GENERAL LAND OFFICE BRASS CAP LYING BESIDE THE RUSTED OFF STANDARD PIPE WITH CONCRETE CORE.

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 18

DIRECTION: N **DOC NO:** 53441 15930

Y72: 938071.1900 **X72:** 797727.0870 **POINT NO:** 13052

N90: 938236.5690 **E90:** 953965.7770 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'49.123" **SCALE FACTOR 90:** 1.000042853

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230A, PAGE 22, 1270, PAGE 68, PLAT BOOK 17, PAGE 5, AND BOOK 1277B, PAGE 51.

HISTORY: RESET

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 18

DIRECTION: NE **DOC NO:** 53442 15929

Y72: 938033.8830 **X72:** 800307.6340 **POINT NO:** 13051

N90: 938199.3190 **E90:** 956546.3220 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'02.018" **SCALE FACTOR 90:** 1.000044622

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230A, PAGE 30, 1270, PAGE 68, PLAT BOOK 17, PAGES 4-5, AND BOOK 1277B, PAGE 38, 1290W, PAGE 41.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 18

DIRECTION: E **DOC NO:** 53443 15928

Y72: 935353.5261 **X72:** 800321.0901 **POINT NO:** 13055

N90: 935518.9050 **E90:** 956559.7970 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'01.607" **SCALE FACTOR 90:** 1.000044632

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 938, PAGE 33, 1270G, PAGE 26, AND PLAT BOOK 17, PAGE 5. REFERENCE ALSO PALM BEACH COUNTY FIELD BOOK 1277B, PAGE 50.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 19

DIRECTION: E **DOC NO:** 53446 15932

Y72: 930031.9712 **X72:** 800218.9416 **POINT NO:** 13075

N90: 930197.3230 **E90:** 956457.7500 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'00.148" **SCALE FACTOR 90:** 1.000044562

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230A, PAGES 22, 29, PLAT BOOK 17, PAGE 6, 1230D, PAGES 51,56, 1277B, PAGE 45.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 19

DIRECTION: N **DOC NO:** 53444 15933

Y72: 932741.3529 **X72:** 797607.2121 **POINT NO:** 13072

N90: 932906.6780 **E90:** 953846.0100 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'47.582" **SCALE FACTOR 90:** 1.000042771

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230A, PAGES 22, BK 1230D, PAGE 51,56. ROAD BOOK 4, PAGE 227 (SR R/W MAP FOR A1A ALT.) REFERENCE ALSO PALM BEACH COUNTY FIELD BOOK 1277B, PAGE 48.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 19

DIRECTION: NE **DOC NO:** 53445 15931

Y72: 932694.3021 **X72:** 800271.3471 **POINT NO:** 13071

N90: 932859.7220 **E90:** 956510.1840 **CATEGORY:** 1 **RANK:** 1

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'00.885" **SCALE FACTOR 90:** 1.000044598

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230A, PAGE 22, FIELD 1230D, PAGE 51,56, PLAT BOOK 17, PAGE 6, BOOK 1277B, PAGE 49.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 20

DIRECTION: E **DOC NO:**

Y72: 929859.3971 **X72:** 805512.1286 **POINT NO:** 13076

N90: 930024.8358 **E90:** 961750.9489 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1031C, PAGES 22,27, 1261K, PAGE 75, 1261L,
PAGE 8.

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 20

DIRECTION: N **DOC NO:** 53447 30192 15935

Y72: 932616.1897 **X72:** 802921.5381 **POINT NO:** 13070

N90: 932781.7040 **E90:** 959160.4150 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'14.112" **SCALE FACTOR 90:** 1.000046431

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230A, PAGES 22,26,27, 1230D, PAGE 51,56, PLAT BOOK 17, PAGE 5. MOCK ROOS & SEARCY'S SURVEY FOR EWELL POPE (DWG 41-43-17-6). SEE ALSO PALM BEACH COUNTY FIELD BOOKS 1277B, PAGE 39 AND BOOK 1277J, PAGE 8.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 20

DIRECTION: NE **DOC NO:** 53448 30193 15934

Y72: 932534.2627 **X72:** 805570.1354 **POINT NO:** 13069

N90: 932699.8040 **E90:** 961809.0220 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** Y **ORIGINATOR:**

CONVERGENCE 90: 0:25'27.331" **SCALE FACTOR 90:** 1.000048279

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 10

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1031C, PAGES 22, 24, 27, 35, 1277B, PAGE 52, 1277J, PAGE 7, 1247, PAGE 80, 1270F, PAGES 17,18, 1261K, PAGE 75, 1261L, PAGE 8, 1290G, PAGES 41,42,44,48, 1290H, PAGES 14-16,47.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 28

DIRECTION: N **DOC NO:** 53449 15936

Y72: 927087.5960 **X72:** 808079.4590 **POINT NO:** 13088

N90: 927252.9320 **E90:** 964318.2130 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'38.870" **SCALE FACTOR 90:** 1.000050045

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1031B, PAGE 38, 1277B, PAGE 40, 1287, PAGES 45-48,62. THE PLAT OF "SURFSIDE PARK" AS RECORDED IN PLAT BOOK 18, PAGE 92.

HISTORY: AS RECORDED IN PLAT BOOK 18

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 29

DIRECTION: E **DOC NO:** 53452 15939

Y72: 924507.4287 **X72:** 805395.8451 **POINT NO:** 13096

N90: 924672.7390 **E90:** 961634.6290 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'25.003" **SCALE FACTOR 90:** 1.000048157

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1244, PAGE 6, 1277B, PAGE 77, 1230C, PAGES 50-53, 1270E, PAGES 1-5. PALM BEACH COUNTY DRAWING 3-72-126B.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 29

DIRECTION: N **DOC NO:** 53450 15938

Y72: 927279.7400 **X72:** 802814.3970 **POINT NO:** 13090

N90: 927445.0500 **E90:** 959053.1630 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'12.616" **SCALE FACTOR 90:** 1.000046357

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PAGES 22, 24, 1277B, PAGE 43, 1287,
PAGES 45-49,59-62, 1270E, PAGES 33-35, 1230B, PAGE 52.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 29

DIRECTION: NE **DOC NO:** 53451 15937

Y72: 927183.7390 **X72:** 805453.6680 **POINT NO:** 13089

N90: 927349.0750 **E90:** 961692.4220 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'25.777" **SCALE FACTOR 90:** 1.000048198

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1031C, PAGE 22, 1287, PAGES 45-49,59-62, 1277B,
PAGE 42, 1230A, PAGE 24, 1230B, PAGE 52.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 30

DIRECTION: NE **DOC NO:** 53454 33483 15940

Y72: 927377.9140 **X72:** 800169.1540 **POINT NO:** 13091

N90: 927543.1970 **E90:** 956407.9320 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'59.426" **SCALE FACTOR 90:** 1.000044528

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230A, PAGES 22, 23, 1277B, PAGE 44, 1277K,
PAGE 29, 1287, PAGES 31,32,45-48,51-63.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 30

DIRECTION: E **DOC NO:** 53455 23125 18525

Y72: 924686.6933 **X72:** 800096.3413 **POINT NO:** 13095

N90: 924851.9620 **E90:** 956335.1420 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'58.583" **SCALE FACTOR 90:** 1.000044478

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 794, PAGE 60, 1230B, PAGES 4, 5, 1277G, PAGE 8, 1277K, PAGE 26.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 30

DIRECTION: N **DOC NO:** 53453 33482 15944

Y72: 927427.1150 **X72:** 797487.5730 **POINT NO:** 13092

N90: 927592.3710 **E90:** 953726.3630 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'46.045" **SCALE FACTOR 90:** 1.00004269

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1277C, PAGE 5, 1277K, PAGE 29, 1287, PAGES 31,32,43,45-48,51-63.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 31

DIRECTION: NE **DOC NO:** 53457 33484

Y72: 921997.0438 **X72:** 800022.8539 **POINT NO:** 13111

N90: 922162.2980 **E90:** 956261.6780 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'57.737" **SCALE FACTOR 90:** 1.000044427

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: IN SEPT 1976, FOUND & COORDINATED AN OLD 1" IRON PIPE, AS SHOWN IN PBCO FB 1230B, PG 51, REPLACING IT WITH A PBCO BRASS DISK IN CONCRETE. ON APRIL 25, 1989, RESET THE CORNER IN THE PREVIOUSLY COORDINATED POSITION. PBCO FB 1277K, PG 26, 1277O, P2.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 31

DIRECTION: N **DOC NO:** 53456 18526

Y72: 922119.2442 **X72:** 797349.2610 **POINT NO:** 13112

N90: 922284.4860 **E90:** 953588.0950 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'44.417" **SCALE FACTOR 90:** 1.000042596

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230B, PAGE 51, BOOK 1277G, PAGE 8.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 31

DIRECTION: E **DOC NO:** 53458 15941

Y72: 919335.5352 **X72:** 799921.8149 **POINT NO:** 13115

N90: 919500.7620 **E90:** 956160.6530 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:24'56.759" **SCALE FACTOR 90:** 1.000044358

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230B, PAGE 51, BOOK 1277C, PAGE 1 AND BOOK 794, PAGE 61, GPS FILES SECTIONS E-314143.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 32

DIRECTION: NE **DOC NO:** 53460 15943

Y72: 921830.9743 **X72:** 805337.9709 **POINT NO:** 13109

N90: 921996.2580 **E90:** 961576.7840 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'24.229" **SCALE FACTOR 90:** 1.000048117

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230B, PAGE 52, BOOK 1230A, PAGES 53, 54, 1230C, PAGES 50-53,63,1270E,PAGES 1-7, 1230B, PAGE 52, 794, PAGE 61, BOOK 1031B, PAGE 76, BOOK 1244, PAGE 5, BOOK 881, PAGES 1, 19, 74.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 32

DIRECTION: E **DOC NO:** 53461 15945

Y72: 919157.2031 **X72:** 805205.3150 **POINT NO:** 13116

N90: 919322.4450 **E90:** 961444.1450 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'23.083" **SCALE FACTOR 90:** 1.000048024

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230A, PAGE 53, BOOK 881, PAGES 1, 14, 19, BOOK 794, PAGE 61, AND BOOK 1277B, PAGE 76, 1230C, PAGES 50-53,63, 1270E, PAGES 1-7, 1230B, PAGE 52.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 32

DIRECTION: N **DOC NO:** 53459 15942

Y72: 921913.9228 **X72:** 802678.8820 **POINT NO:** 13110

N90: 922079.1920 **E90:** 958917.7010 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'10.975" **SCALE FACTOR 90:** 1.000046263

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOKS 1230B, PAGES 51, 52, BOOK 1237, PAGES 5, 8, AND 1277B, PAGE 79, 1270E, PAGE 33-38, 1230B, PAGE 52. PROSPERITY FARMS ROAD R/W MAP, DRAWING NO. 3-70-001.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 33

DIRECTION: E **DOC NO:** 53463 30191 15948

Y72: 918973.8998 **X72:** 810516.5265 **POINT NO:** 13117

N90: 919139.1480 **E90:** 966755.2880 **CATEGORY:** 2 **RANK:** 5

GPS NO: **CONSTRAINED:** Y **ORIGINATOR:**

CONVERGENCE 90: 0:25'49.542" **SCALE FACTOR 90:** 1.000051775

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 10

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270L, PAGES 28, 34, BOOK 1277B, PAGE 78 AND BOOK 1277J, PAGE 22, 1270L, PAGES 14,17,27,28,34,37.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 33

DIRECTION: SE **DOC NO:** 15947

Y72: 916506.1915 **X72:** 810357.8522 **POINT NO:** 13127

N90: 916671.3920 **E90:** 966596.7040 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'48.297" **SCALE FACTOR 90:** 1.000051662

DATE LAST CERTIFIED: 11/24/1982 **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY: H.R. HARRIS

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1270L, PAGES 14,17,27,28,34,37, 1277B, PAGE 54,
1230C, PAGE 50, 1232C, PAGE 6.

HISTORY: SET PK NAIL AND BRASS WASHER

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 33

DIRECTION: N **DOC NO:** 53462 21824 15946

Y72: 921748.1702 **X72:** 808012.8943 **POINT NO:** 13108

N90: 921913.4940 **E90:** 964251.7080 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** N **ORIGINATOR:**

CONVERGENCE 90: 0:25'37.561" **SCALE FACTOR 90:** 1.000049999

DATE LAST CERTIFIED: 07/14/1995 **ACCURACY 83 90:** 22

LAST CERTIFIED CORNER RECORD BY: GARY L. BEATY

REFERENCE: PALM BEACH COUNTY FIELD BOOK 1230A, PAGE 55, BOOK 1277B, PAGE 53, AND
1277H, PAGE 16, 1261I, PAGE 54.

HISTORY: SET BRASS DISK MONUMENT

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 33

DIRECTION: S **DOC NO:**

Y72: 916542.4192 **X72:** 807717.9739 **POINT NO:** 13128

N90: **E90:** **CATEGORY:** 2 **RANK:** 7

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE: PALM BEACH COUNTY SURVEY FIELD BOOK 1270L, PAGES 14, 34, 35, AND THE PLAT OF "HIDDEN KEY NORTH" RECORDED IN PLAT BOOK 28, PAGE 129.

HISTORY:

MEMO

SECTION CORNER HISTORY

TOWNSHIP: 41 **RANGE:** 43 **SECTION:** 17

DIRECTION: NW **DOC NO:**

Y72: 938017.4430 **X72:** 800307.7350 **POINT NO:** 13174

N90: 938182.8790 **E90:** 956546.4230 **CATEGORY:** 1 **RANK:** 3

GPS NO: **CONSTRAINED:** **ORIGINATOR:**

CONVERGENCE 90: **SCALE FACTOR 90:**

DATE LAST CERTIFIED: **ACCURACY 83 90:**

LAST CERTIFIED CORNER RECORD BY:

REFERENCE:

HISTORY:

MEMO