

# SECTION CORNER HISTORY

**TOWNSHIP:** 48                      **RANGE:** 34                      **SECTION:** 01

**DIRECTION:** NE              **DOC NO:** 59331

**Y72:**                      **X72:**                      **POINT NO:** 84001

**N90:** 731506.6630    **E90:** 694956.7400    **CATEGORY:** 2              **RANK:** 1

**GPS NO:**                      **CONSTRAINED:**                      **ORIGINATOR:**

**CONVERGENCE 90:**                      **SCALE FACTOR 90:**

**DATE LAST CERTIFIED:** 03/03/1997                      **ACCURACY 83 90:**

**LAST CERTIFIED CORNER RECORD BY:** GARY L. BEATY

**REFERENCE:** PALM BEACH COUNTY SURVEY FIELD BOOKS 1261GG, PAGES 7-16, AND 20-21, AND 1277P, PAGE 47.

## HISTORY:

**MEMO**      FOUND THE 4X4 CONCRETE MONUMENT WITH THE UNITED STATES DEPARTMENT OF THE INTERIOR, BUREAU OF LAND MANAGEMENT BRASS DISK IN ACCORDANCE WITH THE DEPENDENT RESURVEY AND SURVEY PLAT OF TOWNSHIP 48 SOUTH, RANGE 35 EAST BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, BUREAU OF LAND MANAGEMENT, OF MAY 12, 1978.

# SECTION CORNER HISTORY

**TOWNSHIP:** 48                      **RANGE:** 35                      **SECTION:** 07

**DIRECTION:** NW              **DOC NO:** 59338

**Y72:**                      **X72:**                      **POINT NO:** 85033

**N90:** 726263.0420    **E90:** 695067.6310    **CATEGORY:** 2              **RANK:** 5

**GPS NO:**                      **CONSTRAINED:**                      **ORIGINATOR:**

**CONVERGENCE 90:**                      **SCALE FACTOR 90:**

**DATE LAST CERTIFIED:** 03/03/1997                      **ACCURACY 83 90:**

**LAST CERTIFIED CORNER RECORD BY:** GARY L. BEATY

**REFERENCE:** PALM BEACH COUNTY SURVEY FIELD BOOKS 1261GG, PAGES 3-6, AND 1277P, PAGE 47.

## **HISTORY:**

**MEMO**      FOUND A "CENTRAL AND SOUTHERN FLORIDA FLOOD CONTROL" BRASS DISK IN A 5X5 CONCRETE MONUMENT STAMPED AS THE SECTION CORNER.

# SECTION CORNER HISTORY

**TOWNSHIP:** 48                      **RANGE:** 35                      **SECTION:** 09

**DIRECTION:** NE              **DOC NO:** 59339

**Y72:**                      **X72:**                      **POINT NO:** 85027

**N90:** 726424.5230    **E90:** 711399.7460    **CATEGORY:** 1              **RANK:** 1

**GPS NO:**                      **CONSTRAINED:**                      **ORIGINATOR:**

**CONVERGENCE 90:**                      **SCALE FACTOR 90:**

**DATE LAST CERTIFIED:** 04/22/1997                      **ACCURACY 83 90:**

**LAST CERTIFIED CORNER RECORD BY:** GARY L. BEATY

**REFERENCE:** PALM BEACH COUNTY SURVEY FIELD BOOKS 1261II, PAGES 5-7, AND 1277P, PAGE 53.

## HISTORY:

**MEMO**      FOUND THE "UNITED STATES DEPARTMENT OF THE INTERIOR, BUREAU OF LAND  
MANAGEMENT CADASTRAL SURVEY" BRASS DISK IN A 4X4 CONCRETE MONUMENT  
STAMPED  
4|3 T48S, R35E.  
9|10

# SECTION CORNER HISTORY

**TOWNSHIP:** 48                      **RANGE:** 41                      **SECTION:** 01

**DIRECTION:** NE              **DOC NO:** 52361 48474

**Y72:** 722620.4740    **X72:** 761193.0620    **POINT NO:** 81001

**N90:** 722784.6150    **E90:** 917433.2560    **CATEGORY:** 1              **RANK:** 3

**GPS NO:**                      **CONSTRAINED:**                      **ORIGINATOR:**

**CONVERGENCE 90:** 0:21'13.195"                      **SCALE FACTOR 90:** 1.000019445

**DATE LAST CERTIFIED:** 06/20/1995                      **ACCURACY 83 90:** 22

**LAST CERTIFIED CORNER RECORD BY:** GARY L. BEATY

## REFERENCE:

**HISTORY:** 1972 FREE ADJUSTMENT

## MEMO

RESET THE CORNER IN THE POSITION OF A 2 INCH BRASS DISK IN A ROUND CONCRETE MONUMENT STAMPED 1026, THAT WAS FOUND AND COORDINATED ON DECEMBER 26, 1974, AS SHOWN IN PALM BEACH COUNTY FIELD BOOK 1114C, PAGE 55. THE MONUMENT WAS DETERMINED TO BE IN THE POSITION OF THE CORNER THAT WAS SET BY R.F. ENSEY IN 1911 FOR THE STATE OF FLORIDA, WHICH WAS SHOWN ON THE STATE ROAD DEPARTMENT RIGHT OF WAY MAP FOR ROAD NO.(199)7, AS RECORDED IN ROAD BOOK 1, PAGE 35.