


STEEL FLANGED CHANNEL POST DETAILS



STEEL SQUARE TUBE POST DETAILS

ISOMETRIC VIEW

GENERAL SPECIFICATIONS:

**FLAT BLADE:** ALCOA #86054.6063-T6 ALLOY, ETCHED, DEGREASED WITH #1200 ALODINE FINISH WITH #3877 GREEN HIGH INTENSITY BACKGROUND AND EQUAL DIMENSIONS - 9" & 12" MIN. H, 24", 30" OR 36" L.

**LETTERS:** NAME - 6" & 9" SERIES 'B' # 3870 HIGH INTENSITY (SILVER) OR EQUAL - SUFFIX - 4.5" SERIES AS ABOVE.

**POST:** STEEL FLANGED CHANNEL POST 3 LBS. PER FOOT WITH BAKED GREEN ALKYD OR GALVANIZED FINISH PER A.S.T.M. -A-123 WITHOUT ANCHOR PLATES. SQUARE POST PER FDOT INDEX 11865.

BRACKETS SHALL BE ATTACHED FIRMLY ON STANDARD SQUARE TUBE OR U-CHANNEL POSTS BY MEANS OF (2) 5/16" DIAMETER HEX HEAD BOLTS.


**STOP SIGN:** R1-1 MUTCD - 30" 30" (HIGH INTENSITY)

**LOCATION:** ONE PER INTERSECTION AS INDICATED ON THE PLANS.

**POLICY:** 9" BLADES WITH 6" LETTERS FOR TWO LANE ROADS WITH A SPEED LIMIT UNDER 45 MPH.


12" BLADES WITH 9" LETTERS:  
-THOROUGHFARE ROADS FOUR LANES OR WIDER.  
-TWO LANE ROADS WITH A POSTED SPEED LIMIT OF 45 MPH OR MORE.

ONLY ONE BLADE WILL BE USED INDICATING THE SIDE STREET NAME.





\*\* FROM THROUGH LANE

IF STOP BAR IS USED IT SHALL BE PLACED AT THE STOP SIGN



TYPICAL STOP SIGN PLACEMENT



STREET NAME SIGN (SNS) or (D-3)



PALM BEACH COUNTY, FLORIDA					
TRAFFIC DIVISION					
TYPICAL					
STREET NAME SIGN WITH STOP SIGN					
BOGDAN I. PIORKOWSKI REGISTERED ENGINEER			DAN I. WEISBERG TRAFFIC DIRECTOR		
NAME	DATE	SCALE	CONTRACT NO.		
DRAWN BY CGT	1-27-2004	N.T.S.			
TRACED BY		DRAWING	T-P-06-001		
CHECKED BY					
NO.	DATE	REVISIONS	BY	APP.	SHEET 9 OF 19 SHEETS