

Florida Department of Transportation
 Transportation Statistics Office
2004 Annual Average Daily Traffic Report

County : 93 -- PALM BEACH

SITE	Site type	Description	Direction 1		Direction 2		AADT	"K30"	"D30"	"T"				
			Volume	Category	Volume	Category	Two-Way	Factor	Factor	Factor				
0002	P	SR 15/US 98 N. OF SR 700/CANAL POINT	2,400	N	2,300	S	4700	C	9.78	F	61.47	F	19.29	P
0003	P	SR 700/US 98 - E. OF SR 15 (CANAL POINT)	750	E	750	W	1500	C	9.78	F	61.47	F	13.88	P
0004	P	SR 700/US 98 - SE. OF CR 717/MUCK CITY RD	1,300	E	1,300	W	2600	C	9.78	F	61.47	F	23.68	A
0006	P	SR 5/US 1 - S. OF SR 706/INDIANTOWN RD	12,500	N	12,000	S	24500	C	10.80	F	58.20	F	1.43	P
0007	P	SR 5/US 1 - S. OF LINTON BLVD	15,000	N	15,500	S	30500	C	10.80	F	58.20	F	2.34	P
0008	P	SR 706 - 500FT E OF TPK ENT TO INCLUDED SB I-95	18,000	E	17,500	W	35500	C	9.78	F	61.47	F	6.27	P
0010	T	SR5/US1,N OF NEWCASTLE ST,BOCA RATON,PALM BCH CO.	14,584	N	14,391	S	28975	C	10.89	A	56.75	A	1.76	P
0012	P	SR 811/OLD DIXIE HWY. - N. OF BURNS RD.	12,000	N	12,000	S	24000	C	11.98	F	58.43	F	2.91	A
0013	P	6TH. AVENUE (LAKE WORTH)- WEST OF SR 9/I-95	14,000	E	14,500	W	28500	C	11.98	F	58.43	F	6.12	A
0014	P	6TH. AVENUE (LAKE WORTH) - EAST OF SR 9/I-95	14,500	E	15,000	W	29500	C	11.98	F	58.43	F	4.99	A
0016	P	SR 845/POWERLINE RD - S. OF PALMETTO PARK RD	20,500	N	20,000	S	40500	C	11.98	F	58.43	F	2.98	P
0017	P	SR 845/POWERLINE RD. - N. OF PALMETTO PARK RD.	13,500	N	14,000	S	27500	C	11.98	F	58.43	F	4.01	A
0019	P	SR 80/US 441 - E. OF SR 700/US 98	5,500	E	5,700	W	11200	C	9.78	F	61.47	F	18.30	P
0020	P	SR 845/POWERLINE RD _ S. OF SR 808/GLADES RD	15,000	N	15,000	S	30000	C	11.98	F	58.43	F	2.31	P
0021	P	SR 80/SOUTHERN BLVD - W. OF SR 809/MILITARY TRAIL	15,000	E	15,000	W	30000	C	11.98	F	58.43	F	11.32	A
0022	P	SR 807/CONGRESS AVE. - N. OF LANTANA RD.	19,500	N	19,500	S	39000	C	11.98	F	58.43	F	3.30	P
0023	P	SR 809/MILITARY TRL. - N. OF SR 802 (@ BOATMAN ST)	24,500	N	24,500	S	49000	C	11.98	F	58.43	F	4.16	P
0024	P	SR 802/LAKE WORTH RD - E. OF SR 809/MILITARY TRAIL	25,500	E	24,500	W	50000	C	11.98	F	58.43	F	3.61	A
0025	P	SR 802/LAKE WORTH RD. - E. OF SR 807/CONGRESS AVE.	13,000	E	13,500	W	26500	C	11.98	F	58.43	F	3.72	A
0026	P	CR-809/MILITARY TRL S OF BLUE HERON BLVD	17,000	N	15,500	S	32500	C	11.98	F	58.43	F	5.39	P
0027	P	SR 809/MILITARY TRL - N. OF SR 708/BLUE HERON BLVD	15,000	N	15,500	S	30500	C	11.98	F	58.43	F	5.12	A
0028	P	SR 811/OLD DIXIE HWY. S. OF DONALD ROSS RD.	14,000	N	15,000	S	29000	C	11.98	F	58.43	F	1.92	P
0034	P	SR-7 S OF OKEECHOBEE BLVD/SR-704	18,500	N	19,000	S	37500	C	11.98	F	58.43	F	10.12	P
0035	P	SR 15 - N. OF AIRPORT RD. BELLEGLADE	5,900	N	6,100	S	12000	C	9.78	F	61.47	F	8.63	A
0036	P	SR 808/GLADES RD - E. OF SR 7/441	24,000	E	22,000	W	46000	C	11.98	F	58.43	F	1.75	A
0037	P	SR 7/441 - S. OF SR 80/SOUTHERN BLVD. (C-13)	20,000	N	20,500	S	40500	C	11.98	F	58.43	F	8.13	P
0039	P	SR 808/GLADES RD - E. OF SR 845/POWERLINE RD	30,500	E	27,500	W	58000	C	11.98	F	58.43	F	2.18	A
0040	P	SR 808/GLADES RD. - W. OF SR 9/I-95	36,500	E	35,000	W	71500	C	11.98	F	58.43	F	4.29	P
0041	P	SR 808/GLADES RD. - E. OF SR 9/I-95	33,000	E	32,500	W	65500	C	11.98	F	58.43	F	4.26	A
0043	P	PALMETTO PARK RD. - WEST OF SR 9/I-95	31,500	E	31,500	W	63000	C	11.98	F	58.43	F	3.52	P
0044	P	PALMETTO PARK RD. - EAST OF SR 9/I-95	28,000	E	28,000	W	56000	C	11.98	F	58.43	F	8.70	P
0045	P	SR 808/GLADES RD. - W. OF SR 5/US 1	10,500	E	10,000	W	20500	C	11.98	F	58.43	F	4.31	P
0046	P	SR 794/YAMATO RD.- WEST OF SR 9/I-95	26,500	E	24,500	W	51000	C	11.98	F	58.43	F	1.91	F
0047	P	SR 794/YAMATO RD. - EAST OF SR 9/I-95	24,000	E	22,500	W	46500	C	11.98	F	58.43	F	3.84	P
0048	P	SR 794/YAMATO RD. - W. OF SR 5/US 1	12,000	E	13,000	W	25000	C	11.98	F	58.43	F	4.69	A
0049	P	CR 782/LINTON BLVD. - WEST OF SR 9/I-95	20,500	E	21,000	W	41500	C	11.98	F	58.43	F	4.57	F

Site type: T = Telemetered; P = Portable

AADT Flags: C = Computed; E = Manual Estimate; F = First Year Est; S = Second Year Est; T = Third Year Est; X = Unknown

"K/D" Flags: A = Actual; F = Volume Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; W = One-Way Road

"T" Flags: A = Actual; F = Axle Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; X = Cross-Reference

Florida Department of Transportation
 Transportation Statistics Office
2004 Annual Average Daily Traffic Report

County : 93 -- PALM BEACH

SITE	Site type	Description	Direction 1		Direction 2		AADT	"K30"	"D30"	"T"				
							Two-Way	Factor	Factor	Factor				
0050	P	CR 782/LINTON BLVD. - EAST OF SR 9/I-95	19,000	E	19,000	W	38000	C	11.98	F	58.43	F	6.11	P
0052	P	SR 806/ATLANTIC AVE. - E. OF SR 9/I-95	17,500	E	17,500	W	35000	C	11.98	F	58.43	F	5.68	P
0053	P	SR 802/LAKE WORTH RD. - E. OF SR 7/US 441	16,500	E	17,000	W	33500	C	11.98	F	58.43	F	5.43	P
0054	P	SR 802/LAKEWORTH RD - W. OF SR 91/FL. TURNPIKE	20,000	E	20,000	W	40000	C	11.98	F	58.43	F	5.71	P
0055	P	SR 802/LAKE WORTH RD. - E. OF SR 91/FLA. TPK.	20,000	E	21,000	W	41000	C	11.98	F	58.43	F	5.38	P
0058	P	SR 804/BOYNTON BEACH BLVD.- E OF SR 809/MILITARY T	20,000	E	17,500	W	37500	C	11.98	F	58.43	F	4.62	P
0060	P	SR 822/FORESTHILL BLVD - E. OF SR 7/441	17,500	E	18,000	W	35500	C	11.98	F	58.43	F	4.49	P
0063	P	SR 822/FORESTHILL BLVD - E. OF SR 809/MILITARY TR.	23,500	E	23,500	W	47000	C	11.98	F	58.43	F	5.27	P
0064	P	SR 804/BOYNTON BEACH BLVD - WEST OF SR 9/I-95	23,500	E	23,500	W	47000	C	11.98	F	58.43	F	5.33	A
0067	P	SR 708/BLUE HERON BLVD.- W. OF SR 809/MILITARY TR.	7,700	E	7,700	W	15400	C	9.78	F	61.47	F	9.93	P
0068	P	HYPOLUXO RD.- WEST OF SR 9/I-95	19,500	E	18,500	W	38000	C	11.98	F	58.43	F	7.22	P
0069	P	HYPOLUXO RD. - EAST OF SR 9/I-95	17,000	E	18,000	W	35000	C	11.98	F	58.43	F	5.61	P
0070	P	SR 708/BLUE HERON BLVD - W. OF SR 811/DIXIE HWY	16,000	E	15,500	W	31500	C	11.98	F	58.43	F	5.34	P
0071	P	SR 708/BLUE HERON BLVD. - W. OF SR 5/US 1	11,000	E	11,000	W	22000	C	11.98	F	58.43	F	3.64	P
0072	P	SR 786/PGA BLVD. - JUST W. OF SR 91/FLA. TPK. ENT.	7,700	E	7,600	W	15300	C	9.78	F	61.47	F	4.42	P
0073	P	SR 786/P.G.A. BLVD. - E. OF FL. TURNPIKE OVERPASS	21,000	E	20,500	W	41500	C	9.78	F	61.47	F	4.58	P
0074	P	SR 786/P.G.A. BLVD. - W. OF SR 9/I-95	24,500	E	22,500	W	47000	C	9.78	F	61.47	F	4.99	P
0076	P	CR 812/LANTANA RD. - WEST OF SR 9/I-95	20,500	E	21,000	W	41500	C	11.98	F	58.43	F	8.02	P
0077	P	CR 812/LANTANA RD. - EAST OF SR9/I-95	17,000	E	17,000	W	34000	C	11.98	F	58.43	F	8.40	P
0078	P	SR 715 - S. OF SR 717/CANAL ST (BELLEGLADE)	5,400	N	5,200	S	10600	C	9.78	F	61.47	F	12.59	A
0081	P	SR 811/OLD DIXIE HWY. - S. OF PGA BLVD.	12,500	N	11,500	S	24000	C	11.98	F	58.43	F	3.19	P
0082	P	SR 811/OLD DIXIE HWY - S. OF SR 706/INDIANTOWN RD	14,000	N	15,000	S	29000	C	11.98	F	58.43	F	2.61	A
0085	P	SR-717/W CANAL ST N, W OF US-441 IN BELLE GLADE	1,800	E	1,800	W	3600	C	9.78	F	61.47	F	7.15	P
0087	T	SR-A1A,0.1 MI E OF FLAGLER MEM BRG,PALM BCH CO.	9,207	E	10,854	W	20061	C	12.10	P	60.97	P	4.36	D
0090	P	SR 5/US 1 S. OF COUNTY LINE ROAD (TEQUESTA)	13,000	N	12,000	S	25000	C	10.80	F	58.20	F	4.45	P
0099	T	SR-7/US-441,1 MI N OF SR-806,PALM BEACH CO.	10,477	N	10,436	S	20913	C	13.24	A	65.60	A	6.06	A
0101	T	SR80/SOUTHERN BLVD,1 MI W OF SR7/US441,PALM BCH CO					48500	S	8.89	P	59.64	P	7.88	P
0103	P	SR-5/US1-S OF NORTHLAKE BLVD(N OF PALMETTO RD)	13,000	N	14,000	S	27000	C	10.80	F	58.20	F	3.70	A
0110	P	SR 5-S OF WPB CANAL	4,400	N	4,500	S	8900	C	10.80	F	58.20	F	2.23	P
0111	P	SR 805/DIXIE HWY - S. OF WEST PALM BCH. CANAL	13,000	N	13,500	S	26500	C	10.80	F	58.20	F	5.17	P
0116	P	SR A1A NORTH OF CR 812/OCEAN AVE. (LANTANA)	5,600	N	5,300	S	10900	C	10.80	F	58.20	F	2.58	A
0118	P	SR 802/LAKEWORTH RD - E OF ICWW DRAWBRIDGE	7,300	E	7,500	W	14800	C	10.80	F	58.20	F	3.09	P
0119	P	A1A N OF LAKE WORTH RD/SR-802	4,900	N	4,900	S	9800	C	10.80	F	58.20	F	2.94	P
0121	P	A1A S END OF BOCA INLET BRAWBRIDGE	5,700	N	5,500	S	11200	C	10.80	F	58.20	F	3.59	A
0129	P	SR 15/441 - S. OF SOUTH JCT. @ SR729 PAHOKEE	3,000	N	2,800	S	5800	C	9.78	F	61.47	F	7.10	P
0132	P	SR 25/US 27 - NW OF SR 80 (SOUTH BAY)	9,400	N	8,900	S	18300	C	9.78	F	61.47	F	15.97	P

Site type: T = Telemetered; P = Portable

AADT Flags: C = Computed; E = Manual Estimate; F = First Year Est; S = Second Year Est; T = Third Year Est; X = Unknown

"K/D" Flags: A = Actual; F = Volume Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; W = One-Way Road

"T" Flags: A = Actual; F = Axle Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; X = Cross-Reference

Florida Department of Transportation
 Transportation Statistics Office
2004 Annual Average Daily Traffic Report

County : 93 -- PALM BEACH

SITE	Site type	Description	Direction 1		Direction 2		AADT	"K30"	"D30"	"T"				
							Two-Way	Factor	Factor	Factor				
0139	P	SR 80/SOUTHERN BLVD E OF SR 7/US 441	16,500	E	16,500	W	33000	C	11.98	F	58.43	F	7.72	P
0140	T	SR-710/BEE LINE HWY,3.6 MI SE OF SR-706,PALM BCH CO	2,560	E	2,496	W	5056	C	10.05	A	67.32	A	22.95	A
0142	P	SR-80 E OF SR-25/US-27 IN SOUTH BAY	9,500	E	9,300	W	18800	C	9.78	F	61.47	F	7.84	P
0145	P	CR 706/INDIANTOWN RD - W. OF SR 91/FL. TURNPIKE	15,000	E	15,000	W	30000	C	9.78	F	61.47	F	5.24	P
0146	P	US 1/SR 5- S OF 25 ST. IN W. PALM BEACH	8,800	N	8,400	S	17200	C	10.80	F	58.20	F	3.13	A
0147	P	SR-15 N OF N.E. AVE. "E" - BELLE GLADE	8,900	N	8,800	S	17700	C	9.78	F	61.47	F	12.76	A
0148	P	SR 25/US 27 - WEST OF ROAD TO BEAN CITY	6,300	E	6,200	W	12500	C	9.78	F	61.47	F	22.26	P
0150	P	SR-5/US 1 AT LOXAHATCHEE RIVER BRIDGE (REF 93-0089	10,500	N	11,000	S	21500	C	10.80	F	58.20	F	4.06	P
0151	P	SR 811/ALT A1A S OF LOXAHATCHEE RIVER BRIDGE	20,000	N	20,000	S	40000	C	11.98	F	58.43	F	2.70	A
0153	P	SR 804/BOYNTON BEACH BLVD. - W OF SR 809/MILITARY	22,500	E	22,000	W	44500	C	11.98	F	58.43	F	4.01	P
0162	P	SR 804/OCEAN AVE - E OF I.C.W.W. BRIDGE	3,100	E	3,100	W	6200	C	10.80	F	58.20	F	3.13	A
0170	P	10TH. AVENUE (LAKE WORTH) - WEST OF SR 9/I-95	22,000	E	22,000	W	44000	C	11.98	F	58.43	F	8.56	P
0171	P	10TH AVENUE (LAKE WORTH) - EAST OF SR 9/I-95	17,500	E	17,000	W	34500	C	11.98	F	58.43	F	7.47	P
0172	P	BELVEDERE RD. - WEST OF SR 9/I-95	22,000	E	20,000	W	42000	C	11.98	F	58.43	F	4.68	P
0173	P	BELVEDERE RD. - EAST OF SR 9/I-95	15,000	E	15,000	W	30000	C	11.98	F	58.43	F	7.55	P
0174	T	SR-9/I-95,@CONGRESS AVE O/P,W PALM BCH,PALM BCH CO	76,953	N	74,756	S	151709	C	7.89	A	50.34	A	6.88	P
0176	P	PALM BEACH LAKES BLVD. - WEST OF SR 9/I-95	22,500	E	22,500	W	45000	C	11.98	F	58.43	F	4.81	P
0177	P	PALM BEACH LAKES BLVD. - EAST OF SR 9/I-95	23,000	E	23,500	W	46500	C	11.98	F	58.43	F	5.03	P
0179	P	45TH. STREET (WEST PALM BEACH) - W. OF SR 9/I-95	27,000	E	27,500	W	54500	C	11.98	F	58.43	F	5.55	P
0180	P	DONALD ROSS RD. - WEST OF SR 9/I-95	6,300	E	6,300	W	12600	C	11.98	F	58.43	F	5.57	P
0181	P	DONALD ROSS RD. - EAST OF SR 9/I-95	14,500	E	14,000	W	28500	C	11.98	F	58.43	F	5.94	P
0217	T	SR-9/I-95,0.8 MI N OF DONALD ROSS RD,PALM BEACH CO	44,352	N	44,951	S	89303	C	8.74	A	62.66	A	11.27	A
0221	P	SR 5(OLIVE AVE) S OF LAKE & LUCERNE AVE	5,300	N	4,900	S	10200	C	10.80	F	58.20	F	4.27	A
0243	P	A1A S OF SR-812/OCEAN AVE/LANTANA	3,200	N	3,400	S	6600	C	10.80	F	58.20	F	3.47	P
0250	P	A1A S OF LINTON BLVD	6,000	N	6,200	S	12200	C	10.80	F	58.20	F	3.60	P
0257	T	SR-715,0.7 MI S OF HOOKER HIGHWAY,PALM BEACH CO.	3,588	N	3,857	S	7445	C	9.95	A	54.77	A	11.53	A
0263	P	SR 5/US1 N OF NE 8TH ST(G BUSH BLVD) ONE-WAY NB	12,500	N	0		12500	C	10.80	F	99.99	W	2.80	P
0264	P	SR 5/US1 N OF NE 8TH ST (G BUSH BLVD) ONE-WAY SB	0		12,000	S	12000	C	10.80	F	99.99	W	3.48	P
0268	T	SR-25/US-27,0.46 MI N OF SR-827,PALM BEACH CO.	4,235	N	4,078	S	8313	C	9.74	A	60.46	A	15.80	P
0285	P	SR 804/BOYNTON BCH BLVD E OF SR 807/CONGRESS AVE	17,000	E	16,500	W	33500	C	11.98	F	58.43	F	3.83	A
0300	P	GATEWAY/22 AVE.- WEST OF I-95/E OF HIGH RIDGE RD	18,000	E	18,000	W	36000	C	11.98	F	58.43	F	7.38	P
0301	P	GATEWAY/22 AVE. - EAST OF I-95/W OF NW 1 ST	11,500	E	12,000	W	23500	C	11.98	F	58.43	F	4.43	P
0302	P	WOOLBRIGHT RD. - WEST OF SR 9/I-95	20,500	E	19,500	W	40000	C	11.98	F	58.43	F	3.94	P
0303	P	WOOLBRIGHT RD. - EAST OF SR 9/I-95	19,000	E	19,000	W	38000	C	11.98	F	58.43	F	3.71	A
0328	P	SR A1A/BLUE HERON BLVD E OF ICWW DRAWBRIDGE	9,700	E	9,800	W	19500	C	10.80	F	58.20	F	5.92	P
0359	P	SR-80/S MAIN ST S OF AVE "G" IN BELLE GLADE	9,800	N	9,800	S	19600	C	9.78	F	61.47	F	13.72	A

Site type: T = Telemetered; P = Portable

AADT Flags: C = Computed; E = Manual Estimate; F = First Year Est; S = Second Year Est; T = Third Year Est; X = Unknown

"K/D" Flags: A = Actual; F = Volume Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; W = One-Way Road

"T" Flags: A = Actual; F = Axle Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; X = Cross-Reference

Florida Department of Transportation
 Transportation Statistics Office
2004 Annual Average Daily Traffic Report

County : 93 -- PALM BEACH

SITE	Site type	Description	Direction 1		Direction 2		AADT	"K30"	"D30"	"T"
			Volume	Class	Volume	Class	Two-Way	Factor	Factor	Factor
0374	P	SR 15/US 441 S OF SR 700/US 98 AT PAHOKEE N.C.L.	3,000	N	2,800	S	5800 C	9.78 F	61.47 F	21.70 P
0379	P	SR-5/US-1 N OF PGA BLVD/SR-786	15,500	N	15,500	S	31000 C	10.80 F	58.20 F	3.15 A
0396	P	SR-15/US-441 S OF CR 729/MARKET RD., PAHOKEE	3,700	N	4,000	S	7700 C	9.78 F	61.47 F	12.84 A
0404	P	LAKE WORTH RD W OF MILITARY TRL/SR-809	22,000	E	23,000	W	45000 C	11.98 F	58.43 F	6.01 P
0408	P	SR 804/BOYNTON BCH BLVD E OF SR 7/US 441	7,800	E	7,300	W	15100 C	11.98 F	58.43 F	11.57 A
0423	P	SR 806/ATLANTIC AVE. - E. OF SR 809/MILITARY TRAIL	18,500	E	18,000	W	36500 C	11.98 F	58.43 F	5.01 A
0424	P	SR 806/ATLANTIC AVE W OF SR 809/MILITARY TRAIL	19,500	E	19,500	W	39000 C	11.98 F	58.43 F	5.02 P
0427	P	SR 806/ATLANTIC AVE, - E. OF SR 7/US 441	6,300	E	6,200	W	12500 C	11.98 F	58.43 F	11.26 P
0431	P	SR 15/441 W OF SR 729 (PAHOKEE)	3,600	E	3,600	W	7200 C	9.78 F	61.47 F	5.68 A
0445	P	SR 80 E OF SR 715	7,300	E	7,400	W	14700 C	9.78 F	61.47 F	11.44 P
0455	P	SR 809/MILITARY TRAIL-S. OF SR 704/OKEECHOBEE BLVD	23,000	N	22,000	S	45000 C	11.98 F	58.43 F	6.59 P
0456	P	SR 704/OKEECHOBEE BLVD E OF SR 809/MILITARY TRL	36,000	E	34,500	W	70500 C	11.98 F	58.43 F	3.36 P
0478	P	SR 809/MILITARY TRAIL - S.OF SR 80/SOUTHERN BLVD.	26,000	N	26,500	S	52500 C	11.98 F	58.43 F	3.81 P
0489	P	SR 807/CONGRESS AVE S OF SR 802/LAKEWORTH RD	21,000	N	19,500	S	40500 C	11.98 F	58.43 F	4.06 A
0490	P	SR 807/CONGRESS AVE. - N. OF SR 802/LAKE WORTH RD.	22,000	N	22,000	S	44000 C	11.98 F	58.43 F	2.63 A
0494	P	SR 807/CONGRESS AVE S OF SR 80/SOUTHERN BLVD	18,000	N	18,500	S	36500 C	11.98 F	58.43 F	3.04 F
0495	P	SR 809/MILITARY TRAIL S OF 45TH STREET	18,000	N	18,000	S	36000 C	11.98 F	58.43 F	5.22 P
0496	P	SR 809/MILITARY TRAIL - S. OF NORTH LAKE BLVD.	15,500	N	15,500	S	31000 C	11.98 F	58.43 F	3.96 P
0498	P	CR 702/45 STREET - EAST OF SR 9/I-95	29,500	E	28,500	W	58000 C	11.98 F	58.43 F	3.04 F
0502	P	SR 25/US 27 AT PALM BEACH/HENDRY COUNTY LINE	6,500	E	6,700	W	13200 C	9.78 F	61.47 F	17.27 P
0506	P	SR 715 N OF AIRPORT LOOP RD	3,500	N	3,200	S	6700 C	9.78 F	61.47 F	8.78 P
0510	P	CR 850/NORTH LAKE BLVD. - EAST OF SR 9/I-95	27,000	E	28,500	W	55500 C	11.98 F	58.43 F	6.17 P
0514	P	SR 7 N OF SR 80/SOUTHERN BLVD	26,000	N	28,000	S	54000 C	11.98 F	58.43 F	5.48 A
0657	P	SR-715 N OF SR-80, BELLE GLADE	5,500	N	6,000	S	11500 C	9.78 F	61.47 F	10.24 A
0666	P	SR A1A - N. OF BURNT BRIDGE (SINGER ISLAND)	4,700	N	4,900	S	9600 C	10.80 F	58.20 F	1.42 P
0668	P	SR 805/DIXIE HWY. - S. OF 12TH AVE. (LAKE WORTH)	7,400	N	7,500	S	14900 C	10.80 F	58.20 F	3.96 P
0670	P	SR 715 S OF AVE "E", BELLEGLADE	6,400	N	6,500	S	12900 C	9.78 F	61.47 F	4.00 P
0672	P	SR-A1A N OF SR-800/SPANISH RIVER BLVD	7,000	N	6,800	S	13800 C	10.80 F	58.20 F	3.03 P
0673	P	SR A1A N OF 8TH ST(G BUSH BLVD), DELRAY BCH	4,400	N	4,300	S	8700 C	10.80 F	58.20 F	3.48 A
0674	P	SR 80/SOUTHERN BLVD E OF ICWW DRAWBRIDGE	6,500	E	6,500	W	13000 C	10.80 F	58.20 F	3.53 P
0675	P	SR 5/US 1 - SKYPASS BRIDGE - PORT OF PALM BEACH	14,000	N	13,500	S	27500 C	10.80 F	58.20 F	2.90 A
0676	P	CR 812 /OCEAN AVE - E OF I.C.W.W. BRIDGE /LANTANA	7,100	E	7,000	W	14100 C	10.80 F	58.20 F	5.28 P
0679	P	SR-706/INDIAN TOWN RD W OF DIXIE HWY	22,000	E	19,500	W	41500 C	11.98 F	58.43 F	4.87 A
0680	P	CR 798/PALMETTO PARK RD E OF ICWW DRAWBRIDGE	7,100	E	7,000	W	14100 C	10.80 F	58.20 F	4.60 P
0681	P	SR 806/ATLANTIC AVE. - E. OF ICWW DRAWBRIDGE	5,900	E	5,900	W	11800 C	10.80 F	58.20 F	5.05 P
0687	P	SR 710/BEELINE HWY - PALM BEACH/MARTIN COUNTY LINE	3,700	E	3,900	W	7600 C	9.78 F	61.47 F	14.02 P

Site type: T = Telemetered; P = Portable

AADT Flags: C = Computed; E = Manual Estimate; F = First Year Est; S = Second Year Est; T = Third Year Est; X = Unknown

"K/D" Flags: A = Actual; F = Volume Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; W = One-Way Road

"T" Flags: A = Actual; F = Axle Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; X = Cross-Reference

Florida Department of Transportation
 Transportation Statistics Office
2004 Annual Average Daily Traffic Report

County : 93 -- PALM BEACH

SITE	Site type	Description	Direction 1		Direction 2		AADT	"K30"	"D30"	"T"				
			Volume	Class	Volume	Class	Two-Way	Factor	Factor	Factor				
0688	P	SR 710/BEELINE HWY N OF SR 786/PGA BLVD	5,600	N	5,600	S	11200	C	9.78	F	61.47	F	11.58	P
0689	P	SR 710/BEELINE N OF NORTHLAKE BLVD	4,300	N	4,700	S	9000	C	9.78	F	61.47	F	14.60	P
0691	P	CR 806-A/NE 8TH ST - E OF I.C.W.W. BRIDGE	3,900	E	4,300	W	8200	C	10.80	F	58.20	F	3.10	P
0695	P	SR 807/CONGRESS AVE S OF SR 882/FOREST HILL BLVD	21,500	N	21,000	S	42500	C	11.98	F	58.43	F	2.44	A
0696	P	SR 704/OKEECHOBEE BLVD W OF TPK ENTRANCE	32,500	E	32,500	W	65000	C	11.98	F	58.43	F	4.37	P
0698	P	SR 729/OLD 15-A N OF CR 717, PAHOKEE	1,500	N	1,500	S	3000	C	9.78	F	61.47	F	14.54	P
0699	P	SR 704/OKEECHOBEE BLVD E OF ICWW DRAWBRIDGE	10,000	E	10,500	W	20500	C	10.80	F	58.20	F	2.90	P
0701	P	DONALD ROSS RD AT WEST END OF INTRACOASTAL BRIDGE	12,000	E	11,500	W	23500	C	11.98	F	58.43	F	4.15	P
0704	P	SR 808/GLADES RD E OF TURNPIKE ENTRANCE	31,500	E	30,000	W	61500	C	11.98	F	58.43	F	5.80	P
0707	P	SR 811/OLD DIXIE HWY. - N. OF PGA BLVD.	16,000	N	17,000	S	33000	C	11.98	F	58.43	F	2.62	F
0708	P	SR 809/MILITARY TRAIL - S. OF PGA BLVD/SR 786	18,500	N	18,000	S	36500	C	11.98	F	58.43	F	3.67	P
0709	P	SR 850/NORTH LAKE BLVD. - WEST OF SR 9/I-95	23,000	E	23,000	W	46000	C	11.98	F	58.43	F	6.65	P
0710	P	SR-706/INDIANTOWN RD W OF ICWW DRAWBRIDGE	15,000	E	16,000	W	31000	C	11.98	F	58.43	F	4.42	A
0712	P	SR 786/PGA BLVD. - E. OF PROSPERITY FARMS RD.	22,000	E	20,000	W	42000	C	11.98	F	58.43	F	1.90	A
0713	P	SR 882/FOREST HILL BLVD. - W. OF I-95	22,500	E	23,000	W	45500	C	11.98	F	58.43	F	5.23	P
0714	P	SR 7/441 - NORTH OF CLINTMOORE RD.	12,000	N	12,000	S	24000	C	11.98	F	58.43	F	10.66	A
0716	P	SR 7/US 441 .7M N.OF SR 804/BOYNTON BCH BLVD	12,500	N	13,500	S	26000	C	11.98	F	58.43	F	8.08	A
0718	P	SR 5/US1 - N OF C-16 CANAL BRIDGE (BOYNTON BEACH)	10,500	N	11,000	S	21500	C	10.80	F	58.20	F	2.62	A
0720	P	SR A1A - SOUTH OF BOYNTON INLET	3,300	N	3,400	S	6700	C	10.80	F	58.20	F	4.36	P
0721	P	SR 7/441 SOUTH OF FORESTHILL BLVD.	24,500	N	25,000	S	49500	C	11.98	F	58.43	F	9.77	A
0723	P	SR A1A NORTH OF PALM BEACH COUNTY PARK	4,800	N	4,600	S	9400	C	10.80	F	58.20	F	2.25	P
0724	P	SR A1A - SOUTH OF SR 80/SOUTHERN BLVD	5,100	N	5,000	S	10100	C	10.80	F	58.20	F	3.74	P
0725	P	SR A1A SOUTH OF SR 704/ROYAL PALM WAY/LAKEVIEW AVE	5,000	N	5,300	S	10300	C	10.80	F	58.20	F	8.93	A
0726	P	SR 809/MILITARY TRAIL - N. OF CR 702/45 STREET	18,500	N	18,500	S	37000	C	11.98	F	58.43	F	5.12	F
0729	P	SR 5/US1 - N OF DONALD ROSS RD	13,500	N	13,500	S	27000	C	10.80	F	58.20	F	2.85	A
0738	P	SR A1A, W END OF FLAGLER MEMORIAL BR, PALM BEACH	10,500	E	10,000	W	20500	C	10.80	F	58.20	F	7.41	P
0740	P	SR 800/SPANISH RIVER DR - E. OF SR 5/US 1	8,300	E	8,200	W	16500	C	10.80	F	58.20	F	2.89	P
0741	P	SR 794/YAMATO RD - E OF SR 809/MILITARY TRAIL	20,000	E	18,000	W	38000	C	11.98	F	58.43	F	5.01	P
0742	P	LINTON BLVD. E OF SR-5,W OF I.C.W.W. BRIDGE	7,500	E	7,600	W	15100	C	10.80	F	58.20	F	5.09	A
0743	P	CR 707 @ JUPITER INLET BRIDGE (C-37), JUPITER	2,900	E	2,900	W	5800	C	10.80	F	58.20	F	4.54	P
0745	P	SR 704/OKEECHOBEE BLVD - E. OF FL.TPK. ENTRANCE	35,000	E	34,000	W	69000	C	11.98	F	58.43	F	4.80	P
0747	P	SR 710/BEELINE HWY - E. OF SR 9/I-95	7,200	E	7,500	W	14700	C	11.98	F	58.43	F	9.44	A
0748	P	SR 706/INDIANTOWN RD - W OF CENTER ST	27,500	E	26,500	W	54000	C	11.98	F	58.43	F	5.07	P
0749	P	SR 80/SOUTHERN BLVD - E. OF FL. TURNPIKE	14,500	E	14,500	W	29000	C	11.98	F	58.43	F	11.04	A
0751	P	SR 802/LAKE WORTH RD - E OF I-95	11,500	E	11,500	W	23000	C	11.98	F	58.43	F	4.69	A
0752	P	SR 7/441 - SOUTH OF SR 808/GLADES RD.	29,000	N	27,500	S	56500	C	11.98	F	58.43	F	3.97	P

Site type: T = Telemetered; P = Portable

AADT Flags: C = Computed; E = Manual Estimate; F = First Year Est; S = Second Year Est; T = Third Year Est; X = Unknown

"K/D" Flags: A = Actual; F = Volume Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; W = One-Way Road

"T" Flags: A = Actual; F = Axle Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; X = Cross-Reference

Florida Department of Transportation
 Transportation Statistics Office
2004 Annual Average Daily Traffic Report

County : 93 -- PALM BEACH

SITE	Site type	Description	Direction 1		Direction 2		AADT	"K30"	"D30"	"T"				
			Volume	Class	Volume	Class	Two-Way	Factor	Factor	Factor				
0753	P	SR 7/441 - N. OF LANTAN RD - S. OF LAKEWORTH RD	15,000	N	15,500	S	30500	C	11.98	F	58.43	F	9.83	A
0754	P	SR 704/OKEECHOBEE RD - E OF SR 7/441	23,000	E	24,500	W	47500	C	11.98	F	58.43	F	6.28	P
0755	P	SR 5/US-1 - S OF SR 708/BLUE HERON BLVD	13,500	N	14,000	S	27500	C	10.80	F	58.20	F	3.96	P
0756	P	SR 5/US-1 - S OF SR 786/PGA BLVD	11,500	N	12,000	S	23500	C	10.80	F	58.20	F	2.58	A
0757	P	SR A1A SOUTH OF SR 800/SPANISH RIVER BLVD. (BOCA)	5,700	N	5,700	S	11400	C	10.80	F	58.20	F	6.15	P
0758	P	CR 809/MILITARY TRAIL - S. OF SR 9/I-95	15,500	N	17,000	S	32500	C	11.98	F	58.43	F	8.02	P
0759	P	CR 809/MILITARY TRAIL - N. OF SR 9/I-95	13,000	N	13,000	S	26000	C	11.98	F	58.43	F	5.86	A
0760	P	AVE"E"(OLD SR-80) E. OF SR 15/MAIN ST (BELLEGLADE)	4,200	E	4,100	W	8300	C	9.78	F	61.47	F	15.03	A
0762	P	NEW SR 80 - EAST OF SR 15/441/BELLEGLADE	4,600	E	4,500	W	9100	C	9.78	F	61.47	F	16.57	A
0764	P	NEW SR 80 - WEST OF HATTON HWY.	4,100	E	4,100	W	8200	C	9.78	F	61.47	F	20.21	A
2172	P	SR 9/I-95 - N OF PALM BEACH LAKES BLVD	83,000	N	79,500	S	162500	C	8.31	F	56.50	F	15.65	F
2177	P	SR 9 -I-95 - N OF CR 702/45 ST	90,000	N	80,000	S	170000	C	8.31	F	56.50	F	9.07	P
2182	P	SR 9/I-95 - N OF SR 708/BLUE HERON BLVD	70,000	N	68,000	S	138000	C	8.31	F	56.50	F	15.65	F
2187	P	SR 9/I-95 - N OF NORTH LAKE BLVD	58,500	N	58,000	S	116500	C	8.31	F	56.50	F	15.65	F
2190	P	SR 9/I-95 - N OF PALMETTO PARK RD	96,000	N	98,500	S	194500	C	8.31	F	56.50	F	11.15	P
2191	P	SR 9/I-95 - N OF SR 808/GLADES RD	87,500	N	86,000	S	173500	C	8.31	F	56.50	F	15.65	F
2192	P	SR 9/I-95 - N OF SR 794/YAMATO RD	81,000	N	85,500	S	166500	C	8.31	F	56.50	F	15.65	F
2193	P	SR 9/I-95 - N OF SR782/LINTON BLVD	73,000	N	77,000	S	150000	C	8.31	F	56.50	F	15.65	F
2195	P	SR 9/I-95 - N OF WOOLBRIGHT RD	73,500	N	73,500	S	147000	C	8.31	F	56.50	F	15.65	F
2196	P	SR 9/I-95 - N OF SR 804/BOYNTON BCH BLVD	65,500	N	65,500	S	131000	C	8.31	F	56.50	F	15.65	F
2197	P	SR 9/I-95 - N OF HYPOLUXO RD	80,000	N	76,500	S	156500	C	8.31	F	56.50	F	15.65	F
2198	P	SR 9/I-95 - N OF LANTANA RD (CR-812)	72,000	N	73,000	S	145000	C	8.31	F	56.50	F	15.65	F
2199	P	SR 9/I-95 - N OF SOUTH 6TH AVE	75,500	N	72,500	S	148000	C	8.31	F	56.50	F	15.65	F
2200	P	SR 9/I-95 - N OF NORTH 10TH AVE	72,500	N	73,500	S	146000	C	8.31	F	56.50	F	15.65	F
2201	P	SR 9/I-95 - N OF SR 882/FOREST HILL BLVD	74,500	N	79,000	S	153500	C	8.31	F	56.50	F	8.05	P
2202	P	SR 9/I-95 - N OF SR 80/SOUTHERN BLVD	70,000	N	72,000	S	142000	C	8.31	F	56.50	F	15.65	F
2203	P	SR 9/I-95 - N OF BELVEDERE RD	66,000	N	67,000	S	133000	C	8.31	F	56.50	F	15.65	F
2206	P	SR 9/I-95 - N. OF PGA BLVD.	48,000	N	45,000	S	93000	C	8.31	F	56.50	F	15.65	F
2209	P	SR 9/I-95 - N. OF SR 706 / INDIAN TOWN RD.	37,000	N	36,000	S	73000	C	8.31	F	56.50	F	15.65	A
2214	P	SR 9/I-95 - N. OF MILITARY TRAIL & PGA BLVD.	47,000	N	48,500	S	95500	C	8.31	F	56.50	F	15.65	F
2220	P	SR 9/I-95 - N. OF SOUTH CONGRESS AVE/PARK & RIDE	82,000	N	81,000	S	163000	C	8.31	F	56.50	F	15.65	F
2222	P	SR 9/I-95 - N. OF GATEWAY BL/22 AVE	69,500	N	70,500	S	140000	C	8.31	F	56.50	F	15.65	F
4000	P	I-95 NB OFF RAMP TO PALMETTO PARK RD.	22,000	N	0		22000	C	8.31	F	99.99	W	3.22	F
4001	P	I-95 NB ON RAMP FROM PALMETTO PARK RD.	13,000	N	0		13000	C	8.31	F	99.99	W	3.22	F
4003	P	I-95 SB ON RAMP FROM EB PALMETTO PARK RD	9,400	E	0		9400	C	8.31	F	99.99	W	3.22	F
4005	P	I-95 NB ON RAMP FROM EB SR 808/GLADES RD	6,900	N	0		6900	C	8.31	F	99.99	W	3.22	F

Site type: T = Telemetered; P = Portable

AADT Flags: C = Computed; E = Manual Estimate; F = First Year Est; S = Second Year Est; T = Third Year Est; X = Unknown

"K/D" Flags: A = Actual; F = Volume Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; W = One-Way Road

"T" Flags: A = Actual; F = Axle Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; X = Cross-Reference

Florida Department of Transportation
 Transportation Statistics Office
2004 Annual Average Daily Traffic Report

County : 93 -- PALM BEACH

SITE	Site type	Description				AADT	"K30"	"D30"	"T"					
			Direction 1	Direction 2	Two-Way	Factor	Factor	Factor						
4007	P	I-95 SB ON RAMP FROM EB SR 808/GLADES RD	0	9,000	S	9000	C	8.31	F	99.99	W	3.22	F	
4008	P	I-95 NB OFF RAMP TO EB SR 794/YAMATO RD	8,600	N	0	8600	C	8.31	F	99.99	W	3.22	F	
4009	P	I-95 NB ON RAMP FROM SR 794/YAMATO RD.	9,100	N	0	9100	C	8.31	F	99.99	W	3.22	F	
4010	P	I-95 SB OFF RAMP TO SR 794/YAMATO RD.	0		9,000	S	9000	C	8.31	F	99.99	W	3.22	F
4011	P	I-95 SB ON RAMP FROM EB SR-794/YAMATO RD	0		7,700	S	7700	C	8.31	F	99.99	W	3.22	F
4012	P	I-95 NB OFF RAMP TO LINTON BLVD.	13,000	N	0	13000	C	8.31	F	99.99	W	4.57	F	
4013	P	I-95 NB ON RAMP FROM LINTON BLVD.	8,800	N	0	8800	C	8.31	F	99.99	W	4.57	F	
4014	P	I-95 SB OFF RAMP TO LINTON BLVD.	0		7,900	S	7900	C	8.31	F	99.99	W	4.57	F
4015	P	I-95 SB ON RAMP FROM LINTON BLVD.	0		12,000	S	12000	C	8.31	F	99.99	W	4.57	F
4016	P	I-95 NB OFF RAMP TO SR 806/ATLANTIC AVE.	11,000	N	0	11000	C	8.31	F	56.50	F	4.57	F	
4017	P	I-95 NB ON RAMP FROM SR 806/ATLANTIC AVE.	11,500	N	0	11500	C	8.31	F	56.50	F	4.57	F	
4018	P	I-95 SB OFF RAMP TO EB SR 806/ATLANTIC AVE	0		5,500	S	5500	C	8.31	F	56.50	F	4.57	F
4023	P	I-95 NB OFF RAMP TO CR 812/LANTANA RD.	13,000	N	0	13000	C	8.31	F	99.99	W	3.87	F	
4024	P	I-95 NB ON RAMP FROM CR 912/LANTANA RD.	13,500	N	0	13500	C	8.31	F	99.99	W	3.87	F	
4025	P	I-95 SB OFF RAMP TO CR 812/LANTANA RD.	0		13,000	S	13000	C	8.31	F	99.99	W	3.87	F
4026	P	I-95 SB ON RAMP FROM CR 812/LANTANA RD.	0		13,000	S	13000	C	8.31	F	99.99	W	3.87	F
4027	P	I-95 NB OFF RAMP TO 6TH. AVE. SOUTH	12,500	N	0	12500	C	8.31	F	99.99	W	3.87	F	
4028	P	I-95 NB ON RAMP FROM 6TH AVE. SOUTH	10,500	N	0	10500	C	8.31	F	99.99	W	3.87	F	
4029	P	I-95 SB OFF RAMP TO 6TH AVE. SOUTH	0		10,000	S	10000	C	8.31	F	99.99	W	3.87	F
4030	P	I-95 SB ON RAMP FROM 6TH. AVE. SOUTH	0		12,500	S	12500	C	8.31	F	99.99	W	3.87	F
4031	P	I-95 NB OFF RAMP TO 10 AVE. NORTH	12,000	N	0	12000	C	8.31	F	99.99	W	3.87	F	
4032	P	I-95 NB ON RAMP FROM 10TH. AVE. NORTH	15,000	N	0	15000	C	8.31	F	99.99	W	3.87	F	
4033	P	I-95 SB OFF RAMP TO 10TH. AVE. NORTH	0		14,500	S	14500	C	8.31	F	99.99	W	3.87	F
4034	P	I-95 SB ON RAMP FROM 10TH. AVE. NORTH	0		13,500	S	13500	C	8.31	F	99.99	W	3.87	F
4045	P	I-95 NB OFF RAMP TO SR 882/FOREST HILL BLVD.	11,500	N	0	11500	C	8.31	F	99.99	W	3.87	F	
4046	P	I-95 NB ON RAMP FROM SR 882/FOREST HILL BLVD.	13,000	N	0	13000	C	8.31	F	99.99	W	3.87	F	
4047	P	I-95 SB OFF RAMP TO SR 882/FOREST HILLS BLVD.	0		14,000	S	14000	C	8.31	F	99.99	W	3.87	F
4048	P	I-95 SB ON RAMP FROM SR 882/FOREST HILL BLVD.	0		11,000	S	11000	C	8.31	F	99.99	W	3.87	F
4049	P	I-95 NB OFF RAMP TO SR 80/SOUTHERN BLVD.	10,500	N	0	10500	C	8.31	F	99.99	W	11.70	F	
4050	P	I-95 NB ON RAMP FROM SR 80/SOUTHERN BLVD.	9,900	N	0	9900	C	8.31	F	99.99	W	11.70	F	
4051	P	I-95 SB OFF RAMP TO SR 80/SOUTHERN BLVD.	0		10,000	S	10000	C	8.31	F	99.99	W	11.70	F
4052	P	I-95 SB ON RAMP FROM SR 80/SOUTHERN BLVD.	0		9,900	S	9900	C	8.31	F	99.99	W	11.70	F
4057	P	I-95 NB OFF RAMP TO EB SR 704/OKEECHOBEE BLVD	11,500	E	0	11500	C	8.31	F	56.50	F	5.17	F	
4058	P	I-95 NB ON RAMP FROM EB SR 704/OKEECHOBEE BLVD.	11,500	N	0	11500	C	8.31	F	56.50	F	5.17	F	
4059	P	I-95 SB OFF RAMP TO EB SR 704/OKEECHOBEE BLVD	0		11,000	S	11000	C	8.31	F	99.99	W	5.17	F
4060	P	I-95 SB ON RAMP FROM EB SR 704/OKEECHOBEE BLVD	0		10,500	S	10500	C	8.31	F	56.50	F	5.17	F

Site type: T = Telemetered; P = Portable

AADT Flags: C = Computed; E = Manual Estimate; F = First Year Est; S = Second Year Est; T = Third Year Est; X = Unknown

"K/D" Flags: A = Actual; F = Volume Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; W = One-Way Road

"T" Flags: A = Actual; F = Axle Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; X = Cross-Reference

Florida Department of Transportation
 Transportation Statistics Office
2004 Annual Average Daily Traffic Report

County : 93 -- PALM BEACH

SITE	Site type	Description	Direction 1		Direction 2		AADT	"K30"	"D30"	"T"				
			Volume	Class	Volume	Class	Two-Way	Factor	Factor	Factor				
4061	P	I-95 - NB OFF RAMP TO BELVEDERE	13,000	N	0		13000	C	8.31	F	56.50	F	5.17	F
4062	P	I-95 - NB ON RAMP FROM BELVERDERE	13,000	N	0		13000	C	8.31	F	56.50	F	5.17	F
4063	P	I-95 - SB OFF RAMP TO BELVERDERE	0		14,000	S	14000	C	8.31	F	56.50	F	5.17	F
4064	P	I-95 - SB ON RAMP FROM BELVERDERE	0		14,000	S	14000	C	8.31	F	56.50	F	5.17	F
4065	P	I-95 NB OFF RAMP TO PALM BEACH LAKES BLVD.	15,500	N	0		15500	C	8.31	F	99.99	W	5.17	F
4066	P	I-95 NB ON RAMP FROM PALM BEACH LAKES BLVD.	17,500	N	0		17500	C	8.31	F	99.99	W	5.17	F
4067	P	I-95 SB OFF RAMP TO PALM BEACH LAKES BLVD.	0		17,000	S	17000	C	8.31	F	99.99	W	5.17	F
4068	P	I-95 SB ON RAMP FROM PALM BEACH LAKES BLVD.	0		15,500	S	15500	C	8.31	F	99.99	W	5.17	F
4069	P	I-95 NB OFF RAMP TO 45TH STEET	19,500	N	0		19500	C	8.31	F	99.99	W	5.17	F
4070	P	I-95 NB ON RAMP FROM 45TH STREET	18,000	N	0		18000	C	8.31	F	99.99	W	5.17	F
4071	P	I-95 SB OFF RAMP TO 45TH STREET	0		18,000	S	18000	C	8.31	F	99.99	W	5.17	F
4072	P	I-95 SB ON RAMP FROM 45TH STREET	0		20,000	S	20000	C	8.31	F	99.99	W	5.17	F
4073	P	I-95 NB OFF RAMP TO SR-708/BLUE HERON BLVD	22,500	N	0		22500	C	8.31	F	99.99	W	3.04	F
4074	P	I-95 NB ON RAMP FROM SR-708/BLUE HERON BLVD	14,000	N	0		14000	C	8.31	F	99.99	W	3.04	F
4075	P	I-95 SB OFF RAMP TO SR-708/BLUE HERON BLVD	0		12,500	S	12500	C	8.31	F	99.99	W	3.04	F
4076	P	I-95 SB ON RAMP FROM SR-708/BLUE HERON BLVD	0		23,500	S	23500	C	8.31	F	99.99	W	3.04	F
4077	P	I-95 NB OFF RAMP TO NORTHLAKE BLVD	18,500	N	0		18500	C	8.31	F	99.99	W	2.62	F
4078	P	I-95 NB ON RAMP FROM NORTHLAKE BLVD	11,000	N	0		11000	C	8.31	F	99.99	W	2.62	F
4079	P	I-95 SB OFF RAMP TO NORTHLAKE BLVD	0		10,500	S	10500	C	8.31	F	99.99	W	2.62	F
4080	P	I-95 SB ON RAMP FROM NORTHLAKE BLVD	0		17,000	S	17000	C	8.31	F	99.99	W	2.62	F
4081	P	I-95 NB OFF RAMP TO EB SR 786/PGA BLVD.	12,500	N	0		12500	C	8.31	F	99.99	W	1.91	F
4083	P	I-95 SB OFF RAMP TO SR-786/PGA BLVD	0		4,400	S	4400	C	8.31	F	99.99	W	1.91	F
4084	P	I-95 SB ON RAMP FROM EB SR-786/PGA BLVD	0		9,500	S	9500	C	8.31	F	99.99	W	1.91	F
4089	P	I-95 NB OFF RAMP TO EB SR-706 INDIANTOWN RD	13,000	N	0		13000	C	8.31	F	99.99	W	4.00	F
4090	P	I-95 NB ON RAMP FROM SR-706/INDIANTOWN RD	8,400	N	0		8400	C	8.31	F	99.99	W	4.00	F
4092	P	I-95 SB OFF RAMP TO EB SR-706/INDIANTWON RD	3,600	E	0		3600	C	8.31	F	99.99	W	4.00	F
4093	P	I-95 SB ON RAMP FROM EB SR-706/INDIANTOWN RD	0		7,500	S	7500	C	8.31	F	99.99	W	4.00	F
4096	P	I-95 SB OFF RAMP TO MILITARY TRAIL	0		4,100	S	4100	C	8.31	F	99.99	W	1.91	F
4108	P	I-95 NB OFF RAMP TO WOOLBRITE RD.	12,500	N	0		12500	C	8.31	F	99.99	W	4.57	F
4109	P	I-95 NB ON RAMP FROM WOOLBRIGHT RD.	15,000	N	0		15000	C	8.31	F	99.99	W	4.57	F
4110	P	I-95 SB ON RAMP FM WOOLBRIGHT RD.	0		11,000	S	11000	C	8.31	F	99.99	W	4.57	F
4111	P	I-95 SB OFF RAMP TO WOOLBRIGHT RD.	0		15,500	S	15500	C	8.31	F	99.99	W	4.57	F
4112	P	I-95 NB OFF RAMP TO BOYNTON BEACH BLVD.	10,000	N	0		10000	C	8.31	F	56.50	F	3.83	F
4113	P	I-95 NB ON RAMP FROM BOYNTON BEACH BLVD.	11,500	N	0		11500	C	8.31	F	56.50	F	3.83	F
4114	P	I-95 SB OFF RAMP TO BOYNTON BEACH BLVD.	0		11,500	S	11500	C	8.31	F	56.50	F	3.83	F
4115	P	I-95 SB ON RAMP FROM BOYNTON BEACH BLVD.	0		10,500	S	10500	C	8.31	F	56.50	F	3.83	F

Site type: T = Telemetered; P = Portable

AADT Flags: C = Computed; E = Manual Estimate; F = First Year Est; S = Second Year Est; T = Third Year Est; X = Unknown

"K/D" Flags: A = Actual; F = Volume Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; W = One-Way Road

"T" Flags: A = Actual; F = Axle Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; X = Cross-Reference

Florida Department of Transportation
 Transportation Statistics Office
2004 Annual Average Daily Traffic Report

County : 93 -- PALM BEACH

SITE	Site type	Description	Direction 1		Direction 2		AADT	"K30"	"D30"	"T"				
			Volume	Estimate	Volume	Estimate	Two-Way	Factor	Factor	Factor				
4116	P	I-95 NB OFF RAMP TO GATEWAY BLVD.	12,000	N	0		12000	C	8.31	F	99.99	W	3.87	F
4117	P	I-95 NB ON RAMP FROM GATEWAY BLVD.	9,800	N	0		9800	C	8.31	F	99.99	W	3.87	F
4118	P	I-95 SB OFF RAMP TO GATEWAY BLVD.	0		10,500	S	10500	C	8.31	F	99.99	W	3.87	F
4119	P	I-95 SB ON RAMP FROM GATEWAY BLVD.	0		11,500	S	11500	C	8.31	F	99.99	W	3.87	F
4120	P	I-95 NB OFF RAMP TO HYPOLUXO RD.	11,000	N	0		11000	C	8.31	F	99.99	W	3.87	F
4121	P	I-95 NB ON RAMP FROM HYPOLUXO RD.	13,500	N	0		13500	C	8.31	F	99.99	W	3.87	F
4122	P	I-95 SB OFF RAMP TO HYPOLUXO RD.	0		12,500	S	12500	C	8.31	F	99.99	W	3.87	F
4123	P	I-95 SB ON RAMP FROM HYPOLUXO RD.	0		10,500	S	10500	C	8.31	F	99.99	W	3.87	F
4124	P	I-95 NB OFF RAMP CONGRESS AVE. PARK & RIDE.	8,600	N	0		8600	C	8.31	F	99.99	W	3.22	F
4125	P	I-95 NB ON RAMP FROM CONGRESS AVE. PARK & RIDE	4,800	N	0		4800	C	8.31	F	99.99	W	3.22	F
4503	P	I-95 SB ON RAMP FROM WB PALMETTO PARK RD	0		12,500	W	12500	C	8.31	F	99.99	W	3.22	F
4505	P	I-95 NB ON RAMP FROM WB SR 808/GLADES RD	7,700	N	0		7700	C	8.31	F	99.99	W	3.22	F
4507	P	I-95 SB ON RAMP FROM WB SR 808/GLADES RD	0		13,500	S	13500	C	8.31	F	99.99	W	3.22	F
4508	P	I-95 NB OFF RAMP TO WB SR 794/YAMATO RD	0		11,000	W	11000	C	8.31	F	99.99	W	3.22	F
4511	P	I-95 SB ON RAMP FROM WB SR-794/YAMATO RD	0		11,500	S	11500	C	8.31	F	99.99	W	3.22	F
4518	P	I-95 SB OFF RAMP TO WB SR 806/ATLANTIC AVE	0		6,200	S	6200	C	8.31	F	56.50	F	4.57	F
4519	P	I-95 SB ON RAMP FROM W.B. SR 806/ATLANTIC AVE.	0		12,500	S	12500	C	8.31	F	56.50	F	4.57	F
4557	P	I-95 NB OFF RAMP TO WB SR-704/OKEECHOBEE BLVD	10,500	N	0		10500	C	8.31	F	56.50	F	5.17	F
4558	P	I-95NB ON RAMP FROM WB SR 704/OKEECHOBEE BLVD.	7,400	N	0		7400	C	8.31	F	56.50	F	5.17	F
4559	P	I-95 SB OFF RAMP TO WB SR 704/OKEECHOBEE BLVD	0		7,900	S	7900	C	8.31	F	56.50	F	5.17	F
4560	P	I-95 SB ON RAMP FROM WB SR 704/OKEECHOBEE BLVD	0		12,000	S	12000	C	8.31	F	56.50	F	5.17	F
4581	P	I-95 NB OFF RAMP TO WB SR 786/PGA BLVD.	7,800	N	0		7800	C	8.31	F	99.99	W	1.91	F
4584	P	I-95 SB ON RAMP FROM WB SR-786/PGA BLVD	0		9,600	S	9600	C	8.31	F	99.99	W	1.91	F
4589	P	I-95 NB OFF RAMP TO WB SR-706/INDIANTOWN RD	0		6,700	W	6700	C	8.31	F	99.99	W	4.00	F
4592	P	I-95 SB OFF RAMP TO WB SR-706/INDIANTOWN RD	0		4,500	S	4500	C	8.31	F	99.99	W	4.00	F
4593	P	I-95 SB ON RAMP FROM WB SR-706/INDIANTOWN RD	0		12,500	W	12500	C	8.31	F	99.99	W	4.00	F
5001	P	SR 5/US1 SOUTH OF CAMINO REAL	13,500	N	14,500	S	28000	C	10.80	F	58.20	F	3.38	A
5003	P	SR 5/US1 - S. OF CR 798/PALMETTO PARK RD.	11,000	N	10,500	S	21500	C	10.80	F	58.20	F	3.42	A
5004	P	SR 5/US1 - N. OF CR 798/PALMETTO PARK RD.	13,500	N	11,500	S	25000	C	10.80	F	58.20	F	4.73	P
5009	P	SR A1A SOUTH OF SR 806/ATLANTIC AVE.	5,600	N	5,500	S	11100	C	10.80	F	58.20	F	4.34	P
5010	P	SR A1A NORTH OF CR 798/PALMETTO PK. RD.	5,600	N	5,800	S	11400	C	10.80	F	58.20	F	2.57	P
5013	P	SR A1A NORTH OF SR 806/DELRAY BEACH	4,600	N	4,600	S	9200	C	10.80	F	58.20	F	3.54	P
5014	P	SR A1A - S.OF NE 8TH ST.(G. BUSH BLVD.)DELRAY BH.	4,100	N	4,200	S	8300	C	10.80	F	58.20	F	3.60	A
5017	P	SR 806/ATLANTIC AVE.- W. OF SR 9/I-95	20,500	E	19,000	W	39500	C	11.98	F	58.43	F	4.57	F
5019	P	SR 806/ATLANTIC AVE - W. OF SWINTON AVE/DELRAY	14,000	E	11,500	W	25500	C	11.98	F	58.43	F	4.00	P
5022	P	CR-806/ATLANTIC AVE. - W. OF SR5/NE 5 AVE (US 1)	5,900	E	6,100	W	12000	C	11.98	F	58.43	F	4.12	A

Site type: T = Telemetered; P = Portable

AADT Flags: C = Computed; E = Manual Estimate; F = First Year Est; S = Second Year Est; T = Third Year Est; X = Unknown

"K/D" Flags: A = Actual; F = Volume Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; W = One-Way Road

"T" Flags: A = Actual; F = Axle Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; X = Cross-Reference

Florida Department of Transportation
 Transportation Statistics Office
2004 Annual Average Daily Traffic Report

County : 93 -- PALM BEACH

SITE	Site type	Description	Direction 1		Direction 2		AADT	"K30"	"D30"	"T"
			Volume	Category	Volume	Category	Two-Way	Factor	Factor	Factor
5027	P	SR 5/US1 - S.OF SR 806 - ONE WAY NORTHBOUND	15,500	N	0		15500 C	10.80 F	99.99 W	6.19 P
5030	P	SR 5/US1 - S. OF SR 806-A - ONE WAY NORTHBOUND	14,500	N	0		14500 C	10.80 F	99.99 W	5.62 P
5033	P	SR 5/US1 SOUTH OF SE 15TH AVE./WOOLBRIGHT RD	16,500	N	17,000	S	33500 C	10.80 F	58.20 F	2.91 A
5034	P	SR 5/US1 NORTH OF SE 15TH AVE./WOOLBRIGHT RD.	12,000	N	13,000	S	25000 C	10.80 F	58.20 F	4.20 P
5037	P	SR 5/US 1- N. OF SR 804/OCEAN AVE. (BOYNTON BEACH)	10,500	N	12,500	S	23000 C	10.80 F	58.20 F	3.24 A
5050	P	SR A1A SOUTH OF SR 802/LAKEWORTH RD.	4,700	N	5,100	S	9800 C	10.80 F	58.20 F	2.47 P
5051	P	SR 5/US 1 - S. OF OCEAN AVENUE/LANTANA	11,000	N	10,000	S	21000 C	10.80 F	58.20 F	3.27 A
5053	P	SR 5/US 1 - N. OF LANTANA ROAD	12,000	N	12,000	S	24000 C	10.80 F	58.20 F	3.75 P
5056	P	SR 5/FEDERAL HWY.- N. OF SR 802/LUCERNE AVE.(W.B.)	5,100	N	5,000	S	10100 C	10.80 F	58.20 F	5.78 A
5061	P	SR 805/DIXIE HWY - S. OF SR 802/LAKE WORTH RD	9,200	N	9,500	S	18700 C	10.80 F	58.20 F	4.05 P
5065	P	SR 805/DIXIE HWY - N. OF N. 10 AVE (LAKE WORTH)	11,000	N	10,500	S	21500 C	10.80 F	58.20 F	5.03 P
5068	P	SR 802/LUCERNE AVE.- W. OF SR 805/DIXIE HWY. (W.B.)	0		9,900	W	9900 C	11.98 F	99.99 W	5.43 P
5069	P	SR 802/LAKE AVE.- W. OF SR 805/DIXIE HWY. (E.B.)	9,700	E	0		9700 C	11.98 F	99.99 W	4.98 P
5070	P	SR 802/LUCERNE AVE. - E. OF SR 805/DIXIE HWY. (WB)	0		11,500	W	11500 C	11.98 F	99.99 W	6.31 P
5071	P	SR 802/LAKE AVE. - E. OF SR 805/DIXIE HWY. (E.B.)	9,700	E	0		9700 C	11.98 F	99.99 W	8.09 P
5082	P	SR 805/DIXIE HWY - S. OF FORESTHILL BLVD	12,000	N	12,000	S	24000 C	10.80 F	58.20 F	4.63 P
5090	P	SR-5/BROADWAY NORTH OF 45TH STREET IN WPB	12,500	N	14,000	S	26500 C	10.80 F	58.20 F	6.64 P
5110	P	SR 805/US 1- 1000' S OF SOUTHERN BLVD/SR 80	11,000	N	10,500	S	21500 C	10.80 F	58.20 F	7.74 A
5122	P	SR 704 (ONE WAY E.B.) .150 MILE W. OF S.DIXIE HWY.	16,500	E	0		16500 C	11.98 F	99.99 W	7.50 P
5131	P	SR A1A NORTH OF SR 80/SOUTHERN BLVD.	6,800	N	7,000	S	13800 C	10.80 F	58.20 F	2.87 A
5134	P	SR A1A SOUTH OF ISLAND DR./RIVIERA BEACH	4,900	N	5,100	S	10000 C	10.80 F	58.20 F	3.56 P
5138	P	SR-A1A(S COUNTY RD) N OF ROYAL PALM WAY/SR 704	6,500	N	6,700	S	13200 C	10.80 F	58.20 F	5.78 P
5169	P	SR 25 0.4MI S. OF SR 80/ SOUTH BAY	3,600	N	3,500	S	7100 C	9.78 F	61.47 F	50.01 P
5177	P	SR 80/S MAIN ST S OF SE AVE "E" IN BELLE GLADE	13,000	N	12,500	S	25500 C	9.78 F	61.47 F	14.10 P
5180	P	SR-717/E CANAL ST S, E OF MAIN ST IN BELLE BLADE	1,100	E	1,200	W	2300 C	9.78 F	61.47 F	16.10 P
5195	P	SR 15 EAST OF SR 715/PAHOKEE	2,700	N	2,500	S	5200 C	9.78 F	61.47 F	10.04 P
5201	P	SR 804/BOYTON BCH BLVD - E. OF SR 91/FL.TPK	20,500	E	19,000	W	39500 C	11.98 F	58.43 F	7.75 P
5209	P	SR 806/ATLANTIC AVE. - E. OF FLA TPK, ENT.	14,000	E	13,500	W	27500 C	11.98 F	58.43 F	7.32 P
5227	P	SR 5/US1 - S. OF SR 806 - ONE WAY SOUTHBOUND	0		14,000	S	14000 C	10.80 F	99.99 W	9.58 A
5251	P	SR 5/US1 - SOUTH OF SR 800/SPANISH RIVER BLVD.	16,500	N	16,000	S	32500 C	10.80 F	58.20 F	3.40 P
5254	P	SR 850/NORTHLAKE BLVD - W. OF SR 5/US 1	14,000	E	14,500	W	28500 C	11.98 F	58.43 F	2.78 A
5256	P	SR 850/NORTH LAKE BLVD - E. OF SR 811/DIXIE HWY	18,000	E	17,500	W	35500 C	11.98 F	58.43 F	2.09 A
5257	P	SR 811/OLD DIXIE HWY.- NORTH OF LIGHTHOUSE DR.	11,500	N	11,000	S	22500 C	11.98 F	58.43 F	8.27 P
5286	P	PORT ENTRANCE - E. OF SR-710/DIXIE HWY	4,500	E	4,500	W	9000 C	11.98 F	58.43 F	19.20 A
5287	P	SR 710/8TH ST.-WEST OF OLD DIXIE HWY./RIVIERA BCH	6,600	E	6,200	W	12800 C	11.98 F	58.43 F	12.13 A
5288	P	SR 882/FORESTHILL BLVD - W.OF SR 5/OLIVE AVE.	7,800	E	7,200	W	15000 C	10.80 F	58.20 F	5.78 P

Site type: T = Telemetered; P = Portable

AADT Flags: C = Computed; E = Manual Estimate; F = First Year Est; S = Second Year Est; T = Third Year Est; X = Unknown

"K/D" Flags: A = Actual; F = Volume Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; W = One-Way Road

"T" Flags: A = Actual; F = Axle Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; X = Cross-Reference

Florida Department of Transportation
 Transportation Statistics Office
2004 Annual Average Daily Traffic Report

County : 93 -- PALM BEACH

SITE	Site type	Description	Direction 1		Direction 2		AADT		"K30"		"D30"		"T"	
			Volume	Flag	Volume	Flag	Two-Way	Factor	Factor	Factor	Factor	Factor		
5289	P	SR A1A NORTH OF WOOLBRIGHT RD IN OCEAN RIDGE	4,300	N	4,500	S	8800	C	10.80	F	58.20	F	4.04	P
5290	P	SR A1A/N.OCEAN BLVD. - E.OF SR 5/US 1 , N.PALM BCH	6,100	E	6,200	W	12300	C	10.80	F	58.20	F	2.71	A
5291	P	SR A1A/ROYAL POINCIANA WAY - E. OF COCOANUT ROW	6,800	E	7,300	W	14100	C	10.80	F	58.20	F	5.44	P
5300	P	SR 786/PGA BLVD. - EAST OF SR 9/I-95	33,000	E	32,500	W	65500	C	11.98	F	58.43	F	3.10	P
5322	P	SR 704 (ONE WAY W.B.) .150 MILE W. OF S.DIXIE HWY.	0		22,000	W	22000	C	11.98	F	99.99	W	5.17	F
5335	P	SR 700/US 98 - N.W. OF NEW SR 80	1,300	N	1,300	S	2600	C	9.78	F	61.47	F	18.03	P
5340	P	SR 5 / US1 - S. OF SR 806-A - ONE WAY SOUTHBOUND	0		12,500	S	12500	C	10.80	F	99.99	W	4.74	P
5341	P	SR 808/GLADES RD - W. OF SR 91/FL. TURNPIKE	27,000	E	27,500	W	54500	C	11.98	F	58.43	F	3.03	P
5342	P	SR 7/US 441 - N. OF SR 808/GLADES RD	22,500	N	21,500	S	44000	C	11.98	F	58.43	F	4.02	P
5401	P	SR 786/PGA BLVD - E. OF SR 710/BEE LINE HWY	2,500	E	2,700	W	5200	C	9.78	F	61.47	F	9.13	P
5402	P	SR 786/P.G.A. BLVD - E. OF SR 811/ALT A1A	28,000	E	27,000	W	55000	C	11.98	F	58.43	F	3.30	P
5403	P	SR 804/BOYNTON BCH. BLVD - E. OF SR 9/I-95	15,500	E	15,500	W	31000	C	11.98	F	58.43	F	2.96	A
5404	P	SR809/MILITARY TRAIL, N OF SR80/SOUTHERN BLVD	24,500	N	23,000	S	47500	C	11.98	F	58.43	F	5.70	P
5405	P	SR708/BLUE HERON BLVD, W OF SR9/I95	16,500	E	16,500	W	33000	C	9.78	F	61.47	F	8.52	P
5406	P	SR708/BLUE HERON BLVD, E OF SR9/I95	25,000	E	24,500	W	49500	C	11.98	F	58.43	F	9.91	P
5408	P	SR 804/BOYNTON BCH. BLVD - W. OF SR 5/US 1	10,500	E	9,500	W	20000	C	11.98	F	58.43	F	3.18	A
5410	P	SR 704/OKEECHOBEE BLVD. W. OF I-95	27,500	E	27,500	W	55000	C	11.98	F	58.43	F	6.75	A
5411	P	SR 80/SOUTHERN BLVD. - E. OF SR 5/OLIVE AVE.	7,500	E	7,800	W	15300	C	10.80	F	58.20	F	2.22	P
5412	P	SR 704/OKEECHOBEE BLVD. E. OF I-95	33,000	E	32,000	W	65000	C	11.98	F	58.43	F	3.59	A
5415	P	SR 80/SOUTHERN BLVD. W. OF I-95	18,500	E	20,500	W	39000	C	11.98	F	58.43	F	6.47	P
5416	P	SR 80/SOUTHERN BLVD. E. OF I-95	14,000	E	14,500	W	28500	C	11.98	F	58.43	F	5.41	P
5417	P	SR 80/SOUTHERN BLVD. - E. OF JOG RD.	12,500	E	12,500	W	25000	C	11.98	F	58.43	F	12.75	A
5418	P	SR 80/SOUTHERN BLVD. - E. OF MILITARY TRAIL	12,500	E	12,500	W	25000	C	11.98	F	58.43	F	8.03	P
5419	P	SR 80- E. OF SR 807(NOW UNDER NEW INTERCHANGE)	24,000	E	23,500	W	47500	C	11.98	F	58.43	F	5.88	P
5420	P	SR 805/DIXIE HWY. - N. OF SR 80/SOUTHERN BLVD.	9,800	N	10,000	S	19800	C	10.80	F	58.20	F	6.06	P
5421	P	SR5/OLIVE AVE.- S. OF PALM BEACH LAKES BLVD. N.B.	4,500	N	0		4500	C	10.80	F	99.99	W	4.70	P
5422	P	SR 805/DIXIE HWY. - S. OF PALM BEACH LAKES BLVD.	7,900	N	9,200	S	17100	C	10.80	F	58.20	F	7.63	A
5423	P	DIXIE HWYS,N. OF BELVEDERE RD.(ONE WAY BEFOR 2003)	10,500	N	10,000	S	20500	C	11.98	F	58.43	F	4.72	P
5486	P	SR-5/OLIVE AVE N OF SOUTHERN BLVD (SR-80)	3,300	N	2,700	S	6000	C	10.80	F	58.20	F	5.03	F
5487	P	SR 822/FOREST HILL BLVD. - E. OF JOG ROAD	23,500	E	21,500	W	45000	C	11.98	F	58.43	F	3.98	P
5500	P	SR 882/FOREST HILL BLVD. - E. OF FLA. TPK.	18,000	E	18,000	W	36000	C	11.98	F	58.43	F	3.87	A
5501	P	SR 882/FOREST HILL BLVD. - W. OF JOG ROAD	20,500	E	20,500	W	41000	C	11.98	F	58.43	F	2.09	P
5502	P	SR-882/FOREST HILL BLVD E OF I-95	16,000	E	14,000	W	30000	C	11.98	F	58.43	F	4.88	P
9935	T	SR25/US27,1.9 MI N TALISMAN SUGARMILL RD,PALM BCH	4,219	N	4,001	S	8220	C	9.40	A	63.34	A	39.66	A

Site type: T = Telemetered; P = Portable

AADT Flags: C = Computed; E = Manual Estimate; F = First Year Est; S = Second Year Est; T = Third Year Est; X = Unknown

"K/D" Flags: A = Actual; F = Volume Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; W = One-Way Road

"T" Flags: A = Actual; F = Axle Fctr Catg; D = Dist/Functional Class; P = Prior Year; S = State-wide Default; X = Cross-Reference